

hohem iSteady XE

HoHem iSteady XE Smartphone Gimbal Instruction Manual

Model: iSteady XE

1. INTRODUCTION

The HoHem iSteady XE is a compact and lightweight 3-axis smartphone gimbal designed to provide superior stabilization for mobile videography. It enhances video quality by eliminating shakes and jitters, making it ideal for vlogging, live streaming, and capturing smooth cinematic footage with your smartphone. This manual provides detailed instructions on how to set up, operate, and maintain your iSteady XE gimbal.

2. PACKAGE CONTENTS

Please verify that all items listed below are included in your package:

- iSteady XE Gimbal Stabilizer
- Magnetic Fill Light (optional, may be sold separately or included in kit)
- Mini Tripod
- Storage Pouch
- USB-C Charging Cable



Image: The HoHem iSteady XE gimbal kit, including the gimbal, magnetic fill light, mini tripod, storage pouch, and USB-C charging cable.



Image: A visual representation of the items included in the iSteady XE package: iSteady XE gimbal, magnetic fill light, tripod, storage pouch, and USB-Type C charging cable.

3. PRODUCT OVERVIEW

The iSteady XE is engineered for portability and performance, featuring advanced stabilization and user-friendly controls.

- **Ultralight and Portable:** Weighing only 0.57 lbs (259g) and foldable to smartphone length, it's highly compact for easy transport.
- **Maximized Payload Capacity:** Supports smartphones up to 0.62 lbs (280g) with an extendable phone holder (2.17 - 3.54 inches).
- **3-Axis Stabilization:** Utilizes iSteady 7.0 Algorithm for smooth, shake-free footage across Pan, Roll, and Tilt axes.
- **Face and Object Tracking:** Advanced algorithms in the Hohem Joy app automatically recognize and track subjects.
- **Independent Magnetic Fill Light:** Features 3 light colors and 10 brightness levels, attachable to the gimbal or usable independently.
- **Simplified Control:** No tedious leveling required; quick start by centering the phone.
- **Multiple Usage Modes:** Includes Inception mode (180° rotation) and quick switching between Landscape and Portrait modes.

Weight 259g As Compact as an iPhone



Image: The iSteady XE gimbal, weighing 259g, shown next to an iPhone to illustrate its compact and portable size.

Upgraded Stabilization iSteady 7.0 Algorithm




Image: An illustration highlighting the upgraded iSteady 7.0 Stabilization Algorithm, indicating the Tilt (90°), Roll (320°), and Pan (320°) ranges of motion.

Magnetic Fill Light Featuring 10-Level Adjustable Brightness

Snap It onto the Gimbal. That's It.



Image: The magnetic fill light attached to the gimbal, demonstrating its 3 types of light colors, 10 brightness levels, and 180° rotatable design.

In the Box




Image: A hand holding the iSteady XE gimbal with a smartphone, illustrating the ease of rotation and control.

4. SETUP GUIDE

4.1 Charging the Gimbal

Before first use, fully charge the iSteady XE using the provided USB-C cable. Connect the USB-C end to the gimbal's charging port and the USB-A end to a power adapter (not included) or computer USB port. The indicator lights will show charging status.

4.2 Installing the Hohem Joy App

For full functionality, download the "Hohem Joy" app from your smartphone's app store (App Store for iOS, Google Play Store for Android). The app enables advanced features like face tracking and mode selection.

4.3 Mounting Your Smartphone

1. Unfold the gimbal to its operating position.
2. Extend the phone clamp and carefully place your smartphone in the center of the clamp. Ensure the phone is securely held and balanced as centrally as possible.
3. The iSteady XE features a simplified design that does not require tedious manual leveling. Simply lock the phone in the central position, and the gimbal is ready to operate.



Image: The iSteady XE gimbal displayed alongside various smartphone models, demonstrating its compatibility with different phone sizes.

5. OPERATING INSTRUCTIONS

5.1 Power On/Off and Bluetooth Connection

- **Power On:** Press and hold the power button until the indicator lights illuminate.
- **Bluetooth Connection:** Open the Hohem Joy app on your smartphone. The app will automatically detect and connect to the gimbal via Bluetooth.
- **Power Off:** Press and hold the power button until the indicator lights turn off.

5.2 Gimbal Modes

The iSteady XE offers several operating modes to suit different shooting scenarios. You can switch between modes using the function button on the gimbal handle.

Mode	Description
Pan Follow (PF)	The camera pans left/right following your hand movements, while tilt and roll axes are locked.
Pan & Tilt Follow (PTF)	The camera pans left/right and tilts up/down following your hand movements, while the roll axis is locked.
All Lock (L)	All three axes (pan, tilt, roll) are locked, keeping the camera pointing in a fixed direction.
POV (Point of View)	The camera follows all three axes (pan, tilt, roll) according to your hand movements, providing a first-person perspective.

5.3 Face and Object Tracking

Within the Hohem Joy app, activate the face or object tracking feature. The gimbal will automatically follow the selected subject, ensuring they remain in the frame. This is particularly useful for vlogging or dynamic shots.

5.4 Magnetic Fill Light Operation

If your kit includes the magnetic fill light, simply snap it onto the top of your smartphone. It offers 3 light colors (cold, natural white, warm) and 10 adjustable brightness levels. Press the power button on the light to turn it on/off and cycle through modes. Use the +/- buttons to adjust brightness.



Image: A close-up view of the magnetic fill light, highlighting its compact design and magnetic attachment capability.




Image: A visual guide demonstrating the magnetic fill light's versatility with 10 brightness levels and three light color options: Cold light, Natural white light, and Warm light.



Image: A detailed view of the magnetic fill light's controls, including the power/mode button and brightness adjustment buttons.

5.5 Inception Mode and Portrait/Landscape Switching

- **Inception Mode:** Activate this mode (often by double-tapping a specific button or via the app) to achieve a 180° spinning shot, creating a dynamic visual effect.
- **Portrait/Landscape Switching:** Quickly switch between horizontal (landscape) and vertical (portrait) shooting orientations by pressing the function button, ideal for different social media platforms.

Travel, Street, Sports...

Any scenes, just name it



Daily Vlog



Travel Vlog



Street Vlog



Family Vlog



Sports Vlog



Content Creation
on Social Media

*Magnetic fill light sold separately

Image: A collage showcasing the versatile applications of the iSteady XE gimbal in different scenarios, including daily vlogging, travel vlogging, street vlogging, family vlogging, sports vlogging, and content creation for social media.

6. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your HoHem iSteady XE gimbal.

- **Cleaning:** Use a soft, dry cloth to wipe the gimbal body. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, fold the gimbal and store it in the provided storage pouch to protect it from dust and scratches. Store in a cool, dry place away from direct sunlight.
- **Battery Care:** For long-term storage, charge the battery to about 50-60% every three months to prevent over-discharge.
- **Avoid Impact:** Protect the gimbal from drops or strong impacts, which can damage the motors and internal components.

7. TROUBLESHOOTING

If you encounter issues with your iSteady XE, refer to the following common problems and solutions:

Problem	Possible Solution
Gimbal not powering on	Ensure the battery is charged. Connect to a power source and check indicator lights.
Unstable footage / Gimbal shaking	Ensure the smartphone is properly mounted and centered in the clamp. Check for any obstructions to the gimbal's movement. Recalibrate the gimbal via the Hohem Joy app if available.
Bluetooth connection issues	Make sure Bluetooth is enabled on your phone. Restart both the gimbal and the Hohem Joy app. Forget the device in your phone's Bluetooth settings and try pairing again.
App not responding or crashing	Ensure the Hohem Joy app is updated to the latest version. Close and reopen the app. Restart your smartphone.
Magnetic fill light not working	Check if the fill light is charged. Ensure it is securely attached if used on the gimbal.

8. SPECIFICATIONS

Feature	Detail
Model	iSteady XE
Brand	hohem
Product Dimensions (Folded)	179 x 79 x 39 mm
Product Dimensions (Unfolded)	7.9 x 17.8 x 3.8 cm (approx. 79 x 178 x 38 mm)
Weight	259 grams (0.57 lbs)
Max Payload	280 grams (0.62 lbs)
Compatible Phone Width	2.17 - 3.54 inches
Battery Life	Up to 8 hours (from feature bullets)
Stabilization	3-axis (Pan, Roll, Tilt) with iSteady 7.0 Algorithm
Connectivity	Bluetooth
Charging Port	USB-C
Country of Origin	China

9. WARRANTY AND SUPPORT


Hohem Technology Co., LTD. provides a warranty for this product. For specific warranty details and return policies, please refer to the information provided at the point of purchase or contact Hohem customer support.

- **Return Policy:** Products can typically be returned within 30 days of receipt if you change your mind. For defective or damaged products, specific return policies apply.
- **Manufacturer:** hohem Technology Co., LTD.

- **Online Support:** Visit the official Hohem store on Amazon for additional product information and support resources: [Hohem Amazon Store](#).

© 2024 Hohem Technology Co., LTD. All rights reserved.

Documents - hohem – iSteady XE




[\[pdf\]](#) User Manual Instructions

Lukáš Chlebovský User Manual Launch the Hohem Joy app and follow prompts to connect iSteady XE 1 M Button Power button Press hold for three seconds on off dwn alza cz manual 114142 |||

User Manual Uzivatelsk manu Uzvatesk manu Hasznlati utasts Benutzerhandbuch English 3 14 Ce ... the App Store or on Google Play. The Hohem Joy requires iOS 10.0 or later or Android 6.0 or later. iSteady XE Magnetic Fill Light Magnetic fill light is sold separately. Cold light / warm light / nat...

lang:en score:45 filesize: 841.34 K page_count: 62 document date: 2023-05-30




[\[pdf\]](#) Instructions

Télécharger l'application--Hohem Joy Pour plus de fonctions Activez Bluetooth sur le smartphone Lancez application Hohem et suivez les instructions pour connecter appareil iSteady XE ① ④ ⑤ ③ ② Bouton 91v1kuv7OBL m media amazon images l |||

Tlcharger l'application--Hohem Joy Pour plus de fonctions intressantes Hohem Joy est compatible av ... oires en option qui sont vendus sparment. Fixez votre tiphone portable avant de mettre en marche l iSteady XE. Si aucun tiphone mobile n est dtect ou si le moteur est surcharg parce que le tiphone n...

lang:fr score:45 filesize: 622.28 K page_count: 5 document date: 2023-02-28




[\[pdf\]](#)

iSteady XE Kit 368526030 content1 rozetka ua goods documents original ||| ||| Cii iSteady XE iSteady XE Kit V1.0 QR Hohem. , , , , - , , , , , , , Hohem. Hohem , - , , , , . Hohem. www.hohem.com . Hohem Technology Co., Ltd service hohem.com www.hohem.com : Hohem Technology Co., Ltd . : , 106 , , . Facebook -- H

Cii iSteady XE iSteady XE Kit V1.0 QR Hohem. , , , , - , , , , , , , Hohem. Hohem , - , , , , , . Hohem. www.hohem.com . Hohem Technology Co., Ltd se...

lang:en score:43 filesize: 3.59 M page_count: 12 document date: 2023-09-25



[\[pdf\]](#) User Manual

User Manual hohem iSteady XE Gimbal Stabilizer for Smartphone 3 Axis Handheld Portable Foldable iPhone and Android Phone Video Recording w Face Object Tracking Electronics Photo 91UtpHbX 7L m media amazon images | |||

3-Axis Smartphone Gimbal User Manual V1.0 Scan the QR code to access tutorial Warning Disclaimer ... * are optional accessories which are sold separately. Mount your mobile phone before powering on iSteady XE. If no mobile phone is detected or the motor is overloaded because phone is not balanced...

lang:en score:41 filesize: 675.59 K page_count: 12 document date: 2023-01-31




[\[pdf\]](#) User Manual Accessories

User Manual hohem iSteady XE Kit Gimbal Stabilizer for Smartphone 3 Axis Phone Magnetic Fill light Portable and Foldable iPhone Android Vlog Video Recording Max Payload 280g Amazon.co.uk Electronics Photo C1KgVCv OFL m media amazon images | |||

3-Axis Smartphone Gimbal User Manual V1.0 Scan the QR code to access the tutorial EN 00 - 04 User ... * are optional accessories which are sold separately. Mount your mobile phone before powering on iSteady XE. If no mobile phone is detected or the motor is overloaded because phone is not balanced...

lang:en score:40 filesize: 5.36 M page_count: 44 document date: 2023-02-28




[\[pdf\]](#) Accessories

Manuale dell'utente hohem iSteady XE Smartphone Stabilizzatore Gimbal Pieghevole per Telefono a 3 Assi con Luce di Riempimento Magnetica iPhone Android Vlog Registrazione Video Carico 280g Amazon.it Elettronica 91jZxc4j cL m media amazon images | |||

Scaricare l'app Hohem Joy per accedere ad ulteriori funzioni interessanti Lo stabilizzatore Hohem ... o accessori opzionali venduti separatamente. Posizionare il proprio cellulare prima di accendere l'iSteady XE. Se il sistema non rileva il telefono cellulare o se il motore sovraccarico a causa del...

lang:it score:39 filesize: 619.61 K page_count: 5 document date: 2023-02-28




[\[pdf\] User Manual](#)

User Manual V1 0 Hohem 2024 01 10 — The motor would be shown on the screen due to some of mobile cameras are designed at middle phone such as Xiaomi Mi Pro and

032e4a4b28ee45849557f3368280cab2 hohem cn profile |||

User Manual V1.0 Scan the QR code to access the tutorial Warning Disclaimer Thank you for purcha ... * are optional accessories which are sold separately. Mount your mobile phone before powering on iSteady XE. If no mobile phone is detected or the motor is overloaded because phone is not balanced...

lang:en score:35 filesize: 699.89 K page_count: 12 document date: 2023-05-08



[Hohem iSteady XE User Manual: Setup, Operation, and Specifications](#)

Your comprehensive guide to the Hohem iSteady XE smartphone gimbal stabilizer. This manual covers setup, button functions, working modes, calibration, specifications, warranty information, and regulatory compliance.

lang:en score:35 filesize: 772.59 K page_count: 13 document date: 2023-03-08

Model	Compatibility
iPhone 14 Pro Max	Compatible
iPhone 14 Pro	Compatible
iPhone 14 Plus	Compatible
iPhone 13 Pro Max	Compatible
iPhone 13 Pro	Compatible
iPhone 13 mini	Compatible
iPhone 12 Pro Max	Compatible
iPhone 12 Pro	Compatible
iPhone 12 mini	Compatible
iPhone SE2	Compatible
iPhone 11 Pro Max	Compatible
iPhone 11 Pro	Compatible
iPhone 11	Compatible
iPhone Xs Max	Compatible
iPhone Xs	Compatible
iPhone XR	Compatible
iPhone X	Compatible
iPhone 8 Plus	Compatible
iPhone 8	Compatible
iPhone 7 Plus	Compatible
iPhone 7	Compatible
iPhone 6s Plus	Compatible
iPhone 6s	Compatible
iPhone 6 Plus	Compatible
iPhone 6	Compatible
Android P series	Compatible
HUAWEI P50 Pro	Compatible
HUAWEI P50	Compatible
HUAWEI P40 Pro	Compatible
HUAWEI P40	Compatible
HUAWEI P30 Pro	Compatible
HUAWEI P30	Compatible
HUAWEI P20 Pro	Compatible
HUAWEI P20	Compatible

[\[pdf\] Guide Accessories](#)

Administrator Compatibility Guide hohem iSteady XE Kit Gimbal Stabilizer for Smartphone 3 Axis Cell Phone Handheld with Fill Light iPhone Android Lightweight Youtuber Vlogging Live Stream Phones Accessories 61Sj4ZH95nL m media amazon images I |||

iPhone Model 14ProMax 14Pro 14 PPlus 14 13ProMax 13Pro 13 13mini 12ProMax 12pro 12 12mini SE2 11ProMax 11pro 11 Xs Max Xs XR X 8Plus 8 7Plus 7 6s Plus 6s 6 PPlus 6 iSteady XE Smartphone Compatibility List AndroidCompatibility is updating... HUAWEI P series P50Pro P50 P40Pro P40 P30Pro P30 P20Pro P...

lang:tl score:35 filesize: 85.44 K page_count: 1 document date: 2023-04-27

This is a spreadsheet titled "iSteady XE/V2/V2S Smartphone Compatibility List". It contains a list of various smartphone models and their compatibility status with the iSteady gimbal. The columns include phone models, their operating systems, and whether they are compatible. The list is extensive, covering a wide range of devices from older models to the latest releases.

[\[pdf\]](#) Guide Accessories

Compatibility Guide hohem iSteady XE Kit Gimbal Stabilizer for Smartphone 3 Axis Phone Magnetic Fill Light Portable and Foldable iPhone Android One Key Inception Video Recording Cell Phones Accessories 61KXjcyxxwL m media amazon images | |||

iPhone Model 15ProMax 15Pro 15 15PLus 14ProMax 14Pro 14 PLus 14 13ProMax 13Pro 13 13mini 12ProMax 12pro 12 12mini SE2 11ProMax 11pro 11 Xs Max Xs XR X 8Plus 8 7Plus 7 6s Plus 6s 6 PLus 6 iSteady XE/V2/V2S Smartphone Compatibility List HUAWEI P Series P50Pro P50 P40Pro P40 P30Pro P30 P20Pro P20 P10...

lang:tl score:35 filesize: 102.94 K page_count: 1 document date: 0000-00-00



[\[pdf\]](#) User Manual Accessories

HoHem Smartphone Gimbal iSteady XE 3 Axis Mobile Phone Stabilizer Kit for iPhone 14 13 Pro Max Android Fill Light Youtubers Vlogs Video Recording Black Colour Amazon it Electronics C1s1DtHzDyL m media amazon images | |||

3-Axis Smartphone Gimbal User Manual V1.2 Scan the QR code to access the tutorial EN 00 - 04 User ... * are optional accessories which are sold separately. Mount your mobile phone before powering on iSteady XE. If no mobile phone is detected or the motor is overloaded because phone is not balanced...

lang:en score:34 filesize: 4.08 M page_count: 44 document date: 2024-04-03


[\[pdf\]](#) Guide

This is another screenshot of the "iSteady XE/V2/V2S Smartphone Compatibility List" spreadsheet, showing a different section of the list. It details the compatibility of various smartphone models, including their operating systems and specific model names.

Administrator Compatibility Guide hohem iSteady XE Kit Gimbal Stabilizer for Smartphone 3 Axis Phone Magnetic Fill light Portable and Foldable iPhone Android Vlog Video Recording Max Payload 280g Amazon co uk Electronics Photo 61x4KcNVrzL m media amazon images | |||


iPhone Model 15ProMax 15Pro 15 15PLus 14ProMax 14Pro 14 PLus 14 13ProMax 13Pro 13 13mini 12ProMax 12pro 12 12mini SE2 11ProMax 11pro 11 Xs Max Xs XR X 8Plus 8 7Plus 7 6s Plus 6s 6 PLus 6 iSteady XE/V2/V2S Compatibilty List HUAWEI P series P50Pro P50 P40Pro P40 P30Pro P30 P20Pro P20 P10PLUS P10 Ma...

lang:tl score:34 filesize: 98.94 K page_count: 1 document date: 2023-10-31




[\[pdf\]](#) Datasheet

Datasheet for Hohem iSteady XE Kit Gimbal für Smartphones 3 Achsen 280g Traglast schwarz mit LED Lampe Der ist die ideale Lösung alle professionelle Videos und Fotos ihrem Smartphone erstellen möchten HOH ISXEK berrybase de en product datasheet 01958c9b721170c0b24c9adfce35dd58 create srsllid AfmBOoolBGs1XYXcLiu9sXm2yhoJbLy7IEqg89Xz4PJLT1YCTFZ z38B |||
Datasheet for Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LEDLampe Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LED-Lampe Der Hohem iSteady XE Kit ist die ideale Lsung fr alle, die professionelle Videos und Fotos mit ihre...
lang:de score:33 filesize: 3.55 M page_count: 3 document date: 2025-07-07




[\[pdf\]](#) Datasheet

Datenblatt zu Hohem iSteady XE Kit Gimbal für Smartphones 3 Achsen 280g Traglast schwarz mit LED Lampe Der ist die ideale Lösung alle professionelle Videos und Fotos ihrem Smartphone erstellen möchten HOH ISXEK berrybase de es product datasheet 01958c9b721170c0b24c9adfce35dd58 create srsllid AfmBOoolCx453cxkWXWy ndpS yr07BfWEO1UR03ReAbjalUSJ8naHBG |||
Datenblatt zu Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LEDLampe Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LED-Lampe Der Hohem iSteady XE Kit ist die ideale Lsung fr alle, die professionelle Videos und Fotos mit ihre...
lang:de score:33 filesize: 444.08 K page_count: 3 document date: 2025-05-30



[\[pdf\]](#) User Manual

3 Axis Smartphone Gimbal User Manual V1 0 Hohem 2023 03 15 — ② Phone Clamp ③ Folding Lock A ④ B ⑤ Working Mode Indicator Battery Level ⑥ Zoom Slider ⑦ Shutter Button ⑧ Tilt Motor
47d98eb9cbbba16370f4d2f773a4b84e2 gimbalengine upload product 20230315 |||
3-Axis Smartphone Gimbal User Manual V1.0 Scan the QR code to access the tutorial Warning Discla ... * are optional accessories which are sold separately. Mount your mobile phone before powering on iSteady XE. If no mobile phone is detected or the motor is overloaded because phone is not balanced...
lang:en score:32 filesize: 616.2 K page_count: 12 document date: 2023-02-15




[pdf] Datasheet

Datenblatt zu Hohem iSteady XE Kit Gimbal für Smartphones 3 Achsen 280g Traglast schwarz mit LED Lampe Der ist die ideale Lösung alle professionelle Videos und Fotos ihrem Smartphone erstellen möchten HOH ISXEK berrybase de es product datasheet 01958c9b721170c0b24c9adfce35dd58 create srsllid AfrmBOoob9GZz0uZHpkls3flvZE2ERxvG1IFkR M1 gljwzL AYJ HbZS |||

Datenblatt zu Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LEDLampe Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LED-Lampe Der Hohem iSteady XE Kit ist die ideale Lsung fr alle, die professionelle Videos und Fotos mit ihre...

lang:de score:32 filesize: 3.55 M page_count: 3 document date: 2025-07-07




[pdf] Datasheet

Datenblatt zu Hohem iSteady XE Kit Gimbal für Smartphones 3 Achsen 280g Traglast schwarz mit LED Lampe Der ist die ideale Lösung alle professionelle Videos und Fotos ihrem Smartphone erstellen möchten HOH ISXEK berrybase de es product datasheet 01958c9b721170c0b24c9adfce35dd58 create srsllid AfrmBOoq wX3tc0DU9tPR54gho7x YLsn9 ArM5yjMwYXXj6pfdR 0i8Z |||

Datenblatt zu Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LEDLampe Hohem iSteady XE Kit, Gimbal fr Smartphones, 3-Achsen, 280g Traglast, schwarz, mit LED-Lampe Der Hohem iSteady XE Kit ist die ideale Lsung fr alle, die professionelle Videos und Fotos mit ihre...


lang:de score:32 filesize: 3.55 M page_count: 3 document date: 2025-07-17



[pdf]

6 ПРАВИЛА ПРОВЕДЕННЯ АКЦІЇ «Купуй будь який стабілізатор Hohem iSteady XE silver Q Black або PRO 3 у період з «06» липня 2023 до «31» грудня клієнт отримує Рюкзак купуй буд який stabilizator hohem ta otrimuj ryukzak v podarunok t 1688987858 i citrus world shares July plyushka k ||| : Hohem Hohem . 03 2023 . 1 . : 2. . 2.1. : 03 2023 31 2023 . 2.2. ... / . 4. . 4.1. , - . 4.2. - , , . 5. : 5.1. Hohem iSteady XE silver , Hohem iSteady Q Black Hohem iSteady PRO 3 06 2023 31 2023 Hohem Bl...

lang:i-klngon score:32 filesize: 154.39 K page_count: 2 document date: 2023-07-10



[pdf]

c259a1ee2b1aa0f7c375b64e9b0be2a7 hohem cn upload product 20230104 |||

V1.0 iSteady XE hohem hohem hohem , www.hohem.com Hohem Technology Co., Ltd 0755 - 86573216 400 - 960 - 9206 9 00 - 21 00 service hohem.com www.hohem.com B APP--Hohem Joy APP iOS 10.0 Android 6.0 App Store Hohem Joy * Hohem Joy APP A...

lang:i-klnglon score:28 filesize: 693.09 K page_count: 12 document date: 2022-12-27



[pdf] Decleration of Conformity

Morlab wendy DeclarationLetter ModelDefference Shenzhen Hohem Technology Co Ltd XE iSteady 3 Axis Smartphone Stabilizer with Bluetooth 2AIB7XE xe

Shenzhen Hohem Technology Co., Ltd. Model difference Declaration Letter

Date:2023-02-28 Hereby, we, Shenzhen Hohem Technology Co., Ltd. , declare that for model number: iSXEK, iSXE, iSteady XE Kit, iSteady XE have the same hardware and software, only different in model name and iSXEK, iSteady X...

lang:i-klnglon score:26 filesize: 82.83 K page_count: 1 document date: 2023-03-07

Scaricare l'app Hohem Joy per accedere ad ulteriori funzioni interessanti

Se hai dubbi con il telefono, scaricarlo separatamente.
 Posizionare il proprio cellulare orizzontalmente (iSteady XE).
 Se il telefono non rileva il stabilizzatore, il gimbal si sconnetterà a causa del mancato bilanciamento del telefono, il gimbal si spegnerà dopo un segnale acustico.

Panoramica dello stabilizzatore iSteady XE

- 1. Luce di riempimento magnetica*
- 2. Supporto per telefono
- 3. Blocco di ripiegamento A
- 4. Blocco di ripiegamento B
- 5. Indicatore della modalità operativa
- 6. Indicatore del livello della batteria
- 7. Pulsante di accensione
- 8. Pulsante di accensione
- 9. Pulsante di accensione
- 10. Pulsante di accensione
- 11. Pulsante di accensione
- 12. Pulsante di accensione
- 13. Pulsante di accensione
- 14. Pulsante di accensione
- 15. Pulsante di accensione
- 16. Pulsante di accensione
- 17. Pulsante di accensione
- 18. Pulsante di accensione
- 19. Pulsante di accensione
- 20. Pulsante di accensione
- 21. Pulsante di accensione
- 22. Pulsante di accensione
- 23. Pulsante di accensione
- 24. Pulsante di accensione
- 25. Pulsante di accensione
- 26. Pulsante di accensione
- 27. Pulsante di accensione
- 28. Pulsante di accensione
- 29. Pulsante di accensione
- 30. Pulsante di accensione
- 31. Pulsante di accensione
- 32. Pulsante di accensione
- 33. Pulsante di accensione
- 34. Pulsante di accensione
- 35. Pulsante di accensione
- 36. Pulsante di accensione
- 37. Pulsante di accensione
- 38. Pulsante di accensione
- 39. Pulsante di accensione
- 40. Pulsante di accensione
- 41. Pulsante di accensione
- 42. Pulsante di accensione
- 43. Pulsante di accensione
- 44. Pulsante di accensione
- 45. Pulsante di accensione
- 46. Pulsante di accensione
- 47. Pulsante di accensione
- 48. Pulsante di accensione
- 49. Pulsante di accensione
- 50. Pulsante di accensione

Luce di riempimento magnetica iSteady XE *venduta separatamente

Luce fredda / Luce calda / Luce bianca naturale (20 livelli di luminosità regolabili)

- 1. Pulsante "+" / Pulsante "-"
- 2. Pulsante "+" / Pulsante "-"
- 3. Pulsante "+" / Pulsante "-"
- 4. Pulsante "+" / Pulsante "-"
- 5. Pulsante "+" / Pulsante "-"
- 6. Pulsante "+" / Pulsante "-"
- 7. Pulsante "+" / Pulsante "-"
- 8. Pulsante "+" / Pulsante "-"
- 9. Pulsante "+" / Pulsante "-"
- 10. Pulsante "+" / Pulsante "-"
- 11. Pulsante "+" / Pulsante "-"
- 12. Pulsante "+" / Pulsante "-"
- 13. Pulsante "+" / Pulsante "-"
- 14. Pulsante "+" / Pulsante "-"
- 15. Pulsante "+" / Pulsante "-"
- 16. Pulsante "+" / Pulsante "-"
- 17. Pulsante "+" / Pulsante "-"
- 18. Pulsante "+" / Pulsante "-"
- 19. Pulsante "+" / Pulsante "-"
- 20. Pulsante "+" / Pulsante "-"
- 21. Pulsante "+" / Pulsante "-"
- 22. Pulsante "+" / Pulsante "-"
- 23. Pulsante "+" / Pulsante "-"
- 24. Pulsante "+" / Pulsante "-"
- 25. Pulsante "+" / Pulsante "-"
- 26. Pulsante "+" / Pulsante "-"
- 27. Pulsante "+" / Pulsante "-"
- 28. Pulsante "+" / Pulsante "-"
- 29. Pulsante "+" / Pulsante "-"
- 30. Pulsante "+" / Pulsante "-"
- 31. Pulsante "+" / Pulsante "-"
- 32. Pulsante "+" / Pulsante "-"
- 33. Pulsante "+" / Pulsante "-"
- 34. Pulsante "+" / Pulsante "-"
- 35. Pulsante "+" / Pulsante "-"
- 36. Pulsante "+" / Pulsante "-"
- 37. Pulsante "+" / Pulsante "-"
- 38. Pulsante "+" / Pulsante "-"
- 39. Pulsante "+" / Pulsante "-"
- 40. Pulsante "+" / Pulsante "-"
- 41. Pulsante "+" / Pulsante "-"
- 42. Pulsante "+" / Pulsante "-"
- 43. Pulsante "+" / Pulsante "-"
- 44. Pulsante "+" / Pulsante "-"
- 45. Pulsante "+" / Pulsante "-"
- 46. Pulsante "+" / Pulsante "-"
- 47. Pulsante "+" / Pulsante "-"
- 48. Pulsante "+" / Pulsante "-"
- 49. Pulsante "+" / Pulsante "-"
- 50. Pulsante "+" / Pulsante "-"

[pdf] Accessories

Hohem Joy① Luce di riempimento magnetica* ② Supporto per telefono ③ Blocco ripiegamento A ④ B ⑤

Indicatore della modalità operativa91jZxc4j cLm media amazon images I 91jZxc4j cL |||

Scaricare l'app Hohem Joy per accedere ad ulteriori funzioni interessanti Lo

stabilizzatore Hohem ... o accessori opzionali venduti separatamente. Posizionare il proprio cellulare prima di accendere l'iSteady XE. Se il sistema non rileva il telefono cellulare o se il motore sovraccarico a causa del...

lang:it score:26 filesize: 619.61 K page_count: 5 document date: 2023-02-28

Hohem Joy App für weitere Interessante Funktionen herunterladen

Hohem Joy unterstützt iOS 10.0 und Android 5.0 oder neuer.
 Scannen Sie den QR-Code oder Ihr Google Playmark... Hohem Joy... und folgen Sie den Anweisungen zur Installation der App.

Bitte...
 Wenn kein Mobiltelefon erkannt wird oder der Motor überlastet ist, weil das Telefon nicht waagrecht schaltet sich Gimbal nach einem Warnton ab.

Übersicht über den iSteady XE

- 1. Magnetisches Fülllicht*
- 2. Smartphone-Montage
- 3. Klappverschluss A
- 4. Klappverschluss B
- 5. Betriebsmodus-Anzeige (Aktivitätsanzeige)
- 6. Zonen-Schaltwippen
- 7. Auslösetaste
- 8. Handgelenkschwenker
- 9. Knopf
- 10. Schwenkachsenmotor
- 11. Bluetooth-Ladegerät
- 12. Joystick
- 13. Funktionsleuchte
- 14. 1/4-Zoll-Steckbuch (USB-C-Steckbuch)
- 15. 1/4-Zoll-Steckbuch (USB-C-Steckbuch)
- 16. 1/4-Zoll-Steckbuch (USB-C-Steckbuch)
- 17. Handgelenk (Handgelenk)
- 18. Schwenkachsenmotor
- 19. Schwenkachsenmotor
- 20. Schwenkachsenmotor
- 21. Schwenkachsenmotor
- 22. Schwenkachsenmotor
- 23. Schwenkachsenmotor
- 24. Schwenkachsenmotor
- 25. Schwenkachsenmotor
- 26. Schwenkachsenmotor
- 27. Schwenkachsenmotor
- 28. Schwenkachsenmotor
- 29. Schwenkachsenmotor
- 30. Schwenkachsenmotor
- 31. Schwenkachsenmotor
- 32. Schwenkachsenmotor
- 33. Schwenkachsenmotor
- 34. Schwenkachsenmotor
- 35. Schwenkachsenmotor
- 36. Schwenkachsenmotor
- 37. Schwenkachsenmotor
- 38. Schwenkachsenmotor
- 39. Schwenkachsenmotor
- 40. Schwenkachsenmotor
- 41. Schwenkachsenmotor
- 42. Schwenkachsenmotor
- 43. Schwenkachsenmotor
- 44. Schwenkachsenmotor
- 45. Schwenkachsenmotor
- 46. Schwenkachsenmotor
- 47. Schwenkachsenmotor
- 48. Schwenkachsenmotor
- 49. Schwenkachsenmotor
- 50. Schwenkachsenmotor

iSteady XE Magnetisches Fülllicht *Separat erhältlich

Kaltweiß / Warmweiß / Tageslichtweiß (20 Stufen einstellbar und regelbar)

- 1. M-Taste (Fülllicht ein-/auszuschalten)
- 2. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 3. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 4. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 5. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 6. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 7. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 8. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 9. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 10. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 11. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 12. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 13. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 14. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 15. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 16. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 17. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 18. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 19. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 20. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 21. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 22. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 23. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 24. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 25. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 26. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 27. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 28. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 29. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 30. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 31. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 32. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 33. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 34. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 35. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 36. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 37. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 38. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 39. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 40. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 41. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 42. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 43. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 44. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 45. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 46. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 47. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 48. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 49. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)
- 50. Ein-/Aus-Taste (Fülllicht ein-/auszuschalten)

[pdf]

Hohem Joy App für weitere Interessante Funktionen herunterladen ○ Wenn kein Mobiltelefon erkannt

wird oder der Motor überlastet ist weil das Telefon nicht waagrecht schaltet sich Gimbal nach einem

Warnton ab 91JGbdm6cFL m media amazon images I |||

Hohem Joy App für weitere Interessante Funktionen herunterladen Hohem Joy

unterstützt iOS 10.0 und A ... sind optionales Zubehör, das separat erhältlich ist.

Befestigen Sie Ihr Mobiltelefon, bevor Sie den iSteady XE einschalten. Wenn kein

Mobiltelefon erkannt wird oder der Motor belastet ist, weil das ...

lang:de score:25 filesize: 620.72 K page_count: 5 document date: 2023-02-28

MORLAB REPORT No.: SZ2302085S01

RF EXPOSURE EXEMPT REPORT

APPLICANT : Shenzhen Hohem Technology Co., Ltd.
 PRODUCT NAME : iSteady XE(3-Axis Smartphone Stabilizer)
 MODEL NAME : iSXEK, iSXE, iSteady XE Kit, iSteady XE
 BRAND NAME : hohem
 FCC ID : 2AIB7XE
 STANDARD(S) : 47 CFR Part 2.109.1
 RECEIPT DATE : 2023-02-07
 TEST DATE : 2023-02-16 to 2023-02-28
 ISSUE DATE : 2023-03-07

Edited by: *Zeng Xinying*
 Zeng Xinying (Rapporteur)
 Approved by: *Shen Junsheng*
 Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd. The test report shall not be reproduced without the full and prior written permission of the company. The test results apply only to the particular certified tested article to the specific tests carried out which is mentioned explicitly in the report and shall not be extended to other articles or other tests.

Shenzhen Morlab Communications Technology Co., Ltd. No. 4016, Building 1, Shenzhen International Technology Park, Shenzhen, Guangdong, P.R. China
 Tel: +86 755 26666666 Fax: +86 755 26666666
 Email: info@morlab.com.cn Website: www.morlab.com.cn

Page 1 of 1

[pdf] Test Report SAR Rating

Microsoft Word SZ2302085S01 Hohem iSXEK FCC RF Exposure docx Morlab Shenzhen Technology

Co Ltd XE iSteady 3 Axis Smartphone Stabilizer with Bluetooth 2AIB7XE xe

REPORT No.SZ2302085S01 RF EXPOSURE EXEMPT REPORT APPLICANT :

Shenzhen Hohem Technology Co., Ltd. PRODUCT NAME : iSteady XE 3-Axis

Smartphone Stabilizer MODEL NAME : iSXEK, iSXE, iSteady XE Kit, iSteady XE

BRAND NAME : hohem FCC ID : 2AIB7XE STANDARD S RECEIPT DATE : 47 CFR

Part 2.109...

lang:en score:25 filesize: 336.81 K page_count: 9 document date: 2023-03-07




[pdf]

DC MAXSIOP Hohem iSteady XE t 1688479442 i citrus world pravila 2023 deklaraciya sootvetstviy Gadgets |||

...

lang:en score:16 filesize: 3.8 M page_count: 1 document date: 2023-06-21



[pdf]

docId A0783848F0AD558AE5DD807CC4DBA625 HOHEM iSteady XE GRY Stabilizátor NĀ;vod 1 68 MB Nay sk 2818131 cdn nay images orig |||

...

lang:en score:15 filesize: 1.68 M page_count: 8 document date: 2023-08-28