

Schütte 79770

SCHÜTTE London 79770 Kitchen Faucet with Pull-Out Spray User Manual

Model: 79770 | Brand: Schütte

1. IMPORTANT SAFETY INFORMATION

Please read this manual carefully before installation and use. Keep these instructions for future reference. Improper installation or use may result in damage to the product or personal injury.

- Ensure all water supply lines are turned off before beginning installation.
- Wear appropriate personal protective equipment (e.g., safety glasses, gloves) during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use abrasive cleaners or harsh chemicals on the faucet's finish, as this may cause damage.

2. PRODUCT OVERVIEW

The SCHÜTTE London 79770 is a single-lever kitchen faucet featuring a convenient pull-out spray and a 360° swivel spout. Its design incorporates an energy-saving cold-start function.



Image 2.1: SCHÜTTE London 79770 Kitchen Faucet with its packaging, highlighting key features.

3. INCLUDED COMPONENTS

Verify that all components are present before starting installation:

- 1x London Kitchen Faucet (249 x 113 x 298 mm)
- 2x DVGW certified flexible connection hoses (400 mm)
- 1x Pull-out spray with hose (1500 mm)
- 1x Mounting triangle for the sink
- 1x Mounting material kit
- 1x Assembly instructions (this manual)

SCHÜTTE
ARMATUREN UND BRAUSEN SEIT 1976



Image 3.1: All parts included in the SCHÜTTE London 79770 kitchen faucet package.

4. SETUP AND INSTALLATION

The SCHÜTTE London 79770 faucet is designed for single-hole installation and includes a quick-fix kit for easy mounting. Ensure your sink has a hole diameter between 35-50 mm.

4.1 Installation Steps

1. **Prepare the Sink:** Ensure the mounting surface is clean and dry. The faucet requires a single

mounting hole.

- 2. Insert Faucet:** Place the faucet body into the mounting hole on the sink or countertop.
- 3. Secure Faucet:** From underneath the sink, slide the rubber gasket, metal washer, and mounting triangle onto the threaded rod of the faucet. Secure with the provided nut, tightening firmly but carefully to avoid overtightening.
- 4. Connect Water Hoses:** Attach the two flexible connection hoses to the corresponding inlets on the faucet body. Connect the other ends to your hot and cold water supply lines. Ensure a watertight seal.
- 5. Install Pull-Out Spray Hose:** Connect the pull-out spray hose to the designated outlet on the faucet body. Attach the counterweight to the pull-out hose underneath the sink to ensure smooth retraction.
- 6. Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. If leaks occur, gently tighten the connections.



Image 4.1: Diagram illustrating the single-hole installation process for the faucet.

5. OPERATING INSTRUCTIONS

The SCHÜTTE London 79770 faucet offers versatile functionality for your kitchen tasks.

5.1 Water Flow and Temperature Control

- **Single-Lever Mixer:** The single lever controls both water flow and temperature.
- **Cold Start Function:** In the central position, only cold water flows, helping to save energy and reduce wear on your water heater. Move the lever to the left for hot water.




Image 5.1: Illustration of the energy-saving cold-start function.

5.2 Pull-Out Spray Function

The integrated pull-out spray extends approximately 70 cm, making it ideal for rinsing dishes, filling pots, or cleaning the sink area.

- Gently pull the spray head from the spout to extend the hose.
- After use, guide the spray head back into the spout until it clicks securely into place.



met uittrekbare uitloop

Image 5.2: The faucet demonstrating its pull-out spray functionality.

5.3 360° Swivel Spout

The faucet spout can swivel 360 degrees, providing maximum flexibility for various sink configurations and tasks.



Image 5.3: The faucet's spout rotating 360 degrees for enhanced usability.

6. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive sponges, scouring agents, or cleaners containing alcohol, ammonia, or phosphoric acid, as these can damage the gold finish.
- **Aerator Maintenance:** Periodically unscrew the aerator at the end of the spout and clean any mineral deposits or debris.
- **Cartridge Replacement:** The ceramic cartridge can be easily replaced if needed. Consult a professional if you experience persistent dripping or difficulty controlling water flow/temperature.

7. TROUBLESHOOTING

If you encounter issues with your faucet, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Water Leakage at Base	Loose mounting nut or damaged seals/gaskets.	Ensure the mounting nut underneath the sink is securely tightened. Check and replace any damaged rubber gaskets or seals.
Reduced Water Flow	Clogged aerator or debris in water lines.	Unscrew and clean the aerator. Flush water lines to remove debris.
Difficulty Controlling Temperature/Flow	Worn or faulty ceramic cartridge.	The ceramic cartridge may need replacement. Contact customer support or a qualified plumber.
Pull-Out Spray Does Not Retract Smoothly	Counterweight dislodged or hose obstructed.	Check that the counterweight is properly attached to the pull-out hose and that the hose path is clear of obstructions under the sink.

8. SPECIFICATIONS

- **Model Number:** 79770
- **Brand:** Schütte
- **Product Dimensions (L x W x H):** 24.9 x 11.3 x 29.8 cm
- **Weight:** 1.8 kg
- **Color:** Gold
- **Finish:** Gold
- **Material:** Brass
- **Installation Method:** Single-hole
- **Number of Holes Required:** 1
- **Spout Reach:** Approximately 70 cm (for pull-out spray)
- **Number of Handles:** 1
- **Special Features:** Pull-out spray, 360° swivel spout, Cold-start function




Image 8.1: Detailed technical dimensions of the SCHÜTTE London 79770 faucet.

9. WARRANTY AND SUPPORT

The SCHÜTTE London 79770 kitchen faucet comes with a **5-year warranty**.

For any questions regarding the product, claims, or technical support, please contact Schütte customer service:

- **Phone:** +49 (0) 5407-81529-0-3
- **Location:** Wallenhorst, Germany

Schütte has been developing sanitary products for over 40 years, ensuring quality and customer satisfaction.

	<p>SCHÜTTE AQUADOT Digital Faucet Installation and Operation Guide</p> <p>Comprehensive guide for installing, operating, and troubleshooting the SCHÜTTE AQUADOT digital kitchen faucet. Includes parts overview, safety instructions, and technical specifications.</p>
	<p>SCHÜTTE AQUASTAR PRO Filter Faucet - Pure Water, Elegant Design</p> <p>Discover the SCHÜTTE AQUASTAR PRO Filter Faucet, offering pure, filtered water directly from your tap. Features elegant design, advanced filtration, and sustainable benefits for your kitchen.</p>
	<p>SCHÜTTE AQUASTAR PRO Filter Tap: Premium Kitchen Mixer with Integrated Water Filter</p> <p>Explore the SCHÜTTE AQUASTAR PRO, a sophisticated kitchen tap blending modern design with advanced water filtration. Enjoy pure, limescale-free drinking water directly from your tap. This tap offers benefits like improved health, appliance longevity, environmental sustainability, and elegant kitchen aesthetics. Features include a BWT filter, multiple finishes, and user-friendly operation.</p>
	<p>HOGA Waschtisch-Armatur Montageanleitung</p> <p>Umfassende Montage- und Pflegeanleitung für die HOGA Waschtisch-Armatur von Franz Joseph Schütte GmbH. Enthält detaillierte Schritte zur Installation, Sicherheitshinweise, Wartungstipps, Austausch der Kartusche und Garantieinformationen. Ideal für Heimwerker und Installateure.</p>
	<p>Schütte WC-Sitz MDF with Soft-Close: Installation Guide</p> <p>Comprehensive installation guide for the Schütte WC-Sitz MDF toilet seat featuring a soft-close mechanism. Includes safety, care, and disposal instructions.</p>