

[Manuals.plus](#) /

› [GGM Gastro](#) /

› GGM Gastro KSS200H Stainless Steel Storage Refrigerator User Manual

GGM Gastro KSS200H

GGM Gastro KSS200H Stainless Steel Storage Refrigerator

USER MANUAL

Model: KSS200H | Brand: GGM Gastro

1. Introduction and Product Overview

Thank you for choosing the GGM Gastro KSS200H Stainless Steel Storage Refrigerator. This premium appliance is designed for professional use, offering reliable cooling and a compact, space-saving design. With a net volume of 66 liters and a temperature range of 2°C to 8°C, it is an ideal solution for various commercial environments. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your refrigerator.



Figure 1: Front view of the GGM Gastro KSS200H Stainless Steel Storage Refrigerator, showcasing its sleek stainless steel finish and digital display.

2. Safety Instructions

Please read all safety instructions carefully before operating the appliance to prevent injury and damage.

- **Electrical Safety:** Ensure the power supply matches the appliance's requirements (220-240 Volt / 1N/PE / 50 Hz). Do not use extension cords or adapters. Always unplug the appliance before cleaning or maintenance.
- **Ventilation:** Ensure adequate ventilation around the appliance. Do not block ventilation openings.
- **Placement:** Place the refrigerator on a stable, level surface away from direct sunlight, heat sources, and moisture.
- **Refrigerant:** This appliance uses R600a refrigerant. Handle with care and ensure proper disposal according to local regulations. It is CFC-free.

- **Children:** Keep children away from the appliance, especially during operation and maintenance.
- **Damage:** Do not operate the appliance if the power cord or plug is damaged. Contact qualified service personnel for repairs.

3. Setup and Installation

The GGM Gastro KSS200H is a freestanding unit. Follow these steps for proper installation:

1. **Unpacking:** Carefully remove all packaging materials. Inspect the appliance for any shipping damage.
2. **Placement:** Position the refrigerator on a firm, level floor. Ensure there is sufficient space around the unit for air circulation (at least 10 cm on sides and back).
3. **Leveling:** Adjust the leveling feet at the bottom of the unit to ensure it is stable and level.
4. **Door Reversibility:** The door hinge is reversible, allowing you to change the door opening direction to suit your space. Refer to the detailed diagram in the separate installation guide for instructions on reversing the door.
5. **Initial Power-On:** After positioning, wait at least 2-4 hours before plugging the unit into a power outlet. This allows the refrigerant to settle.




Figure 2: External dimensions of the refrigerator: Width 605mm, Depth 604mm, Height 855mm.

4. Operating Instructions

Your GGM Gastro KSS200H refrigerator features a digitally controlled thermostat for precise temperature management.

- **Power On/Off:** Plug the power cord into a grounded electrical outlet. The digital display will illuminate.
- **Temperature Setting:** Use the control panel buttons (usually up/down arrows) to set the desired temperature. The recommended operating temperature range is 2°C to 8°C. The display will show the current internal temperature.
- **Loading:** Do not overload the refrigerator. Ensure proper air circulation around items for efficient cooling.
- **Door Usage:** Close the door firmly after each use to maintain internal temperature and energy efficiency. The unit is equipped with a lock for security.



Figure 3: The refrigerator features a lock for secure storage, with a key inserted into the lock mechanism.



Figure 4: A close-up view of the two keys provided for the refrigerator's lock.

5. Maintenance and Cleaning

Regular cleaning and maintenance ensure optimal performance and longevity of your refrigerator.

- **Cleaning the Interior:** Disconnect the power. Remove all contents. Clean the interior with a mild detergent and warm water. Rinse thoroughly and dry with a soft cloth. Do not use abrasive cleaners or sharp objects.
- **Cleaning the Exterior:** Wipe the stainless steel exterior with a damp cloth and a mild, non-abrasive cleaner. For best results, use a stainless steel cleaner.
- **Condenser Coil Cleaning:** Periodically clean the condenser coils (located at the back or bottom of the unit) to ensure efficient cooling. Use a soft brush or vacuum cleaner to remove dust and debris. Ensure the unit is unplugged before cleaning.
- **Defrosting:** This appliance features an automatic defrost system. Manual defrosting is generally not required. If excessive ice buildup occurs, unplug the unit and allow it to defrost naturally, then clean and dry the interior.
- **Door Gasket:** Regularly check the door gasket for cracks or damage. A damaged gasket can lead to poor sealing

and increased energy consumption. Clean the gasket with warm water and mild soap.

6. Troubleshooting

Before contacting service, check the following common issues:

Problem	Possible Cause	Solution
Refrigerator not cooling	No power supply Temperature setting too high Door not closed properly Excessive door openings Condenser coils dirty	Check power plug and outlet Adjust temperature setting lower Ensure door is fully closed Minimize door openings Clean condenser coils
Unusual noise	Appliance not level Items inside rattling Normal compressor operation	Level the appliance Rearrange items This is normal; if excessive, contact service
Water on floor	Drain pan overflowing Drain hose blocked	Check and empty drain pan Clear any blockages in drain hose

If the problem persists after checking these points, please contact GGM Gastro customer support.

7. Specifications

Feature	Detail
Brand	GGM Gastro
Model Number	KSS200H
Type	Storage Refrigerator (Premium)
Net Volume	66 Liters
Temperature Range	2°C ~ 8°C
Refrigerant	R600a / 35 g (CFC-free)
Power	100 Watt
Electrical Connection	220 - 240 Volt / 1N/PE / 50 Hz
External Dimensions (W x D x H)	605 mm x 604 mm x 855 mm
Internal Dimensions (W x D x H)	605 mm x 260 mm x 620 mm
Body Material	High-quality Stainless Steel AISI 304
Installation Type	Freestanding
Defrost System	Automatic

Feature	Detail
Number of Doors	1
Door Hinge	Reversible
Compliance	CE-marked, complies with European food standards, hygiene and safety guidelines.




Figure 5: Energy efficiency label for the GGM Gastro KSS200H, showing its energy consumption and capacity details.

8. Warranty and Support

For warranty information, technical support, or spare parts, please contact GGM Gastro customer service. Ensure you have your model number (KSS200H) and purchase details available when contacting support.

You can find more information and contact details on the official GGM Gastro website or through your point of purchase.