



Manuals.plus /

› SISESOL /

› SISESOL Metal Storage Cabinet User Manual

SISESOL 71"H -6 Shelves (Black Gray)

SISESOL Metal Storage Cabinet User Manual

Model: 71"H -6 Shelves (Black Gray)

1. INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your SISESOL Metal Storage Cabinet. Designed for versatile use in home, office, garage, warehouse, workshop, or school environments, this cabinet offers secure and organized storage with its robust construction and adjustable features. Please read this manual thoroughly before assembly and use to ensure proper installation and safe operation.

2. SAFETY INFORMATION

WARNING:

- Always keep the cabinet locked when not in use to prevent unauthorized access.
- Be cautious when opening and closing the doors, as they can close automatically and may cause injury if not handled carefully.
- Do not overload the cabinet, as this can cause it to tip over or damage the contents.
- Always follow the assembly instructions carefully to ensure the cabinet is stable and secure.
- Ensure the cabinet is placed on a level surface. Use the adjustable leg levelers to stabilize the cabinet and prevent wobbling.
- For added safety, especially in households with children or in areas prone to earthquakes, consider securing the cabinet to a wall using appropriate anti-tipping hardware.

3. PRODUCT FEATURES

- **Adjustable Shelves:** Features 5 adjustable shelves, allowing flexible customization of storage space to accommodate items of various sizes. Shelves can be removed for larger items.
- **Large Capacity:** Overall dimensions of 71"H x 31.5"W x 15.8"D, providing ample storage. Total weight capacity of 900 lbs.
- **Sturdy and Durable Construction:** Made from strong cold-rolled steel with a stain-resistant, phosphor-free powder coating. This ensures the cabinet is waterproof, scratch-resistant, and rust-resistant.
- **Secure Storage:** Equipped with a lockable door and a 3-point locking system, including 2 keys, to safely store valuables and sensitive items.
- **Noise Reduction:** Features noise pads to prevent noise when opening and closing doors.

- **Easy Access:** Designed with pull-out door handles for easier opening. Doors can open up to 180 degrees.
- **Stability:** Includes 4 adjustable leg levelers to ensure stability on uneven surfaces.

4. PACKAGE CONTENTS

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact customer service.

YOUR CABINET, YOU DEFINE IT!




Image: Cabinet dimensions and key features like noise pads, pull-out handle, lock, and adjustable feet.

SAFE STORAGE FOR WORK AND HOME



Door with Magnets
keep door closed



Lock with 2 Keys
protect your items



5PC Adjustable Shelves
storage different sizes



4PC Levelers
keep cabinet Stable

Image: Detailed view of door magnets, lock with keys, adjustable shelf mechanism, and 360-degree adjustable leg levelers.

The package includes all necessary components and hardware for assembly. A Phillips head screwdriver is typically included, along with extra hardware.

5. ASSEMBLY INSTRUCTIONS

Assembly typically takes about 30 minutes with two people. While possible to assemble alone, having a second person will significantly ease the process, especially for handling larger panels.

5.1 Preparation

- Clear a spacious, flat, and clean area for assembly. A table over 6 feet long and 3 feet wide is recommended.
- Unpack all components carefully. The shipping box is heavy; it is recommended to have assistance when moving it.
- Identify and sort all parts according to the included numbered parts list.
- Ensure you have the necessary tools: a Phillips head screwdriver (often included) and potentially a flat-head screwdriver for leg levelers.

5.2 Step-by-Step Assembly

Follow the detailed instructions and diagrams provided in your product's assembly manual. Key steps generally include:

1. Assemble the base and back panels. It is crucial to ensure these are correctly aligned as they form the cabinet's foundation. Avoid leaning weight on panels during assembly to prevent dents.
2. Attach the side panels to the base and back.
3. Install the top panel.
4. Attach the doors. The doors are designed for straightforward installation. Ensure the clear O-rings are properly placed on the bottom metal insert to provide cushion and ensure level doors.
5. Insert the adjustable shelves. Place the shelf pegs into the desired slots along the cabinet's interior.
6. Install the pull-out door handles.
7. Attach the noise pads to the top and bottom edges of the doors to ensure quiet operation.
8. Adjust the leg levelers from inside the cabinet using a flat-head screwdriver to ensure the cabinet is stable and level.

For a visual guide, please refer to the official SISESOL Storage Cabinet assembly video:

Your browser does not support the video tag.

Video: Official SISESOL Storage Cabinet assembly and feature demonstration. This video illustrates the adjustable shelves, 180-degree door opening, silent pads, pull-out handles, lock design, and optimized packaging for easier installation.

6. OPERATING INSTRUCTIONS

6.1 Adjusting Shelves

To adjust the height of the shelves, remove all items from the shelf. Lift the shelf slightly and remove the four shelf pegs from their current slots. Reinsert the pegs into the desired slots at the new height, ensuring all four pegs are securely in place before placing the shelf back down. The cabinet features one-inch increments for precise adjustment.



Image: A SISESOL cabinet with its doors open, showcasing the adjustable shelves filled with various tools and containers, demonstrating flexible storage.

6.2 Locking and Unlocking

To lock the cabinet, ensure both doors are fully closed. Insert one of the provided keys into the lock on the door and turn it to engage the 3-point locking mechanism. To unlock, insert the key and turn it in the opposite direction. The doors also feature magnets to keep them closed when not locked.

6.3 Opening and Closing Doors

Use the pull-out door handles to open and close the cabinet doors. The doors are designed to open up to 180 degrees for full access to the interior. The integrated silent pads help reduce noise during operation.

7. MAINTENANCE

- **Cleaning:** The powder-coated steel surface is waterproof and stain-resistant. Clean regularly with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary.
- **Leveling:** Re-check the cabinet's stability and adjust the leg levelers as needed, especially if the cabinet is moved or if the

floor settles.

- **Door Operation:** If doors become stiff or noisy, ensure the silent pads are in place and clean any debris from the hinges.

8. TROUBLESHOOTING

- **Cabinet Wobbles:** Ensure the cabinet is on a flat surface. Adjust the 4 leg levelers at the bottom of the cabinet until it is stable.
- **Doors Do Not Close Properly:** Check for any obstructions inside the cabinet or along the door frame. Verify that the cabinet is level. If a door appears warped, gently apply pressure to realign it, or contact customer service if the issue persists.
- **Fingerprints on Surface:** The metal surface may show fingerprints. Wipe clean with a soft cloth and a standard glass cleaner or mild all-purpose cleaner. The paint is durable and should not come off with normal cleaning.
- **Missing or Damaged Parts:** If you received the product with missing parts or dents, contact SISESOL customer service immediately for assistance.

9. SPECIFICATIONS

Attribute	Detail
Brand	SISESOL
Model	71"H -6 Shelves
Color	Black Gray
Product Dimensions (H x W x D)	71" x 31.5" x 15.8"
Item Weight	74.4 lbs
Total Weight Capacity	900 lbs
Material	Cold-rolled Steel (Alloy Steel Frame)
Finish Type	Powder Coated
Number of Shelves	5 (adjustable)
Lock Type	Key (3-point locking system)
Mounting Type	Floor Mount (Freestanding)
Assembly Required	Yes

10. WARRANTY AND SUPPORT

SISESOL is committed to providing quality products and excellent customer service. While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims.

If you encounter any problems with your SISESOL Metal Storage Cabinet, require assistance with assembly, or have questions regarding its use, please contact SISESOL customer service. Our online customer service team is available to help you solve your concerns within 24 hours.

For returns, a 30-day easy return policy is typically available. Please refer to your purchase platform's return policy for specific details.

You can also visit the official SISESOL Store for more information and products: [SISESOL Store on Amazon](#)

