

[Manuals.plus](#) /

> [EasyAcc](#) /

> EasyAcc 3200ml Digital Electric Dehumidifier User Manual

## EasyAcc 3200ml Dehumidifier

# EasyAcc 3200ml Digital Electric Dehumidifier User Manual

Model: EasyAcc 3200ml Dehumidifier

## 1. INTRODUCTION

---

Thank you for choosing the EasyAcc 3200ml Digital Electric Dehumidifier. This appliance is designed to effectively reduce excess moisture in your home, creating a more comfortable and healthier environment. It utilizes advanced Peltier cooling technology and a powerful fan to efficiently remove humidity from the air. Please read this manual thoroughly before operating the dehumidifier to ensure safe and optimal performance.

## 2. SAFETY INSTRUCTIONS

---

To prevent injury to the user or others and property damage, the following instructions must be followed. Incorrect operation due to ignoring instructions may cause harm or damage.

- Always place the dehumidifier on a stable, level surface.
- Do not block the air inlet or outlet. Maintain at least 20 cm (8 inches) clearance from walls or other objects.
- Ensure the power cord is not damaged and is properly plugged into a grounded electrical outlet.
- Do not operate the appliance with wet hands.
- Keep the appliance away from heat sources, direct sunlight, and flammable materials.
- Do not immerse the appliance, power cord, or plug in water or other liquids.
- Unplug the dehumidifier before cleaning, moving, or when not in use for extended periods.
- This appliance is for indoor household use only. Do not use it outdoors or for commercial purposes.
- Do not allow children or persons with reduced physical, sensory, or mental capabilities to operate the appliance without supervision.
- In case of malfunction, unusual noise, or smoke, immediately unplug the unit and contact customer support.

## 3. PRODUCT OVERVIEW

---

The EasyAcc 3200ml Dehumidifier features a compact design with a large water tank and an intuitive control panel.



**Image 1:** Front view of the EasyAcc 3200ml Digital Electric Dehumidifier. It shows the main unit with a visible water tank at the bottom and a blue-lit display area at the top.

### Key Features:

- **High Efficiency:** Equipped with double semiconductor technology for faster and stronger dehumidification.
- **Large Capacity:** 3200ml (3.2L) visible water tank reduces the frequency of emptying.
- **Quiet Operation:** Operates below 35dB, suitable for bedrooms and offices.
- **Energy Saving:** Low power consumption, approximately 1.2 kWh per 24 hours.
- **Automatic Shut-off:** Unit automatically turns off when the water tank is full, with a red light indicator.
- **7-Color LED Night Light:** Provides ambient lighting, can be turned on or off.
- **1-7 Hour Timer:** Allows for scheduled shutdown.

- **Intelligent Defrost Protection:** Ensures efficient operation in cooler conditions.
- **Replaceable HEPA Filter:** Helps purify dust and dirt from the air.

## Components:

- Air Inlet (rear/side)
- Air Outlet (top)
- Control Panel (top)
- Water Tank (bottom front)
- Power Port (rear)
- Handle (rear top)

# Multi-function Control Panel



Night Light On/Off



Power switch Auto-off



1-7H Off Timer



Intelligent Defrost Protection



**Image 2:** Close-up view of the multi-function control panel located on the top of the dehumidifier. It features buttons for Night Light On/Off, Power switch Auto-off, 1-7H Off Timer, and Intelligent Defrost Protection.

## 4. SETUP

1. **Unpack the Dehumidifier:** Carefully remove the dehumidifier from its packaging. Retain the packaging for future storage or transport.
2. **Choose a Location:** Place the dehumidifier on a firm, level surface in the desired room. Ensure there is at least 20

cm (8 inches) of clear space around the air inlet and outlet for proper airflow. Avoid placing it in direct sunlight or near heat sources.

3. **Connect Power:** Plug the power adapter into the dehumidifier's power port, then plug the other end into a standard electrical outlet (100-240V AC, 50/60Hz).
4. **Initial Check:** Ensure the water tank is correctly inserted and empty before first use.

## 5. OPERATING INSTRUCTIONS

---

1. **Power On/Off:** Press the power button on the control panel to turn the dehumidifier on or off. The unit will start operating in continuous mode when turned on.
2. **Set the Timer:** Press the timer button to set the desired operating time (1-7 hours). The unit will automatically shut down after the set time has elapsed.
3. **Night Light Control:** Press the light button to cycle through the 7-color LED night light modes or to turn the light off.
4. **Automatic Shut-off:** The dehumidifier is equipped with an automatic shut-off feature. When the water tank is full, the unit will stop operating, and a red indicator light will flash to alert you. Empty the water tank and reinsert it to resume operation.
5. **Intelligent Defrost Protection:** The unit features intelligent defrost protection to ensure efficient operation in low-temperature environments. This function activates automatically when needed.

# 1-7H Off Timer & Colorful Night Light

Scheduled shutdown, convenient and worry-free



**Image 3:** The dehumidifier displaying its 1-7 hour off timer function and colorful LED night light feature. The image highlights the timer setting and the vibrant light options.

# Automatic Shut Down

When the water tank is full with a flashing **red light**



Colorful Lights /Working



Red Light /Full Water, Auto shut off



**Image 4:** The dehumidifier showing its automatic shut-down feature when the water tank is full. A prominent red light flashes to indicate the tank is full, and the unit stops operation.

## 6. MAINTENANCE

### 6.1 Emptying the Water Tank

When the water tank is full, the dehumidifier will automatically shut off, and a red indicator light will flash.

1. Gently pull out the water tank from the front of the unit.
2. Carefully pour out the collected water.
3. Rinse the water tank with clean water if necessary and ensure it is free of debris.
4. Slide the empty water tank back into the dehumidifier until it clicks into place. The unit will resume operation automatically.

## **6.2 Cleaning the Air Filter**

The dehumidifier is equipped with a replaceable HEPA high-precision filter to purify the air. Regular cleaning and replacement are essential for optimal performance.

# Replaceable HEPA high-precision filter

Effectively purify dust/dirt to filter out clean dry air



**x2** Free Filter



**Image 5:** An exploded view showing the replaceable HEPA high-precision filter being removed from the top of the dehumidifier. The image illustrates how the filter purifies dust and dirt from the air.

1. Unplug the dehumidifier from the power outlet.
2. Locate the filter cover, usually at the back or top of the unit, and open it.
3. Remove the HEPA filter.
4. Gently clean the filter with a soft brush or vacuum cleaner to remove dust and debris. Do not wash the HEPA filter

with water.

5. Reinsert the clean filter and close the cover.
6. **Filter Replacement:** The HEPA filter should be replaced periodically, depending on usage and air quality. Please note that information regarding the availability of replacement filters is currently not provided by the manufacturer. Contact EasyAcc customer support for inquiries about replacement filters.

### 6.3 Cleaning the Exterior

- Wipe the exterior of the dehumidifier with a soft, damp cloth.
- Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the surface.
- Ensure the unit is completely dry before plugging it back in.

## 7. TROUBLESHOOTING

If you encounter any issues with your dehumidifier, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	<ul style="list-style-type: none"><li>• Power cord not properly plugged in.</li><li>• No power from the outlet.</li><li>• Water tank is full or not correctly inserted.</li></ul>	<ul style="list-style-type: none"><li>• Ensure the power cord is securely plugged into both the unit and the outlet.</li><li>• Check the circuit breaker or try another outlet.</li><li>• Empty the water tank and ensure it is correctly reinserted.</li></ul>
Dehumidifier is running but not collecting water.	<ul style="list-style-type: none"><li>• Room humidity is too low.</li><li>• Air filter is clogged.</li><li>• Temperature is too low (below 5°C / 41°F).</li></ul>	<ul style="list-style-type: none"><li>• Dehumidifiers are most effective in humid conditions (above 40% RH).</li><li>• Clean or replace the air filter.</li><li>• The unit may not collect water efficiently in very cold environments.</li></ul>
Unit makes unusual noise.	<ul style="list-style-type: none"><li>• Unit is not on a level surface.</li><li>• Obstruction in the fan.</li></ul>	<ul style="list-style-type: none"><li>• Place the unit on a flat, stable surface.</li><li>• Unplug the unit and check for any foreign objects in the air inlet/outlet.</li></ul>
Red light flashing, unit stopped.	Water tank is full.	Empty the water tank and reinsert it correctly.

## 8. SPECIFICATIONS

<b>Brand</b>	EasyAcc
<b>Model</b>	EasyAcc 3200ml Dehumidifier
<b>Water Tank Capacity</b>	3200 Milliliters (3.2 Liters)
<b>Dehumidification Capacity</b>	Up to 650ml per day (at 30°C, 85% RH)
<b>Coverage Area</b>	Up to 60 m <sup>2</sup> (650 sq.ft)
<b>Power Consumption</b>	Approx. 50 Watts (1.2 kWh / 24 hours)
<b>Noise Level</b>	Below 35 dB

Dimensions (L x W x H)	30 x 23 x 34.2 cm
Item Weight	3.36 Kilograms
ASIN	B0C8TSVS13

## Efficient Dehumidification

Say goodbye to wet weather from now on

Up to 650ml daily at 30°C, 85% RH



Coverage area 650 sq.ft (60m<sup>2</sup>)



Image 6: Illustration of the dehumidifier's efficient dehumidification capabilities, showing it can extract up to 650ml daily at 30°C and 85% RH, covering an area of 60m<sup>2</sup> (650 sq.ft).

# Energy Saving- ECO Design

Lower Your Energy Bill Consumes

Only **1.2kwh / 24** hours



Image 7: Visual representation of the dehumidifier's energy-saving ECO design, indicating it consumes only 1.2 kWh per 24 hours.

# Double Semiconductor Faster and Stronger

Almost effective as 2 normal small  
peltier dehumidifier



**Image 8:** An internal diagram illustrating the double semiconductor technology, which makes the dehumidifier faster and stronger, almost as effective as two normal small Peltier dehumidifiers.

## 9. WARRANTY AND SUPPORT

Specific warranty information for the EasyAcc 3200ml Digital Electric Dehumidifier is not provided in the product details. For warranty claims, technical support, or inquiries regarding replacement parts (such as filters), please contact EasyAcc customer service directly.

Please retain your proof of purchase for any warranty-related inquiries.



This manual is for informational purposes only. EasyAcc reserves the right to make changes to the product without prior notice.