

[Manuals.plus](#) /

› [HTLOTUS](#) /

› HTLOTUS Bathtub Folding Shower Glass Door 36" W x 55" H Instruction Manual

HTLOTUS H-Type Frameless Tub Shower Door

HTLOTUS Bathtub Folding Shower Glass Door 36" W x 55" H Instruction Manual

MODEL: H-TYPE FRAMELESS TUB SHOWER DOOR

Product Overview

The HTLOTUS H-Type Frameless Folding Bathtub Shower Glass Door is designed to provide a modern and functional enclosure for your bathtub. This model features clear tempered glass panels and a matte black finish on the hardware, offering both durability and aesthetic appeal.



This image displays the HTLOTUS H-Type Frameless Folding Bathtub Shower Glass Door installed on a bathtub, showcasing its clear glass panels and matte black hardware in a modern bathroom setting.

Safety Information

Please read and understand all safety instructions before installation and use. Failure to follow these instructions may result in injury or product damage.

- Always wear appropriate safety gear, including safety glasses and gloves, during installation.
- Tempered glass, while strong, can shatter into small, blunt pieces if damaged. Handle with extreme care.
- Ensure the installation surface (wall) is structurally sound and capable of supporting the weight of the shower door.
- Professional installation is highly recommended to ensure proper and safe setup.
- Do not use the shower door as a support or grab bar.
- Allow silicone sealant to cure for at least 24 hours before using the shower to ensure a watertight seal.

Package Contents

Please verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer service.

- Shower Glass Panels (2)
- Wall Profile (Stainless Steel, Matte Black)
- Hinges/Clamps (Matte Black)
- Mount Hardware (Screws, Wall Anchors)
- PVC Seal Strip
- Installation Manual (This document)

Specifications

Feature	Detail
Model	H-Type Frameless Tub Shower Door
Dimensions	36 inches (W) x 55 inches (H)
Glass Thickness	1/4 inch (6mm)
Glass Type	Clear Tempered Safety Glass (ANSI Certified)
Hardware Finish	Matte Black
Material	Glass, Stainless Steel
Door Style	Hinged, Folding
Installation Type	Screw-In
UPC	755086830071

SHOWER DOOR DIMENSION



This image provides a detailed diagram of the shower door dimensions, indicating a width of 36 inches (914mm) and a height of 55 inches (1397mm), along with the 6mm glass thickness.

Setup and Installation

This section outlines the steps for installing your shower door. For optimal results and safety, professional installation is recommended. The door is reversible for left or right-hand installation.

Tools Required

- Drill
- Level
- Measuring Tape
- Screwdriver
- Caulk Gun and Silicone Sealant
- Pencil

Installation Steps

1. **Prepare the Area:** Ensure the bathtub and surrounding wall area are clean, dry, and level.
2. **Position the Wall Profile:** Place the wall profile (part of the hinge mechanism) against the wall at the desired installation height. Use a level to ensure it is perfectly vertical. Mark the drilling points.



This image shows a close-up of the black steel wall profile, highlighting its robust construction and how it integrates with the glass panel for secure installation.

3. **Drill Holes:** Drill pilot holes at the marked locations. Insert wall anchors if necessary.
4. **Secure Wall Profile:** Attach the wall profile to the wall using the provided screws.
5. **Install Glass Panels:** Carefully attach the glass panels to the wall profile and to each other using the provided hinges/clamps. Ensure the panels are aligned and move freely.

FIXED CLAMPS TO MAKE SHOWER DOOR STABLE



This image details the fixed clamps that secure the two glass panels together, ensuring stability and proper alignment of the folding mechanism.

6. **Apply Seal Strip:** Install the PVC seal strip along the bottom edge of the glass panels to prevent water leakage.
7. **Seal Edges:** Apply a continuous bead of silicone sealant along the exterior edges of the wall profile and where the glass meets the bathtub to create a watertight seal. Allow 24 hours for the sealant to cure before using the shower.

Installation Video

Your browser does not support the video tag.


This video demonstrates the step-by-step installation process for the HTLOTUS shower door, providing a visual guide to complement the written instructions.

Operating Instructions

The HTLOTUS folding shower door is designed for ease of use and space-saving functionality.

- **Opening and Closing:** The hinged panels allow for a nearly 180-degree rotation, providing ample entry and exit space. Gently push or pull the panels to open or close the shower door.

- **Folding for Space Saving:** To maximize space when the shower is not in use, the glass panels can be folded inward, parallel to the wall. This compact position is ideal for smaller bathrooms.



This image illustrates the shower door panels folded inward, demonstrating how the design saves space in the bathroom when the shower is not in use.

- **Rotatable for Cleaning:** The panels can also be rotated outwards, providing easy access to both sides of the glass for thorough cleaning.

ROTATABLE SCREEN FOR CLEANING



This image shows the shower door panels rotated outwards, highlighting the flexibility of the design for easy cleaning access to both sides of the glass.

- **Fold in Half:** The design allows the panels to fold completely in half for a very compact storage solution.



This image provides a clear view of the shower door panels folded completely in half, showcasing the compact storage capability.

Maintenance and Care

Regular cleaning and maintenance will ensure the longevity and appearance of your shower door.

- **Daily Cleaning:** After each use, wipe down the glass panels with a soft cloth or squeegee to prevent water spots and soap scum buildup.
- **Weekly Cleaning:** Use a mild, non-abrasive glass cleaner or a solution of white vinegar and water. Avoid harsh chemicals, abrasive pads, or scouring powders, as these can damage the glass and hardware finish.
- **Nano-Film Protection:** The glass is treated with nano-films to resist water spots. Maintain this by avoiding abrasive cleaners that could strip the coating.
- **Hardware Care:** Clean the matte black hardware with a soft, damp cloth. Do not use abrasive cleaners or solvents on the finish, as this may cause discoloration or damage.
- **Seal Strip Inspection:** Periodically check the PVC seal strip for signs of wear, tear, or damage. Replace if necessary to maintain a watertight seal and prevent leaks.

Troubleshooting

Refer to the table below for common issues and their solutions.

Issue	Possible Cause	Solution
Water Leakage	Improperly sealed edges; Worn or damaged seal strip; Misaligned panels.	Reapply silicone sealant to all exterior seams. Inspect and replace the PVC seal strip if damaged. Ensure panels are correctly aligned and hinges are tightened.
Door does not close smoothly	Misaligned hinges; Obstruction in the hinge area.	Check hinge alignment and adjust if needed. Clear any debris from the hinge mechanisms.
Glass appears cloudy or stained	Hard water spots; Soap scum buildup.	Use a glass cleaner specifically designed for shower doors or a vinegar solution. Ensure regular wiping after each use.

Warranty and Support

For warranty information or technical support, please contact HTLOTUS customer service. Keep your purchase receipt as proof of purchase.

For further assistance, visit the official HTLOTUS store:[HTLOTUS Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

