#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- GEEKVAPE /
- > Geekvape Wenax S3 EVO Vape Pen Kit User Manual

#### **GEEKVAPE Wenax S3 EVO kit**

## Geekvape Wenax S3 EVO Vape Pen Kit User Manual

Model: Wenax S3 EVO kit

#### 1. Introduction

The Geekvape Wenax S3 EVO Pod Kit is an advanced vaping device designed for ease of use and a satisfying experience. It features an upgraded Geekvape S Cartridge and enhanced LED indicators, offering precise control over airflow and output. This manual provides essential information for the safe and effective operation and maintenance of your device.

#### 2. SAFETY INFORMATION

This product is intended for use with nicotine-free e-liquids only. It does not contain nicotine, tobacco, or any related substances. Keep out of reach of children and pets.

- Do not expose the device to extreme temperatures, direct sunlight, or water.
- Do not disassemble or modify the device.
- Use only the specified charging cable (Type-C) for charging.
- Dispose of the device and cartridges responsibly according to local regulations.
- If a puff lasts longer than 10 1 2 seconds, the red light will blink 3 times, and the device will stop working (Overtime Protection).
- In case of a short circuit, the red light will blink 8 times, and the device will stop working (Short-circuit Protection).

#### 3. PACKAGE CONTENTS

Please check the package contents upon unboxing:

- 1x Geekvape WENAX S3 Evo Pod Kit 1100mAh Device
- 1x Geekvape S Cartridge (2ml) (0.81, Pre-installed)

#### 4. PRODUCT OVERVIEW

The Wenax S3 EVO features a compact design with intelligent indicators and versatile cartridge options.





Figure 4.1: Front view of the Geekvape Wenax S3 EVO Vape Pen Kit in black, showcasing its sleek design and LED indicators.

#### **4.1 Cartridge Compatibility**

The Wenax S3 EVO is compatible with the new S cartridge, which offers three different drip tip options for varied vaping experiences.

## Same Cartridge 3 Choices of Device

Exclusive surprise for fans of WENAX Stylus.

The new S cartridge is fully compatible with your WENAX S-C or WENAX Stylus device.



Figure 4.2: Illustration showing the compatibility of the S cartridge across different Wenax devices, including Wenax Stylus, Wenax S3 EVO, and Wenax S-C.

#### 4.2 Upgraded Geekvape S Cartridge

The upgraded S Cartridge is fully compatible with Soft-touch Drip Tip, Filter Drip Tip, and M1 Plastic Drip Tip. It supports 0.81 (14-18W) and 1.21 (9-13W) coil resistances.

### Upgraded Geekvape S Cartridge Triple Enjoyment

The upgraded cartridge is fully compatible with Soft-touch Drip Tip, Filter Drip Tip & M1 Plastic Drip Tip. With the Soft-touch Drip Tip, it makes bite-vaping possible. With the Filter Drip Tip, it brings the feeling of cigarettes. With the M1 Plastic Drip Tip, it brings a comfortable experience of mellow flavor.



Figure 4.3: Detailed view of the upgraded Geekvape S Cartridge, highlighting its compatibility with various drip tips and indicating the supported coil resistances.

#### **4.3 Precise Airflow Adjustments**

The device features a new airflow structure that allows for easier and more precise control of the airflow, contributing to a smoother flavor experience.



Figure 4.4: Visual representation of the airflow control mechanism on the Wenax S3 EVO, demonstrating how users can adjust it for optimal experience.

#### 4.4 Upgraded Intelligent Indicator

The Wenax S3 EVO incorporates upgraded 3600 ring indicators, providing an intelligent and intuitive way to check the device status from any angle.



Figure 4.5: A close-up image of the device's base, showing the multi-color LED ring indicator that provides real-time status updates.

#### 5. SETUP

#### 5.1 Charging the Device

Before first use, fully charge the device. Connect the Type-C charging cable to the charging port located on the device and plug the other end into a suitable USB power source. The LED indicator will show charging status.

#### 5.2 Installing the Cartridge

Insert the Geekvape S Cartridge firmly into the top of the device until it clicks into place. Ensure the cartridge is properly seated to prevent leaks and ensure proper connection.

#### 6. OPERATION

#### 6.1 Vaping

The Wenax S3 EVO supports both auto-draw and button-activated vaping. Simply inhale from the drip tip or

#### **6.2 3-Level Output Adjustments**

Quickly press the button 3 times to switch between Low (Red), Med (Blue), and High (Green) output levels. This allows you to adjust the output for different airflow levels and enjoy various flavors.



Figure 6.1: Visual guide demonstrating how to cycle through the three output levels (Low, Medium, High) using the device's button, indicated by different LED colors.

#### 6.3 Boost Mode

Press the button to activate the maximum output for increased vapor production. This mode boosts the possibilities for flavor and vapor.

# **Boost Mode** Press the button to activate the max output for the max clouds. Boost up the possibilities for flavor and vapors.

Figure 6.2: An image highlighting the button and its surrounding LED ring, illustrating the activation of Boost Mode for enhanced performance.

#### **6.4 Battery Status Indications**

The intelligent LED indicator provides clear battery status:

• White Light: 0-30% battery remaining

• Blue Light: 31%-69% battery remaining

• Green Light: 70%-100% battery remaining

#### 7. MAINTENANCE

#### 7.1 Cleaning

Regularly clean the device, especially the cartridge connection area, with a dry cloth or cotton swab to prevent e-liquid buildup and ensure optimal performance.

#### 7.2 Cartridge Replacement

Replace the cartridge when you notice a burnt taste, reduced vapor production, or a change in flavor. Simply pull out the old cartridge and insert a new one.

#### 8. TROUBLESHOOTING

- **Device not firing:** Ensure the cartridge is properly installed and the battery is charged. Check for any error indications (red light blinks).
- **No vapor or weak vapor:** Check e-liquid level in the cartridge. Ensure the cartridge is not clogged. Try adjusting the output level.
- **Burnt taste:** Replace the cartridge. Ensure the cartridge is adequately primed before first use (allow e-liquid to soak for 5-10 minutes).
- Leaking: Ensure the cartridge is properly seated. Avoid overfilling the cartridge.
- Overtime Protection: If a puff lasts longer than 10 1 2 seconds, the red light will blink 3 times, and the device will stop working. This is a safety feature.
- Short-circuit Protection: If a short circuit is detected, the red light will blink 8 times, and the device will stop working. Discontinue use and contact support if this persists.

#### 9. SPECIFICATIONS

Parameter	Value
Dimensions	19mm (L) x 123.80mm (H)
Output Power	5W-18W
Cartridge Capacity	2.0ml
Coil Resistance	0.81 / 1.21
Battery Capacity	1100mAh
Charging Port	Type-C
Operating Temperature	00C~450C
Weight	60 Grams

#### 10. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official GEEKVAPE website or contact your retailer. Keep your proof of purchase for any warranty claims.

