

UPBRIGHT SD1203000

UpBright 24V AC/DC Adapter for Govee H6076 H6075 LED Floor Lamps

INSTRUCTION MANUAL

Introduction

This manual provides essential information for the safe and efficient use of your UpBright 24V AC/DC Adapter. This adapter is designed to provide power to compatible devices, specifically Govee H6076 and H6075 LED Floor Lamps. Please read these instructions carefully before use and retain them for future reference.

Safety Information

- Ensure the adapter's voltage and current ratings match your device's requirements. Using an incompatible adapter can damage your device.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or repair the adapter. Refer to qualified service personnel for any repairs.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.
- This adapter features Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) for enhanced safety.

Setup

1. **Identify the Power Port:** Locate the DC input port on your Govee H6076 or H6075 LED Floor Lamp. This is typically a round barrel-type connector.
2. **Connect the Adapter:** Insert the DC barrel plug of the UpBright adapter into the power input port of your LED floor lamp. Ensure a secure connection.

3. **Plug into Power Outlet:** Insert the AC plug of the adapter into a standard 100-240VAC 50/60Hz wall outlet.
4. **Verify Power:** Once connected, your Govee LED Floor Lamp should receive power. Refer to your lamp's manual for specific power indicators.



Image: The UpBright 24V AC/DC Adapter, showing the main unit and its barrel connector. This adapter is designed for compatibility with Govee H6076 and H6075 LED Floor Lamps.

UpBright AC Adapter Power Supply Compatible with:



Image: The UpBright AC/DC Adapter shown alongside Govee H6076 and H6075 LED Floor Lamps, illustrating its intended compatibility.

Operating

Once properly connected, the UpBright 24V AC/DC Adapter will continuously supply power to your compatible Govee LED Floor Lamp. There are no specific operational controls on the adapter itself. The operation of your LED lamp (e.g., turning on/off, changing colors, music sync) is controlled by the lamp's own interface or associated smart home applications (like Alexa or Google Assistant Home APP).

Your browser does not support the video tag.

Video: This video demonstrates the 24V 2A Power Supply, showing its physical characteristics and how it can be used to power LED strips. While the video shows LED strips, the adapter's function is to provide 24V power, which is compatible with the specified Govee floor lamps.

Maintenance

- **Cleaning:** Disconnect the adapter from the power outlet and your device before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or sprays.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and excessive heat. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires or cracks in the casing. If damage is found, discontinue use and replace the adapter.



Image: Illustration highlighting the flexible and durable design of the power cable, made from high-quality TPE material to resist aging and breakage.

Troubleshooting


Problem	Possible Cause	Solution
No power to device	Adapter not plugged in correctly; Power outlet not working; Damaged adapter/cable; Device issue.	Ensure adapter is fully plugged into both the wall outlet and the device. Test the outlet with another device. Inspect the adapter and cable for damage; replace if necessary. Check your device's power indicator.
Device not functioning correctly	Incorrect adapter voltage/current; Device malfunction.	Verify the adapter's specifications match your device's requirements. Consult your device's manual for troubleshooting.
Adapter feels hot	Normal operation (slight warmth); Overload; Poor ventilation.	A slight warmth is normal. If it's excessively hot, unplug immediately. Ensure adequate ventilation around the adapter. Verify device power requirements are within adapter limits.

Specifications

- Model:** SD1203000
- Input Voltage:** 100-240VAC, 50/60Hz
- Output Voltage:** 24V DC
- Wattage:** 24W (2000 Lumen compatible)
- Connector Type:** Barrel Round Connector (5.5mm x 2.1mm)
- Cable Length:** Approximately 6 feet (1.8 meters)
- Dimensions:** 3 x 3 x 1 inches (approximate)
- Item Weight:** 4.2 ounces (approximate)
- Safety Features:** Over Voltage Protection (OVP), Over Current Protection (OCP), Short Circuit Protection (SCP)
- Compatible Devices:** Govee H6076 LED Floor Lamp, Govee H6075 LED Floor Lamp

Come With A Suitable Outlet Adapter (Only One) to Fit

Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Image: A close-up view of the UpBright AC/DC Adapter, showing its model number, input/output specifications, and the precise dimensions of the DC barrel plug (5.5mm x 2.1mm).



Image: Diagram illustrating the multiple security protection features integrated into the adapter, including good heat resistance, VO-grade fire-retardant material, overvoltage, overheating, overcharge, and overcurrent protection.

Warranty and Support

UpBright offers a **30-day refund policy** and a **24-month exchange warranty** for this product. For any questions, technical assistance, or warranty claims, please contact UpBright customer support through the retailer where the product was purchased.



Image: A representation of the UpBright Limited Warranty Certificate, indicating the product's warranty coverage.