Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

eclife BT-01

eclife 24-inch Modern Bathroom Vanity Cabinet with Blue Boat Vessel Sink - Instruction Manual

Model: BT-01

Introduction

Thank you for choosing the eclife 24-inch Modern Bathroom Vanity Cabinet with Blue Boat Vessel Sink. This manual provides essential information for the safe assembly, installation, operation, and maintenance of your new bathroom vanity. Please read these instructions thoroughly before beginning installation and retain them for future reference.

This vanity cabinet features a compact design with ample storage, including functional drawers and frosted glass doors. It is constructed from high-quality 15mm thick MDF with a smooth, wear-resistant surface. The included vessel sink is made from tempered glass with a unique blue boat design, equipped with a 1.5 GPM aerator for water conservation. The unit comes with complete hardware, including aluminum alloy handles, 304 stainless steel slides, rustproof plastic foot covers, and soft-close hinges.

Safety Information

- Always wear appropriate safety gear, such as gloves and eye protection, during assembly and installation.
- Ensure all parts are present and undamaged before beginning assembly. Do not proceed with assembly if any parts are missing or damaged.
- Keep small parts away from children to prevent choking hazards.
- Assembly may require two people.
- Ensure the installation area is clear and free from obstructions.
- For plumbing connections, it is recommended to consult a qualified plumber.
- Do not overtighten screws, as this may damage the material.

Setup and Assembly

Your eclife vanity is designed for straightforward assembly. Please note that due to efficient packaging, your order may arrive in separate deliveries. Refer to the included clear instructions and numbered parts for guidance. A drill may be

required for installing drawer faces, as pre-drilled holes might not be present on these specific components.

Components Overview



Figure 1: Product dimension diagram showing measurements of the vanity, sink, and faucet. Note that the mirror is not included.



Figure 2: Detailed view of vanity features including aluminum alloy door handles, classic double large capacity drawers, heavy duty smooth full extension slides, durable stainless steel soft close hinges, and aluminum alloy leg pads.

Assembly Video Guide

Your browser does not support the video tag.

Video 1: ECLIFE Classic Bathroom Black Vanity Assembly Video. This video demonstrates the general assembly process for eclife bathroom vanities.

Key Assembly Steps

1. **Unpack and Verify:** Carefully unpack all components and compare them against the parts list in your manual. Ensure no parts are missing or damaged.
2. **Cabinet Frame Assembly:** Follow the step-by-step diagrams to assemble the main cabinet frame. Secure all connections firmly but do not overtighten.

3. **Drawer and Door Installation:** Install the drawer slides and assemble the drawers. Attach the soft-close hinges to the cabinet doors and then to the cabinet frame. For drawer faces, a drill may be needed to create pilot holes for proper alignment.
4. **Sink and Faucet Installation:** Place the vessel sink onto the vanity top. Install the faucet and pop-up drain according to their respective instructions. Ensure all plumbing connections are sealed properly to prevent leaks.
5. **Final Placement:** Position the vanity in its desired location. The unit is freestanding, but ensure it is stable and level.

Operating Instructions

Faucet Operation

The included faucet is equipped with a 1.5 GPM aerator, designed to cut water consumption by 30%. Operate the faucet by lifting the handle for water flow and moving it left or right for temperature control. Push the handle down to turn off the water. Ensure the handle is fully pushed down to prevent drips.

Drawer and Door Usage

The vanity features functional drawers with 304 stainless steel slides for smooth operation. The cabinet doors are equipped with soft-close hinges to prevent slamming and reduce noise. Gently push the doors to engage the soft-close mechanism.

Hinge Adjustment Guide

Your browser does not support the video tag.

Video 2: ECLIFE Operation Guide for Adjustable Door Hinge. This video illustrates how to adjust the soft-close hinges for optimal door alignment.

Maintenance

Cleaning the Cabinet and Sink

- **Cabinet:** Wipe the cabinet surfaces with a dry, soft cloth. Avoid abrasive cleaners or harsh chemicals, as they can damage the finish.
- **Sink:** The tempered glass vessel sink is stain-resistant and easy to clean. Use a mild soap and water solution with a soft cloth. Rinse thoroughly and dry to prevent water spots.
- **Hardware:** Clean aluminum alloy handles and stainless steel slides with a damp cloth and mild soap if necessary, then dry immediately.

General Care

- Avoid prolonged exposure to excessive moisture. Wipe up spills immediately.
- Periodically check all screws and connections to ensure they remain tight.
- Adjust door hinges as needed to maintain proper alignment and soft-close function (refer to the hinge adjustment video).

Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Doors are hard to align or do not close properly.	Hinges require adjustment.	Refer to the "Hinge Adjustment Guide" video in the Operating Instructions section to adjust the soft-close hinges.
Faucet does not turn off completely or drips.	Faucet handle not fully closed; internal cartridge issue.	Ensure the faucet handle is pushed down firmly. If dripping persists, the internal cartridge may need inspection or replacement. Consult a plumber if necessary.
Drawer faces are difficult to install or misaligned.	Lack of pre-drilled holes; improper alignment during installation.	Use a drill to create pilot holes for the drawer face screws. Carefully align the drawer face before securing it. Double-sided adhesive tape can assist with temporary positioning.
Vanity feels unstable or wobbly.	Uneven floor; loose connections.	Ensure the vanity is placed on a level surface. Check and tighten all assembly screws. The aluminum alloy leg pads can offer some stability on slightly uneven floors.

Specifications

Feature	Detail
Brand	eclife
Model Number	BT-01
Product Dimensions (D x W x H)	20"D x 24"W x 32"H
Material	Engineered Wood (MDF), Metal
Color	Black (Cabinet), Blue Boat (Sink)
Mounting Type	Freestanding
Number of Drawers	2
Number of Doors	2 (Frosted Glass)
Included Components	Cabinet, Faucet, Sink, User Manual
Faucet Aerator Flow Rate	1.5 GPM (WaterSense compliant)
Hardware Color	Chrome
Item Weight	102 pounds
Product Care Instructions	Wipe with Dry Cloth

Warranty

eclife products are manufactured to high-quality standards. For specific warranty details regarding your vanity cabinet, sink, and faucet, please refer to the warranty information provided with your purchase documentation or contact eclife customer support directly. Keep your proof of purchase for any warranty claims.

Customer Support

If you have any questions, require assistance with assembly, or encounter any issues with your eclife bathroom vanity, please do not hesitate to contact our customer support team. Your satisfaction is our priority.

Online Support: Visit the eclife Store on Amazon for FAQs and contact options.

Email: Refer to your product packaging or purchase documentation for direct email support.

Phone: Refer to your product packaging or purchase documentation for phone support.

When contacting support, please have your model number (BT-01) and purchase date available.

© 2026 eclife. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0C9PM9G3C

More documents and user manuals: **https://manuals.plus/**