

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [DUMEE](#) /

› DUMEE Metal Bed Frame 90 x 200 cm Instruction Manual

## DUMEE Metal Bed Frame 90x200cm

# DUMEE Metal Bed Frame 90 x 200 cm Instruction Manual

Model: Metal Bed Frame 90x200cm

## 1. INTRODUCTION

---

This manual provides detailed instructions for the assembly, operation, and maintenance of your DUMEE Metal Bed Frame (90 x 200 cm). Please read these instructions carefully before assembly and retain them for future reference. This bed frame is designed to provide a sturdy and stable foundation for your mattress, featuring under-bed storage space and a durable metal construction.



*Image 1: Assembled DUMEE Metal Bed Frame (90 x 200 cm) without mattress.*

## 2. SAFETY INFORMATION

---

- Ensure all components are present and undamaged before beginning assembly.
- Assemble the bed frame on a soft, clean surface to prevent scratches.
- Do not overtighten screws during assembly, but ensure all connections are secure.
- Keep small parts away from children during assembly.
- Do not stand or jump on the bed frame.
- Regularly check all bolts and screws to ensure they remain tight.
- Maximum load-bearing capacity is 700 lbs (approximately 317 kg). Do not exceed this limit.

## 3. PACKAGE CONTENTS

---

Before assembly, verify that all the following components are included in your package:

- Metal Bed Frame Components (side rails, support legs, crossbars, slats)
- Hardware Pack (screws, bolts, washers)
- Allen Key (for assembly)

- Assembly Instructions Manual

If any parts are missing or damaged, please contact customer support immediately.

## 4. SETUP AND ASSEMBLY INSTRUCTIONS

---

The DUMEE Metal Bed Frame is designed for quick and easy assembly. Follow these steps carefully:

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out on a clean, soft surface. Refer to the included parts list and diagrams to identify each piece. All parts are clearly labeled.
2. **Assemble the Main Frame:** Connect the side rails to the head and foot sections using the provided hardware. Ensure the rivet structure and fastening buckles align correctly for a secure fit.
3. **Attach Support Legs:** Securely attach all support legs to the frame. The design includes rubber plugs on all feet to prevent noise and protect your floor from scratches.
4. **Install Center Support:** Position and attach the central support tube, which connects the lateral legs. This improved design enhances stability and durability, reducing shaking and noise.
5. **Insert Slats:** Place the steel slats into the designated slots on the frame. Ensure they are evenly spaced and securely seated. The high-performance steel slat structure prevents sagging and cracking, providing strong support for your mattress.
6. **Tighten All Connections:** Once all components are in place, use the provided Allen key to tighten all screws and bolts. Do not overtighten, but ensure all connections are firm and stable.



## High quality Steel Construction design



**Quick Installation**



**Robust and noise free**



**Environmentally friendly plug**

*Image 2: Illustration of the high-quality steel construction design, highlighting quick installation, robust and noise-free features, and environmentally friendly plugs.*



Load-bearing capacity: **700 LBS**



*Image 3: Detail of the bed frame's slat structure, indicating a 700 lbs load-bearing capacity and the central connecting pipe for enhanced stability.*

## 5. OPERATING INSTRUCTIONS

Once assembled, your DUMEE Metal Bed Frame is ready for use:

- **Mattress Placement:** Place your standard single mattress (90 x 200 cm) directly onto the steel slats. A box spring is not required.
- **Under-Bed Storage:** Utilize the 32 cm (12 inches) of clearance beneath the frame for convenient storage of boxes, bags, or other items.



*Image 4: The bed frame with a mattress and an example of under-bed storage.*



*Image 5: A different perspective of the bed frame, mattress, and available under-bed storage space.*

## 6. MAINTENANCE

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Regular Checks:** Periodically inspect all bolts and screws to ensure they remain tight. Retighten as necessary to maintain stability and prevent noise.
- **Weight Distribution:** Distribute weight evenly across the bed frame to prolong its lifespan and maintain structural integrity.

## 7. TROUBLESHOOTING

- **Bed Frame is Wobbly or Noisy:**
  - Ensure all bolts and screws are fully tightened.
  - Verify that the central support tube is correctly installed and secured.
  - Check that all slats are properly seated in their respective slots.
  - Confirm that the rubber plugs on the feet are intact and in place.
- **Missing Parts or Hardware:**

- Thoroughly check all packaging materials for small components.
- If parts are genuinely missing, contact DUMEE customer support for assistance.

- **Mattress Feels Uncomfortable Due to Slat Spacing:**

- This frame is designed for standard mattresses. If using a thinner mattress, the slat spacing might be more noticeable.
- Consider adding a mattress topper or a thin board (e.g., plywood) between the slats and your mattress for additional support, if desired.

## 8. SPECIFICATIONS

<b>Brand</b>	DUMEE
<b>Model</b>	Metal Bed Frame
<b>Dimensions (L x W x H)</b>	200 cm x 90 cm x 36 cm (78.7 in x 35.4 in x 14.2 in)
<b>Under-Bed Clearance</b>	32 cm (12.6 in)
<b>Material</b>	Metal
<b>Color</b>	Black
<b>Item Weight</b>	11.7 kg (25.8 lbs)
<b>Load-Bearing Capacity</b>	700 lbs (approx. 317 kg)
<b>Mattress Compatibility</b>	Standard Single (90 x 200 cm)
<b>Box Spring Required</b>	No



Image 6: Dimensional diagram of the DUMEE Metal Bed Frame.

## 9. WARRANTY AND SUPPORT

Your DUMEE Metal Bed Frame comes with a **one-year warranty** from the date of purchase. This warranty covers manufacturing defects and ensures worry-free customer service.

For any questions, missing parts, or warranty claims, please contact DUMEE customer support. Our team is committed to providing assistance within 24 hours.

Please retain your proof of purchase for warranty validation.