

## JIGOO J300

# JIGOO J300 Bed Vacuum Cleaner User Manual

Model: J300

## 1. INTRODUCTION

---

Thank you for choosing the JIGOO J300 Bed Vacuum Cleaner. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your new appliance. Please read this manual thoroughly before first use and retain it for future reference.



Image: The JIGOO J300 Bed Vacuum Cleaner, showcasing its main body, transparent dust cups, and integrated digital display for dust mite index and cleaning status.

## 2. SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using an electrical appliance.

- Read all instructions before using the appliance.
- Do not use outdoors or on wet surfaces.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with a damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.

- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Turn off all controls before unplugging.
- Use extra care when cleaning on stairs.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- The UV light is designed to activate only when the vacuum is in contact with a surface. Avoid direct exposure to UV light.
- The heating function operates at 130°F (55°C). Avoid prolonged direct skin contact with the heated surface during operation.
- Do not use without dust cup and/or filters in place.

### 3. PRODUCT OVERVIEW

---

#### Components

- Main Unit with Handle
- Transparent Dual Dust Cups
- Integrated Digital Display
- High-Frequency Beating Brushroll
- UV-C Lamp
- Heating Element
- Power Cord (5m / 16ft)
- Filter Sponge (2 included)

#### Key Features

- **Powerful Suction:** 500W motor generating 13Kpa suction power.
- **High-Frequency Beating:** Main brush rotates at 13,000 times/min for deep cleaning.
- **Smart Dust Recognition:** Intelligent dust sensor provides a precise dust index and cleaning status on the digital display. Green light indicates cleaning completion.
- **99% Protection:** Equipped with 245nm UV lights and ultrasonic technology for allergen elimination.
- **High Temperature Heating:** Reaches 130°F (55°C) in 5 seconds to further eliminate allergens and dehumidify. (Note: Heating function requires direct contact with the surface).
- **Dual-Cup Design:** Efficiently separates dust and mites from the air for outstanding filtration and enduring suction.
- **Long Cord:** 5m (16ft) power cable for extended reach.



Image: An overview of the JIGOO J300 highlighting its core features including 500W motor, 13000Pa suction, 13000 Rpm/min tapping, 130°F hot air drying, 16FT long cable, and 245nm UV-C wave length.

## Innovative Dual-Cup Design

Efficiently separating the dust and mites from the air

## 12000 Times/Min

Strong vibration with metal brushroll

## UV & Ultrasonic Tech

Removing 99.9% of mites

## Advanced Mite Sensor

Calculating dust mites in real time

## 13KPa Strong Suction

500W power makes cleaning deeper

## 55°C Hot Air

Reducing mite activity and dehumidifying your mattress

Image: A detailed diagram illustrating the innovative dual-cup design for dust and mite separation, the advanced mite sensor for real-time detection, the 12000 times/min strong vibration, 13KPa strong suction, UV & Ultrasonic technology for 99.9% mite removal, and 55°C hot air for dehumidification.

## 4. SETUP

The JIGOO J300 is designed for ease of use and requires minimal setup.

- Unpack:** Carefully remove the vacuum cleaner and all accessories from the packaging.
- Inspect:** Check the appliance for any signs of damage. Ensure all components listed in the 'Product Overview' section are present.
- Filter Installation:** Ensure the filter sponge and dust cups are correctly assembled and securely in place before connecting to power. The unit comes with pre-installed filters and two extra filter sponges.
- Power Connection:** Unwind the power cord and plug it into a suitable electrical outlet (120V).

## 5. OPERATING INSTRUCTIONS

Follow these steps for effective cleaning:

- Power On:** Once plugged in, press the power button located on the handle or main unit to turn on the vacuum cleaner. The

digital display will illuminate.

2. **Smart Dust Sensor:** The display will show a 'Dust mite index' percentage and 'Clean status'. Red indicates a high concentration of dust/mites, while green indicates a clean area.
3. **Cleaning Technique:** Gently glide the vacuum cleaner back and forth over the surface you wish to clean (e.g., mattress, sofa, carpet). Do not press down excessively; the unit's weight and design are sufficient for effective cleaning.
4. **UV & Ultrasonic Function:** These functions activate automatically when the vacuum head is in contact with the surface, providing deep sanitization.
5. **High Temperature Heating:** The 130°F (55°C) heating function will activate when the vacuum head maintains direct contact with the surface. If the unit is lifted, the heating will automatically stop for safety.
6. **Monitor Cleaning Status:** Continue vacuuming an area until the 'Clean status' indicator on the display turns green, signifying that the area has been thoroughly cleaned.
7. **Power Off:** After cleaning, press the power button again to turn off the appliance, then unplug it from the electrical outlet.



Image: A close-up view of the JIGOO J300's smart display, indicating the dust mite index percentage and icons for ultrasonic, dry, sterilize, and pat functions, along with the clean status light.

# 55°C Hot Air

The J300 blows 55°C hot air to reduce mite activity and dehumidify your mattress.




Image: The JIGOO J300 vacuum cleaner positioned on a mattress, with visual cues showing the emission of 55°C hot air downwards to penetrate and dehumidify the mattress, reducing mite activity.

## 6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your JIGOO J300.

### Cleaning the Dust Cups and Filters

It is recommended to clean the dust cups and filters after each use, especially when the dust cups appear full.

1. **Unlock Dust Cups:** Press the release button to detach the dual dust cups from the main unit.
2. **Empty Dust:** Open the dust cup and empty its contents into a waste bin.
3. **Remove Filters:** Carefully remove the filter sponge and any other filter components from the dust cup assembly.
4. **Clean Filters:** Tap the filters gently to remove loose dust. For thorough cleaning, rinse the filter sponge under running water. Ensure it is completely dry before re-installing. Do not wash other filter components unless specified.
5. **Reassemble:** Once all parts are clean and dry, reassemble the filters and dust cups, ensuring they click securely into place on the main unit.

## Cleaning the Brushroll

Periodically check the brushroll for tangled hair or debris.

1. **Unlock Bottom Plate:** Locate the release mechanism on the bottom of the vacuum head and unlock the bottom plate.
2. **Remove Brushroll:** Carefully lift out the brushroll.
3. **Clean Brushroll:** Use scissors or a brush to remove any tangled hair, threads, or debris from the brushroll.
4. **Reinstall:** Place the clean brushroll back into its housing and secure the bottom plate until it clicks into place.

# Easy to Detach and Clean

1



Click to unlock dust cups.

2



Open the cap and take out the filter and sponge.

3



Unlock the bottom plate and take out the brushroll.

4



Clean up the filter part and brushroll.

Image: A visual guide demonstrating the four steps for easy detachment and cleaning of the JIGOO J300: 1. Click to unlock dust cups. 2. Open the cap and take out the filter and sponge. 3. Unlock the bottom plate and take out the brushroll. 4. Clean up the filter part and brushroll.

## Filter Replacement

The JIGOO J300 comes with two extra filter sponges. Replace filters when they show signs of wear or if suction power noticeably decreases even after cleaning.

## Storage

Store the vacuum cleaner in a cool, dry place, away from direct sunlight and out of reach of children.

## 7. TROUBLESHOOTING

If you encounter issues with your JIGOO J300, refer to the following table for common problems and solutions.

Problem	Possible Cause	Solution
Vacuum does not turn on.	Not plugged in correctly. No power from outlet.	Ensure plug is fully inserted. Check power outlet with another appliance.
Weak suction.	Dust cups are full. Filters are clogged. Brushroll is tangled. Obstruction in nozzle.	Empty dust cups. Clean or replace filters. Clean brushroll. Check for and remove any obstructions.
Dust sensor not changing to green.	Area still contains high dust/mite levels. Sensor is dirty.	Continue vacuuming the area. Gently wipe the sensor area on the bottom of the unit with a dry cloth.
Heating function not working.	Vacuum not in direct contact with surface.	Ensure the vacuum head is pressed firmly against the mattress or fabric surface.
Unusual noise during operation.	Obstruction in brushroll or nozzle. Motor issue.	Turn off and unplug the unit. Check brushroll and nozzle for obstructions. If noise persists, contact customer support.

## 8. SPECIFICATIONS

Specification	Value
Brand	JIGOO
Model Name	JIGOO J300
Special Feature	Corded, UV Light
Filter Type	Filter sponge
Included Components	1 x Mite Cleaner, 2 Filter Sponge, User Manual
Is Cordless?	No
Capacity	1.1 Pounds (Dust Cup)
Form Factor	Cannister (Handheld)
Color	White
Product Dimensions	13.78" L x 11.02" W x 10.24" H
Noise Level	80 dB
Amperage	4.17 Amps

Specification	Value
Manufacturer	JIGOO
Item Weight	5.14 pounds
Control Method	Touch / Push Button
Indoor/Outdoor Usage	Indoor

## 9. WARRANTY AND SUPPORT

JIGOO products are manufactured to the highest quality standards. For warranty information, please refer to the warranty card included with your product or visit the official JIGOO website. If you require technical support or have any questions regarding your JIGOO J300 Bed Vacuum Cleaner, please contact JIGOO customer service through the contact information provided on their official website or your purchase platform.


Please have your model number (J300) and purchase date ready when contacting support.



© 2025 JIGOO. All rights reserved.

## Related Documents

 <p><b>JIGOO</b> S100 Smart Mite Cleaner User Manual</p> <p>Please read this manual carefully before use and keep it safe for future reference.</p>	<p><a href="#"><b>JIGOO S100 Smart Mite Cleaner User Manual: Dust, Allergy, and UV Sterilization Guide</b></a></p> <p>Comprehensive user manual for the JIGOO S100 Smart Mite Cleaner. Learn how to use, maintain, and troubleshoot your device for effective dust mite removal, allergen reduction, and UV sterilization of mattresses, bedding, and upholstery.</p>
 <p><b>JIGOO</b> T600 Smart Mite Cleaner User Manual</p> <p>Please read this manual carefully before use and keep it safe for future reference.</p>	<p><a href="#"><b>JIGOO T600 Smart Mite Cleaner User Manual</b></a></p> <p>Comprehensive user manual for the JIGOO T600 Smart Mite Cleaner, covering setup, operation, maintenance, troubleshooting, and safety instructions.</p>
 <p><b>JIGOO</b> S100 Smart Mite Cleaner User Manual</p> <p>Please read this manual carefully before use and keep it safe for future reference.</p>	<p><a href="#"><b>JIGOO S100 Smart Mite Cleaner User Manual</b></a></p> <p>Comprehensive user manual for the JIGOO S100 Smart Mite Cleaner, detailing product features, operating instructions, maintenance procedures, troubleshooting tips, specifications, and compliance information for effective mite removal from household textiles.</p>



### [JIGOO V700 Cordless Vacuum Cleaner: User Manual and Safety Guide](#)

Comprehensive instruction manual for the JIGOO V700 Cordless Vacuum Cleaner, covering safety precautions, product introduction, assembly, usage, maintenance, troubleshooting, and specifications.

Documents - JIGOO – J300



### [\[pdf\] User Manual](#)

Jigoo J300 Anti Mite Vacuum Cleaner User Manual EU Download cdn shopify s files 1 0777 3870 5206 |||

...

lang: score:22 filesize: 9.32 M page\_count: 28 document date: 2024-02-16



### [\[pdf\] User Manual](#)

Jigoo J300 Anti Mite Vacuum Cleaner User Manual US Download v 1705298334 cdn shopify s files 1 0777 3870 5206 |||


...

lang: score:21 filesize: 3.21 M page\_count: 12 document date: 2023-08-18

## [pdf] Documentation

ADEME Note de l indice sur 10 9 1 BUT Sep 20 2023 · CALCUL DE L INDICE RÉPARABILITÉ ET PRÉSENTATION DES PARAMÈTRES AYANT PERMIS ÉTABLIR Aspirateur filaire 6976164030013 IR media but fr products |||

CALCUL DE L INDICE DE RPARABILIT ET PRSENTATION DES PARAMTRES  
AYANT PERMIS DE L TABLIR FICHE D INFOR ... eur ou l importateur Aspirateur  
filaire 2023.09.20 JIGOO Suzhou Ruix Technology Co., Ltd S300 Pro, **J300**, J200,  
T600, P300 Critre Sous-critre Note du Coefficient sous-critre du sous sur 10 critr...  
lang:fr **score:17** filesize: 126.9 K page\_count: 1 document date: 2024-01-19



[pdf]

20230412 J300 V1 0 Manuale utente JIGOO Battimaterasso 500W Aspiratore portatile intelligente per materassi Aspirapolvere antiacaro con luce UV rimuove il 99 9% degli allergeni letti divani e mobili imbottiti Amazon it Casa cucina D1xAX2oGOUL m media amazon images I |||

longfr score:14 filesize: 9.22 M page\_count: 28 document\_date: 2022-11-02