Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

GAPPO Y71001-2PC12-US

Gappo Shower System 12 Inch Polished Chrome

Model: Y71001-2PC12-US | Brand: GAPPO

Product Overview

The Gappo Shower System provides a comprehensive showering experience with two distinct functions: an overhead rainfall shower and a handheld spray. Designed for wall-mounted installation, this system features a single handle for easy control of water temperature and flow. The showerhead is equipped with silicone nozzles for simplified cleaning of mineral deposits.

Constructed with all-metal components, including a solid brass pressure balance valve, this system ensures durability and consistent water pressure. The pressure balance valve is engineered to prevent sudden temperature changes, enhancing user safety. Air injection technology in the rainfall showerhead mixes water with air to increase pressure, simulating a natural rain experience.



Image: The Gappo Shower System in operation, demonstrating the rainfall shower and handheld spray.

Package Contents

Verify that all components listed below are included in your package before beginning installation.

- Shower Head (12 Inch Rainfall)
- Shower Valve (Rough-in Valve and Trim Kit)
- Shower Handheld Spray
- Shower Handheld Holder
- 1.8m Shower Hose
- Shower Arm
- Decoration Cover
- Mounting Accessories (screws, anchors, etc.)



Image: A visual representation of all components included in the Gappo Shower System package.

Setup and Installation

Important: Before installation, carefully read these instructions. Professional installation is recommended. Ensure all local plumbing codes are followed.

Pre-Installation Steps:

1. Turn off the main water supply to the installation area.
2. Clear the installation area and ensure you have all necessary tools.
3. Inspect all components for any damage. Do not install damaged parts.

Installation Procedure:

1. **Install the Rough-in Valve:** The shower valve and trim kit are designed for easy installation with standard U.S. plumbing connections (NPT 1/2 inch connecting thread). Secure the brass body of the valve within the wall, ensuring proper alignment for hot and cold water inlets and outlets for the showerhead and handheld spray.

2. **Connect Water Lines:** Connect the hot water line to the designated 'H' inlet and the cold water line to the 'C' inlet on the valve body. Ensure all connections are watertight.
3. **Install Shower Arm:** Securely install the shower arm into the wall outlet connected to the valve.
4. **Attach Shower Head:** Connect the 12-inch rainfall shower head to the shower arm. Ensure a tight seal.
5. **Install Handheld Holder and Hose:** Mount the handheld shower holder at a convenient height. Connect the 1.8m shower hose to the handheld spray and the designated outlet on the valve.
6. **Install Trim Plate and Handle:** Once the rough-in valve and connections are complete, install the decorative trim plate and the single control handle onto the valve body.
7. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Address any leaks immediately.




Image: Detailed diagram illustrating the brass body, hot/cold water connections (NPT 1/2"), and interfaces for the shower head and handheld spray.

Operating Instructions

The Gappo Shower System is designed for intuitive operation with a single control handle and a diverter for selecting shower functions.

Water Flow and Temperature Control:

- **Turn On/Off:** Rotate the single handle to turn the water flow on or off.
- **Adjust Temperature:** Rotate the handle left for hotter water and right for colder water. The integrated pressure balance valve maintains a consistent temperature, preventing sudden changes due to fluctuations in household water pressure.
- **Adjust Flow:** The extent to which the handle is rotated also controls the water flow intensity.

Function Selection:

The system features a diverter to switch between the rainfall shower and the handheld shower.

- **Rainfall Shower:** Position the diverter to activate the 12-inch rainfall shower head. This showerhead utilizes air injection technology to enhance water pressure and provide a full, natural rain effect.
- **Handheld Shower:** Position the diverter to activate the handheld shower spray. This allows for targeted cleaning and flexibility.



Image: Visual guide to the two shower functions: rainfall and handheld.



Image: Close-up of the 12-inch rain shower head, showing its 360° rotation capability, air injection for high pressure, and easy-to-clean silicone nozzles.



Image: Detailed view of the high-pressure handheld shower head, featuring TRP soft rubber nozzles.

Maintenance

Regular maintenance will help preserve the appearance and functionality of your Gappo Shower System.

Cleaning the Shower Heads:

- The rainfall shower head and handheld spray feature silicone nozzles. To remove mineral deposits and prevent clogging, simply wipe the nozzles with your finger or a soft cloth.

General Cleaning:

- For the polished chrome finish, use a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Rinse thoroughly with clean water after cleaning and dry with a soft cloth to prevent water spots.

Troubleshooting

If you encounter any issues with your Gappo Shower System, please review the following common concerns:

- **Low Water Pressure:** Check if the main water supply is fully open. Ensure the showerhead nozzles are clear of mineral deposits (refer to Maintenance section). Verify that the rough-in valve is fully open.
- **Leaks:** Inspect all connections for tightness. If leaks persist, professional assistance may be required to check internal seals or connections.
- **Inconsistent Water Temperature:** The pressure balance valve is designed to prevent this. If temperature fluctuations occur, it may indicate an issue with the hot or cold water supply to the valve, or a problem with the valve cartridge.

For persistent problems or issues not covered here, please contact Gappo customer support.

Specifications

Feature	Specification
Brand	GAPPO
Model Number	Y71001-2PC12-US
Color	Polished Chrome
Material	Brass, Metal
Finish Type	Polished
Number of Handles	1
Mounting Type	Wall Mount
Item Weight	10.7 Pounds
Head Size	12 inch (Rainfall Shower Head)
Included Components	Valve, Shower Head, Handheld Shower, Hose, Arm, Holder, Trim
Connection Thread	NPT 1/2 inch

Warranty and Support

For information regarding product warranty, please refer to the documentation provided with your purchase or contact Gappo customer service directly. If you have any questions, require technical assistance, or need to report an issue, please reach out to the manufacturer's support channels.

Manufacturer: Gappo

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CB5VBG1N

More documents and user manuals: **https://manuals.plus/**