

## Parkside PHD 170

# Parkside High-Pressure Cleaner Lance Instruction Manual

For LIDL PHD 150 G4 F4 PHD 170 A1 B2 C2 Models

## 1. INTRODUCTION

---

This manual provides essential information for the safe and effective use of your Parkside High-Pressure Cleaner Lance. Please read these instructions carefully before use and retain them for future reference. This lance is designed as an accessory for specific Parkside LIDL high-pressure cleaner models.

### Compatible Models:

- Parkside LIDL PHD 150 G4 (IAN 305729)
- Parkside LIDL PHD 150 F4 (IAN 291639)
- Parkside LIDL PHD 170 A1 (IAN 327191)
- Parkside LIDL PHD 170 B2 (IAN 346400, IAN 378872, IAN 373932)
- Parkside LIDL PHD 170 C2 (IAN 373767)

## 2. SAFETY INFORMATION

---

Always observe general safety precautions when operating high-pressure cleaning equipment. Failure to do so can result in serious injury or property damage.

- **Read the main high-pressure cleaner manual:** Always refer to the instruction manual of your specific Parkside high-pressure cleaner for comprehensive safety guidelines.
- **Wear protective gear:** Always wear appropriate personal protective equipment, including safety glasses and protective clothing, to prevent injury from high-pressure spray.
- **Do not direct spray at people or animals:** The high-pressure jet can cause severe injuries.
- **Check connections:** Ensure all connections are secure before operating the high-pressure cleaner.
- **Inspect for damage:** Before each use, inspect the lance for any signs of damage. Do not use if damaged.
- **Keep children away:** Do not allow children or untrained persons to operate the high-pressure cleaner or its accessories.

### 3. PACKAGE CONTENTS

---

Upon unpacking, ensure all items are present and undamaged. The package typically includes:

- 1 x Parkside High-Pressure Lance



Image: The Parkside high-pressure cleaner lance, a black ribbed accessory with a quick-connect fitting at one end, designed for high-pressure cleaning tasks.

### 4. SETUP

---

Follow these steps to correctly attach the high-pressure lance to your Parkside high-pressure cleaner:

1. **Ensure power is off:** Before connecting or disconnecting any accessories, ensure your high-pressure cleaner is switched off and unplugged from the power supply.
2. **Connect to spray gun:** Insert the quick-connect end of the high-pressure lance into the spray gun of your high-pressure cleaner. Push firmly until it clicks into place, indicating a secure connection.
3. **Attach nozzle (if applicable):** This lance is designed for easy nozzle change using the Quick Connect system. If you are using a separate Turbo dirt blaster or standard Vario nozzle, attach it to the end of the lance by pushing it in until it locks.
4. **Check for leaks:** Once connected, turn on the water supply to the high-pressure cleaner and check

for any leaks before starting the machine.

## 5. OPERATING

---

Once the lance is securely attached and the high-pressure cleaner is ready for operation, follow these general guidelines:

1. **Start the high-pressure cleaner:** Follow the instructions in your main high-pressure cleaner manual to start the machine.
2. **Engage the trigger:** Point the lance away from yourself and others, then press the trigger on the spray gun to begin spraying.
3. **Maintain distance:** Adjust the distance between the nozzle and the cleaning surface based on the material and desired cleaning intensity. Start further away and move closer if needed.
4. **Even strokes:** Use even, overlapping strokes to ensure thorough cleaning.
5. **Stop operation:** Release the trigger to stop the water flow. Always turn off the high-pressure cleaner and relieve pressure before disconnecting the lance or changing nozzles.

## 6. MAINTENANCE

---

Proper maintenance ensures the longevity and optimal performance of your high-pressure cleaner lance:

- **Rinse after use:** After each use, rinse the lance thoroughly with clean water to remove any detergent residues or debris.
- **Inspect for blockages:** Periodically check the nozzle and lance for any blockages. Clear them carefully if found.
- **Lubricate O-rings:** If the quick-connect fitting becomes stiff, apply a small amount of silicone grease to the O-rings to maintain a smooth connection and prevent leaks.
- **Storage:** Store the lance in a clean, dry place, protected from frost and direct sunlight.
- **Avoid harsh chemicals:** Do not use abrasive cleaners or solvents on the lance, as these can damage the material.

## 7. TROUBLESHOOTING

---

If you encounter issues with your high-pressure cleaner lance, consider the following common problems and solutions:

Problem	Possible Cause	Solution
Water leaking from connection	Loose connection, damaged O-ring, or debris in fitting.	Ensure lance is fully inserted and locked. Inspect O-rings for damage and replace if necessary. Clean fitting.
No water or low pressure from lance	Nozzle blockage, water supply issue, or problem with the main high-pressure cleaner.	Check and clear any nozzle blockages. Verify water supply to the cleaner. Refer to your high-pressure cleaner's manual for machine-related issues.
Lance difficult to attach/detach	Lack of lubrication on O-rings, or debris.	Clean the quick-connect fitting. Apply silicone grease to the O-rings.

If problems persist, consult the main high-pressure cleaner manual or contact customer support.

## 8. SPECIFICATIONS

---

<b>Brand</b>	Parkside
<b>Model Number</b>	PHD 170 (Accessory for various PHD 150/170 models)
<b>Manufacturer</b>	Grizzly Tools
<b>Product Dimensions (L x W x H)</b>	20 x 10 x 5 cm
<b>Material</b>	Metal (Primary material for internal components, outer is likely plastic)
<b>Number of Pieces</b>	1
<b>Certification</b>	CE
<b>ASIN</b>	B0CB8WHD28
<b>International Article Code (EAN)</b>	04062495085579

## 9. WARRANTY AND SUPPORT

---

For warranty information and customer support, please refer to the documentation provided with your main Parkside high-pressure cleaner unit or contact the manufacturer directly.

**Spare Parts:** Information regarding the availability of spare parts for this accessory is currently unavailable through standard product listings. Please contact Parkside customer service for further assistance.