

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Redragon](#) /

› [Redragon GS560 RGB Desktop Soundbar User Manual](#)

Redragon GS560

Redragon GS560 RGB Desktop Soundbar

USER MANUAL

1. Safety Information

Please read these instructions carefully before using the Redragon GS560 RGB Desktop Soundbar. Keep this manual for future reference.

- Do not expose the device to water or excessive moisture.
- Avoid extreme temperatures.
- Do not attempt to disassemble or repair the device yourself. Refer to qualified service personnel.
- Use only the provided USB cable for power.
- Keep out of reach of children.

2. Package Contents

Ensure all items are present in the package:

- Redragon GS560 RGB Desktop Soundbar
- User Manual

3. Product Overview



Figure 1: Redragon GS560 RGB Desktop Soundbar in a typical setup, showcasing its key features.

3.1 Components

- **Soundbar Unit:** Main speaker unit with integrated RGB lighting.
- **USB Power Cable:** For powering the device.
- **3.5mm Audio Cable:** For audio input from compatible devices.

3.2 Controls

Original Control Knob

Easily access power on/off and volume +/-




Figure 2: Main controls of the Redragon GS560, including the volume knob and touch-sensitive area.

- **Volume Knob:** Located centrally on the soundbar. Rotate to adjust volume. Press to power on/off.
- **Touch-Control (Redragon Logo):** A touch-sensitive area, typically the Redragon logo, used to cycle through RGB lighting modes.

4. Setup

Follow these steps to set up your Redragon GS560 Soundbar:

1. **Connect Power:** Plug the USB cable from the soundbar into an available USB port on your PC, laptop, TV, or a USB power adapter (5V). The soundbar requires USB power to function.
2. **Connect Audio:** Plug the 3.5mm audio cable from the soundbar into the 3.5mm audio output jack of your device (PC, laptop, smartphone, etc.).
3. **Position the Soundbar:** Place the soundbar on a stable surface, ideally beneath your monitor or in front of your device for optimal sound projection.



Figure 3: Connecting the Redragon GS560 via USB for power and 3.5mm for audio.

5. Operating Instructions

5.1 Power On/Off

- To power on the soundbar, press the central volume knob.
- To power off the soundbar, press the central volume knob again.

5.2 Volume Adjustment

- Rotate the central volume knob clockwise to increase the volume.
- Rotate the central volume knob counter-clockwise to decrease the volume.

5.3 RGB Lighting Control



Figure 4: Using the touch-sensitive area to change RGB lighting modes.

- Tap the touch-sensitive Redragon logo to cycle through the 4 different backlit modes (dynamic and static glowing LED illumination).
- The soundbar features an audio-light sync mode where the lighting bar reacts to the playing music.

5.4 Connection Modes

The Redragon GS560 supports wired audio connection:

- **Wired Mode:** Connect the soundbar to your device using the integrated USB cable for power and the 3.5mm audio cable for sound. This mode is compatible with PCs, laptops, TVs, and smartphones.

6. Maintenance

To ensure the longevity and optimal performance of your soundbar:

- Clean the device with a soft, dry cloth. Do not use liquid cleaners or aerosols.
- Keep the soundbar away from dust and debris.
- Store in a cool, dry place when not in use.

7. Troubleshooting

If you encounter any issues, refer to the following common solutions:

Problem	Solution
No sound from the soundbar.	Ensure the USB power cable and 3.5mm audio cable are securely connected. Check the volume level on both the soundbar and your connected device. Verify that the soundbar is powered on.
RGB lights are not working.	Ensure the soundbar is powered on. Tap the touch-control area (Redragon logo) to cycle through lighting modes.
Sound is distorted or unclear.	Reduce the volume on both the soundbar and your device. Ensure the 3.5mm audio cable is fully inserted and not damaged. Test with another audio source if possible.

8. Specifications




Figure 5: Dimensions of the Redragon GS560 RGB Desktop Soundbar.

Feature	Detail
Model Name	Adiemus (GS560)
Speaker Type	Soundbar
Sound Channel	2.0
Connectivity Technology	Wired (USB for power, 3.5mm for audio)
Input Voltage	5 Volts
Speaker Maximum Output Power	4 Watts
Frequency Response	20 KHz
Control Method	Touch, Knob
Product Dimensions	15.8"D x 2.7"W x 2.8"H
Item Weight	921 Grams (2.03 pounds)

Feature	Detail
Material	Acrylonitrile Butadiene Styrene (ABS), Aluminum
Color	White

9. Warranty and Support

The Redragon GS560 RGB Desktop Soundbar comes with a Limited Warranty. For detailed warranty information or technical support, please refer to the official Redragon website or contact their customer service directly.

For further assistance, visit the [Redragon Store on Amazon](#).