

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Lyromix](#) /
- › [Lyromix Outdoor Dog Kennel \(10x10x5 FT\) Instruction Manual](#)

Lyromix Lyromix Dog Kennel Outdoor

Lyromix Outdoor Dog Kennel (10x10x5 FT) Instruction Manual

MODEL: LYROMIX DOG KENNEL OUTDOOR

Introduction

Thank you for choosing the Lyromix Outdoor Dog Kennel. This manual provides essential information for the safe assembly, operation, and maintenance of your new dog kennel. Designed for durability and your pet's comfort, this 10x10x5 FT heavy-duty chain link enclosure features a galvanized steel frame, a waterproof and UV-resistant roof, and a convenient rotating feeding door with bowls. Please read these instructions thoroughly before beginning assembly.

Safety Information

- **Adult Assembly Required:** This product requires adult assembly. Keep children and pets away from the assembly area until the kennel is fully constructed.
- **Inspect All Parts:** Before assembly, carefully inspect all components for any damage or missing parts. Do not proceed with assembly if parts are damaged or missing. Contact customer support immediately.
- **Secure Installation:** Ensure the kennel is assembled on a level surface and securely anchored to prevent tipping or movement, especially in windy conditions.
- **Regular Checks:** Periodically check all connections, bolts, and fasteners to ensure they remain tight and secure.
- **Pet Supervision:** While the kennel provides a secure enclosure, always supervise your pet, especially during initial use.
- **Proper Use:** This kennel is intended for outdoor use for dogs. Do not use it for purposes other than its intended design.

Package Contents

Please verify that all the following components are present before starting assembly:

- Galvanized Steel Tubes (Frame components)
- Chain Link Wire Mesh Panels

- Waterproof and UV-Resistant PE Roof Cover
- Rotating Feeding Door Assembly
- Stainless Steel Bowls (2 included)
- Metal Ties and Fasteners (for securing mesh and frame)
- Assembly Hardware (bolts, nuts, washers)

Setup and Assembly Instructions

Follow these steps carefully to assemble your Lyromix Outdoor Dog Kennel:

1. **Prepare the Area:** Choose a flat, level outdoor surface for the kennel. Clear any debris or obstacles from the area.
2. **Unpack and Identify Parts:** Lay out all components and compare them with the package contents list to ensure everything is present and undamaged.
3. **Assemble the Base Frame:** Connect the galvanized steel tubes to form the rectangular base of the kennel. Ensure all connections are snug but do not fully tighten bolts yet.
4. **Install Vertical Supports:** Attach the vertical support tubes to the base frame.
5. **Attach Wire Mesh Panels:** Secure the chain link wire mesh panels to the frame using the provided metal ties and fasteners. The upgraded mesh edges are designed for a firm fit. Ensure the 2.5mm thick wire mesh is taut.
6. **Install the Feeding Door:** Integrate the rotating feeding door assembly into one of the designated panel openings. Ensure it rotates smoothly and the height adjustment mechanism functions correctly.
7. **Assemble the Roof Frame:** Construct the roof frame using the remaining galvanized tubes.
8. **Attach the Roof Cover:** Drape the waterproof and UV-resistant PE cover over the roof frame. Secure it firmly using the elastic fasteners or bungee cords provided, ensuring it is taut to prevent water accumulation.
9. **Final Tightening:** Once all components are in place and aligned, systematically tighten all bolts and fasteners across the entire structure.
10. **Insert Bowls:** Place the two stainless steel bowls into the feeding device.

Product Dimensions




Figure 1: Product Dimensions and Key Features. This diagram illustrates the overall dimensions of the kennel, including its 10-foot length, 10-foot width, and 5-foot height, along with details of the feeding door.

Sturdy and Durable Wire Mesh

Effectively preventing dogs from bending the wire to escape

Strong and
Not Easily Bent



Preventing
dogs from escaping



Figure 2: Sturdy and Durable Wire Mesh. This image shows a dog comfortably inside the kennel, highlighting the robust wire mesh construction that prevents bending and escapes.



Figure 3: Anti-UV & Waterproof Cover. This illustration demonstrates how the kennel's roof provides protection from both harsh UV rays and rain, ensuring a comfortable environment for your pet.

Operating Instructions

The Lyromix Outdoor Dog Kennel features a convenient rotating feeding door:

- **Rotating Feeding Device:** The feeding door is designed to rotate 360 degrees, allowing you to easily place or remove food and water bowls without entering the kennel.
- **Height Adjustment:** The feeding device offers three levels of height adjustment. To adjust, simply lift or lower the bowl holder to the desired height and secure it in place. This allows you to customize the feeding height according to your dog's size and comfort.



Three-level Adjustable Feeding Device

Rotating Feeding Doors

Feeding no longer
becomes troublesome



Figure 4: Rotating and Adjustable Feeding Door. This image provides a close-up of the feeding door, illustrating its 360-degree rotation and three-level height adjustment feature for easy feeding.

Maintenance

Regular maintenance will extend the life of your dog kennel:

- **Cleaning the Frame and Mesh:** Periodically clean the galvanized steel frame and wire mesh with mild soap and water. Rinse thoroughly and allow to air dry. Avoid harsh chemicals that could damage the finish.
- **Roof Cover Care:** Clean the PE roof cover with a damp cloth. Ensure it remains free of debris, especially leaves or standing water, to maintain its waterproof integrity.
- **Bowl Cleaning:** The stainless steel bowls should be removed and cleaned regularly to maintain hygiene for your pet.
- **Fastener Inspection:** Routinely check all metal ties, bolts, and fasteners for tightness. Tighten any loose connections to ensure the kennel remains stable and secure.

Troubleshooting


Here are solutions to common issues you might encounter:

- **Missing or Damaged Parts:** If you find any parts missing or damaged upon unboxing, do not attempt to assemble the kennel. Contact Lyromix customer support immediately for assistance.
- **Tarp/Roof Cover Not Staying in Place:** Ensure all elastic fasteners or bungee cords are securely attached to the frame. In strong winds, additional securing methods (e.g., heavier anchors) may be necessary.
- **Difficulty Connecting Pipes/Frame:** Double-check that you are using the correct pipes for each section as per the assembly diagram. If pipes appear bent or misaligned, contact customer support for replacement parts. Do not force connections.
- **Wire Mesh Appears Loose:** Ensure all metal ties are properly installed and tightened around the wire mesh and frame. The upgraded mesh edges should prevent significant loosening.


Specifications

Feature	Detail
Model Name	Lyromix Dog Kennel Outdoor
Dimensions (L x W x H)	120" x 120" x 60" (10 ft x 10 ft x 5 ft)
Item Weight	25 Pounds
Material	Galvanized Iron (Frame), PE (Roof Cover)
Tube Diameter	1.26 inches
Tube Thickness	0.8 mm
Wire Mesh Thickness	2.5 mm
Special Features	Waterproof, UV Protection, Rotating Feeding Door, Adjustable Bowl Height
Included Components	Kennel Frame, Wire Mesh, Roof Cover, Feeding Device, 2 Stainless Steel Bowls

OURS



More Sturdy Wire Mesh
Not Easily Bent By dogs




Firm Wire Mesh
Wire mesh will never be loose again




Metal Mesh Ties
Wire Mesh Never fall off again

OTHERS



Thin Wire Mesh



Loose Wire Mesh



Plastic Mesh Ties

Figure 5: Material Quality Comparison. This image highlights the superior quality of Lyromix's 0.8mm thick galvanized tubes and 2.5mm firm wire mesh compared to thinner, less durable alternatives.

Upgrade Galvanized Structure

Strong and stable dog kennel



Golden Retriever



German Shepherds



Labrador



Beagle

Suitable for kinds of dogs



Figure 6: Upgraded Galvanized Structure. This image showcases the strong and stable galvanized construction of the kennel, suitable for large breeds such as Golden Retrievers, German Shepherds, Labradors, and Beagles.

Warranty Information

This Lyromix Outdoor Dog Kennel comes with a **3-month warranty** from the date of purchase. This warranty covers manufacturing defects. Please retain your proof of purchase for any warranty claims. The warranty does not cover damage resulting from improper assembly, misuse, neglect, accidents, or normal wear and tear.

Customer Support

If you have any questions regarding the assembly, operation, or maintenance of your Lyromix Outdoor Dog Kennel, or if you require assistance with missing or damaged parts, please contact Lyromix customer service. Refer to your purchase documentation or the Lyromix brand store for contact details.

