

## COSTWAY BA7886FR

# COSTWAY Over-the-Toilet Storage Cabinet User Manual

Model: BA7886FR

## 1. PRODUCT OVERVIEW

The COSTWAY Over-the-Toilet Storage Cabinet, model BA7886FR, is designed to provide efficient storage solutions for your bathroom. This industrial-style unit fits over most standard toilets, utilizing vertical space to organize various bathroom essentials. It features multiple storage compartments, including a top shelf with a raised edge, an open storage shelf, and a section with a sliding barn door, along with a dedicated toilet paper holder.



Figure 1: The COSTWAY Over-the-Toilet Storage Cabinet in a bathroom setting, showcasing its design and placement over a toilet.

## 2. IMPORTANT SAFETY INFORMATION

---

Please read and understand all safety instructions before assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- **Anti-Tip Device:** This cabinet must be securely fastened to the wall using the provided anti-tip devices to prevent accidental tipping, especially in households with children or pets.
- **Weight Capacity:** Do not exceed the maximum weight capacity of 10 kg (22 lbs) for the entire unit. Distribute weight evenly across shelves.
- **Stable Surface:** Ensure the cabinet is placed on a flat, stable, and level surface. Adjustable feet are provided to help stabilize the unit on uneven floors.
- **Assembly:** Assemble the unit according to the instructions. Do not modify the product.



Figure 2: Illustration of the dual anti-tip devices, demonstrating how to secure the cabinet to the wall for enhanced stability and safety.

### 3. PACKAGE CONTENTS

---

Before beginning assembly, ensure all parts and hardware are present and undamaged. If any parts are missing or damaged, contact customer support.

#### 3.1. Parts List (Illustrative)

- Top Panel
- Side Panels (Left & Right)
- Back Panels
- Fixed Shelves
- Adjustable Shelves
- Sliding Barn Door
- Metal Frame Components
- Toilet Paper Holder

#### 3.2. Hardware List (Illustrative)

- Screws of various sizes
- Dowel pins
- Cam locks and studs
- Sliding rail and rollers
- Door handle
- Adjustable feet
- Anti-tip straps and wall anchors
- Allen wrench (if required)

## 4. ASSEMBLY INSTRUCTIONS

---

Assembly is designed to be straightforward with detailed instructions and complete accessories. It is recommended to assemble the unit with two people.

1. **Unpack and Identify:** Carefully unpack all components and hardware. Lay them out on a clean, soft surface to prevent scratches. Identify each part by referring to the included parts diagram.
2. **Assemble the Main Frame:** Begin by connecting the metal frame components. Ensure all connections are secure. The reinforced 'X' shaped metal bars provide additional stability.
3. **Attach Wooden Panels:** Secure the wooden side panels, back panels, and fixed shelves to the metal frame using the provided hardware. Pay close attention to the orientation of each panel.
4. **Install Adjustable Shelves:** Insert the shelf pins into the desired holes for the adjustable shelves. The shelves offer 3 positions for flexible storage.
5. **Mount Sliding Barn Door:** Attach the sliding rail mechanism and then install the barn-style door. Ensure the door slides smoothly along the rail.
6. **Install Toilet Paper Holder:** Attach the toilet paper holder to the side of the metal frame at the desired height.
7. **Adjust Bottom Bar:** The lower support bar is adjustable to 3 positions, allowing the cabinet to fit over various toilet heights. Adjust as needed for your specific toilet.
8. **Level the Unit:** Once assembled, place the cabinet over your toilet. Adjust the height-adjustable feet at the bottom to ensure the unit is level and stable on the floor.
9. **Secure with Anti-Tip Device:** Crucially, attach the anti-tip devices to the top rear of the cabinet and secure them firmly to the wall. This step is essential for safety.





Figure 3: Detailed product dimensions, including overall height, width, depth, and internal shelf measurements, crucial for assembly and placement.



Figure 4: Visual representation of the cabinet's robust structure, highlighting the reinforced X-shaped metal bars and 360-degree adjustable feet for enhanced stability.

## 5. OPERATION

### 5.1. Adjusting Shelves

The cabinet features adjustable shelves within the enclosed compartment. To adjust, remove any items from the shelf, lift the shelf, and reposition the shelf pins into the desired holes. Ensure the shelf is securely seated on all four pins before placing items back.

### 5.2. Using the Sliding Barn Door

The barn-style door slides horizontally along a smooth rail. Gently push or pull the door by its handle to access the enclosed compartments. The flexible movement allows for easy access to stored items.



Figure 5: Detailed view of the sliding barn door mechanism and the three-level adjustable shelves, demonstrating the flexibility of storage options.

### 5.3. Using the Toilet Paper Holder

The integrated toilet paper holder is designed for convenience. Simply slide a roll of toilet paper onto the holder for easy access.

### 5.4. Adjusting the Lower Bar

The lower support bar of the cabinet can be adjusted to three different positions. This feature allows the cabinet to accommodate various toilet heights and plumbing configurations, ensuring a proper fit.

# Deux Dispositifs Anti-basculement

Peut être fixé au mur pour plus de sécurité






Figure 6: Illustration of the adjustable lower bar with three height settings and the integrated toilet paper holder, designed for practical use.

## 6. MAINTENANCE AND CARE

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, which can damage the finish.
- **Spills:** Promptly wipe up any spills to prevent moisture damage to the engineered wood.
- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Anti-Tip Device:** Regularly inspect the anti-tip device to ensure it is still securely attached to both the cabinet and the wall.

## 7. TROUBLESHOOTING

- **Difficulty during Assembly (Misaligned Holes):** If screw holes do not align perfectly, gently adjust the position of the panels or frame components. Do not force screws, as this can strip the threads or damage the material. Ensure all parts are oriented correctly as per the diagrams.
- **Cabinet is Unstable/Wobbly:**
  - Ensure all screws and connections are tightened.

- Adjust the leveling feet at the bottom of the unit to compensate for uneven flooring.
- Verify that the anti-tip device is correctly installed and securely fastened to the wall.

- **Sliding Door Not Moving Smoothly:**

- Check the sliding rail for any obstructions or debris.
- Ensure the rollers are properly seated in the rail.
- Verify that the rail itself is securely attached and level.

- **Missing Parts:** If any parts are missing from the package, refer to the package contents list and contact COSTWAY customer support for assistance.

## 8. PRODUCT SPECIFICATIONS

---

Feature	Value
Brand	COSTWAY
Model Number	BA7886FR
Color	Dark Brown
Product Dimensions (L x W x H)	24 x 64 x 172 cm
Item Weight	18.5 Kilograms
Maximum Weight Capacity	10 Kilograms
Material	Engineered Wood, Metal
Special Features	Space-saving, Adjustable Shelf
Mounting Type	Floor Mount
Style	Industrial
Room Type	Laundry Room, Bathroom
Door Style	Shutter

## 9. WARRANTY AND CUSTOMER SUPPORT

---

For warranty information, missing parts, or any questions regarding your COSTWAY Over-the-Toilet Storage Cabinet, please refer to the purchase documentation or contact COSTWAY customer service directly. Contact details can typically be found on the retailer's website or on the product packaging.