

[Manuals.plus](#) /

› [SARTODOORS](#) /

› SARTODOORS Felicia 3355 Matte White Sliding French Double Pocket Doors (84 x 80 inches) Installation and User Manual

SARTODOORS Felicia 3355

SARTODOORS Felicia 3355 Matte White Sliding French Double Pocket Doors (84 x 80 inches) Installation and User Manual

This manual provides detailed instructions for the installation, operation, and maintenance of your SARTODOORS Felicia 3355 Matte White Sliding French Double Pocket Doors. Please read thoroughly before beginning installation.

1. PRODUCT OVERVIEW

The SARTODOORS Felicia 3355 Sliding French Double Pocket Doors offer a modern and traditional design, ideal for bedrooms, bathrooms, or closets. These doors are crafted from solid pine wood with an eco-veneer finish and feature 12 lites of 1/4-inch clear glass. Designed for space-saving and smooth operation, they provide a warm aesthetic and contribute to sound attenuation.

Key Features:

- **Material:** Solid pine wood with eco-veneer finish.
- **Glass:** 1/4-inch clear glass, 12 lites per door slab.
- **Design:** French style, matte white finish.
- **Functionality:** Sliding pocket door system for space optimization.
- **Sound Attenuation:** 1 3/5-inch thick solid composite wood construction reduces noise by 30% compared to standard doors.




Figure 1: SARTODOORS Felicia 3355 Matte White Sliding French Double Pocket Doors (84 x 80 inches). These doors feature a modern French design with clear glass lites, providing both style and functionality for interior spaces.

Your browser does not support the video tag.

Video 1: Felicia 3355 Matte White Door Slab. This short video provides a quick overview of the door slab's design and finish, highlighting the clear glass lites and matte white eco-veneer.

2. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and longevity of your pocket doors. The following steps outline the installation process. It is recommended to have professional assistance if you are unfamiliar with door installation.

2.1 Pre-Installation Measurements

Accurate measurements of your rough opening are essential. The recommended opening for this 84" x 80" double pocket door set is approximately 169" x 84 1/2" inches. Always measure the width and height in three points and use the smallest value. Ensure the pocket cavities are free of wiring and plumbing.




Figure 2: Diagram illustrating recommended opening dimensions for double pocket doors. The diagram shows the recommended height (H: 85") and total opening width (169") for two 42" x 80" door slabs.

Your browser does not support the video tag.

Video 2: Door Opening Measurement Guide. This video demonstrates how to accurately measure your door opening to ensure a proper fit for your SARTODOORS product.

2.2 Components Included

Your door set includes:

- 2 door slabs (42x80 inches each) with Clear glass.
- Trims.
- Pocket frames.
- Door hangers.
- Steel tracks.
- Floor guides.
- Stops.
- Round pocket pulls.
- Mounting screws.



SET | INCLUDES:

2X



Figure 3: All components included in the SARTODOORS double pocket door kit. This image displays the pocket frames, track, hangers, door guides, bumpers, pulls, and mounting screws.

2.3 Installation Steps

For a comprehensive visual guide, please refer to the official installation video below. Key steps include:

1. **Unpacking and Inspection:** Carefully unbox all components and inspect for any damage.
2. **Door Panel Preparation:** If necessary, trim the door panels. Note that trimming is done partially on one side; the other side is used for hanging the door panel and inserting bottom guides.
3. **Lock Hole Installation:** Cut the necessary holes for the lock mechanism on the door panels.
4. **Pocket Frame Assembly:** Assemble the pocket frames according to the provided instructions. The 1500 Frame installs quickly into standard 2x4 timber or steel framed walls.
5. **Track and Hanger Installation:** Secure the track system within the rough opening and attach the hangers to the top of the door panels.
6. **Soft Close Mechanism (Optional):** Install the soft close mechanism if purchased separately.
7. **Door Hanging:** Carefully hang the door panels onto the track system.
8. **Door Guide Installation:** Install the floor guides to ensure smooth and stable sliding.
9. **Adjustments:** Make final adjustments to ensure the doors slide smoothly and align correctly.

Your browser does not support the video tag.

Video 3: How to Install Double Pocket Doors - SARTODOORS. This comprehensive video provides a step-by-step guide for installing your SARTODOORS double pocket doors, covering all essential procedures from unpacking to final adjustments.

The 1500 Frame installs quickly into standard 2x4 timber or steel framed walls with professional results.




Figure 4: Diagram showing the scheme of the door construction and box track dimensions. This illustration details the solid wood and MDF layers, glass thickness, and the dimensions of the box track for the pocket door system.

3. OPERATING INSTRUCTIONS

Your SARTODOORS pocket doors are designed for smooth and quiet operation. To open or close the doors, gently push or pull the door panels using the integrated pocket pulls. The soft-close mechanism (if installed) will engage automatically,

slowing the door's movement as it approaches the closed position to prevent slamming.

The doors are equipped with a lock mechanism for privacy. To engage the lock, use the thumb turn or push button on the edge of the door panel. Ensure the doors are fully closed for the lock to function correctly.

4. MAINTENANCE

Regular maintenance will ensure your SARTODOORS remain in excellent condition for years to come.

- **Cleaning:** Clean the eco-veneer door surfaces with a soft, damp cloth and mild, non-abrasive cleaner. For the clear glass, use a standard glass cleaner. Avoid harsh chemicals that may damage the finish.
- **Hardware:** Periodically check all screws and fasteners on the track, hangers, and guides to ensure they are tight. Lubricate the track and rollers annually with a silicone-based lubricant to maintain smooth operation.
- **Glass:** Inspect the glass lites for any cracks or damage. Contact support if replacement is needed.

5. TROUBLESHOOTING

If you encounter any issues with your SARTODOORS, refer to the following common solutions:

Problem	Possible Cause	Solution
Door does not slide smoothly.	Dirty track, worn rollers, misaligned track.	Clean the track, lubricate rollers, check track alignment and adjust if necessary.
Soft-close mechanism not engaging.	Mechanism misaligned or damaged.	Check alignment of the soft-close mechanism and adjust according to installation video. If damaged, contact support.
Door is difficult to lock.	Lock mechanism misaligned or obstructed.	Ensure the door is fully closed and aligned. Check for any obstructions around the lock. Adjust the lock mechanism if needed.
Doors are not level.	Improper installation of hangers or track.	Adjust the hanger screws to level the door. Re-check track installation for levelness.

6. SPECIFICATIONS

- **Brand:** SARTODOORS
- **Model:** Felicia 3355
- **Color:** Matte White
- **Material:** Engineered Wood, Glass, Pine
- **Door Thickness:** 1 3/5 inches
- **Glass Thickness:** 1/4 inch

- **Glass Lites:** 12 per door slab
- **Assembly Required:** Yes
- **Recommended Opening (W x H):** 169" x 84 1/2" inches

7. WARRANTY AND SUPPORT

For any questions, technical assistance, or warranty inquiries, please contact SARTODOORS customer support. Professional installers are also available to assist with complex installations.

Contact Information:

- **Seller:** UnitedPorte
- Refer to your purchase documentation for specific email and phone contact details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CBQ63231>

More documents and user manuals: <https://manuals.plus/>

