

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Nintiue](#) /

> [Nintiue Arc Dimmable Floor Lamp F1599 User Manual](#)

Nintiue F1599

Nintiue Arc Dimmable Floor Lamp (Model F1599) User Manual

Your guide to assembly, operation, and care.

1. INTRODUCTION

This manual provides essential information for the safe and efficient use of your Nintiue Arc Dimmable Floor Lamp, Model F1599. Please read these instructions thoroughly before assembly and operation, and retain them for future reference.

2. SAFETY INFORMATION

- Ensure the lamp is unplugged before assembly, cleaning, or changing the bulb.
- Do not operate the lamp with a damaged cord or plug.
- Avoid placing the lamp in areas with high humidity or near water.
- Use only E26 base dimmable LED bulbs with a maximum wattage of 60W.
- Keep the lamp away from flammable materials.
- This product is for indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Lamp Base
- Lamp Pole Sections (multiple, screw-together)
- Arc Arm with Lamp Head

- Linen Shade
- 9W LED Bulb (3000K Soft White, 1200 Lumens)
- Assembly Tool (if required)



Figure 1: Lamp components before assembly.

4. ASSEMBLY INSTRUCTIONS

1. Carefully unpack all components from the packaging.
2. Screw the lamp pole sections together clockwise until secure. Ensure the power cord passes freely through the pole.
3. Attach the assembled lamp pole to the heavy base by screwing it clockwise until firmly tightened.
4. Connect the arc arm with the lamp head to the top of the lamp pole, screwing clockwise until secure.
5. Assemble the linen lampshade. The shade typically uses clips or Velcro to form its cylindrical shape.
6. Attach the assembled lampshade to the lamp head.

7. Screw the provided 9W LED bulb into the E26 socket.
8. Plug the power cord into a standard electrical outlet.



Figure 2: Visual guide for lamp assembly.

5. OPERATING INSTRUCTIONS

5.1 Power On/Off and Dimming

The lamp features a convenient rotary knob switch located on the lamp pole for power control and dimming. To turn the lamp on or off, rotate the knob fully. To adjust brightness, twist the knob clockwise to increase brightness (up to 100%) and counter-clockwise to decrease brightness (down to 0%).



Figure 3: Rotary dimming switch operation.

5.2 Flexible Lampshade Adjustment

The lamp head is designed for flexibility, allowing for 360° horizontal rotation and 90° vertical rotation. Gently adjust the lampshade to direct light as needed for reading, working, or ambient lighting.



Figure 4: Lampshade rotation capabilities.

Video 1: Demonstrates the dimming function and flexible lamp head adjustment of the Nintue Arc Floor Lamp.

6. MAINTENANCE

- **Cleaning:** Disconnect power before cleaning. Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Bulb Replacement:** Ensure the lamp is unplugged and the bulb has cooled before attempting to replace it. Use only E26 base dimmable LED bulbs (Max 60W).
- **Stability:** Periodically check that all connections are tight, especially the pole sections and the base, to maintain stability. The lamp features a 6.6 lb weighted base for enhanced stability.



Figure 5: Stable base design.

7. TROUBLESHOOTING

- **Lamp does not turn on:**
 - Check if the power cord is securely plugged into the outlet.
 - Ensure the rotary switch is turned fully to the 'on' position.
 - Verify the light bulb is correctly screwed in and not burnt out. Replace if necessary.
- **Light flickers:**
 - Ensure the bulb is fully tightened in the socket.
 - Confirm that the bulb used is a dimmable LED bulb. Non-dimmable bulbs may flicker when used with a dimming switch.
 - Try a different dimmable bulb to rule out a faulty bulb.
- **Lamp is unstable:**
 - Ensure all pole sections are tightly screwed together.
 - Verify the lamp pole is securely attached to the base.
 - Place the lamp on a flat, stable surface.

8. SPECIFICATIONS

Feature	Specification
Model Number	F1599
Dimensions (D x W x H)	10"D x 10"W x 65"H
Item Weight	9.24 pounds (4.2 Kilograms)
Material	Metal (Base), Linen (Shade)
Finish Type	Painted
Light Source Type	LED
Bulb Base	E26
Maximum Compatible Wattage	60 Watts
Brightness	1200 Lumens (with included bulb)
Color Temperature	3000 Kelvin (Soft White)
Dimmable	Yes (0-100% stepless)
Shade Rotation	360° Horizontal, 90° Vertical
Power Source	Corded Electric (120 Volts AC)






Figure 6: Lamp dimensions.

9. WARRANTY AND SUPPORT

Nintie provides a **3-year product support and customer service warranty** for this floor lamp. If your standing lamp has any defect or stops working within 3 years of purchase, please contact Nintie customer service for troubleshooting assistance or a product replacement. Your satisfaction is important to us.

For further assistance, please refer to the contact information provided with your purchase or visit the official Nintie store online.

