**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



## FoMup FM24WD

# FoMup Wine Cooler Refrigerator Instruction Manual

Model: FM24WD

Brand: FoMup

## 1. Introduction

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your FoMup 24 Inch, 180 Bottles Large Wine Fridge. Please read this manual thoroughly before using the appliance to ensure safe and efficient operation.

The FoMup Wine Cooler Refrigerator is designed to provide optimal storage conditions for your wine collection, featuring independent dual temperature zones, large capacity, and an efficient cooling system.





Figure 1: FoMup Wine Cooler Refrigerator

## 2. Safety Information

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury. Keep the appliance away from heat sources and direct sunlight. Ensure proper ventilation around the unit. Do not allow children to play with or inside the appliance. Unplug the unit before cleaning or performing any maintenance. **Important:** After receiving the machine, please leave it for more than 24 hours before starting the machine to allow refrigerants to settle.

## 3. Setup and Installation

Your FoMup Wine Cooler Refrigerator is designed for both freestanding and built-in installation. Ensure the installation

area has adequate space for ventilation, especially at the front where the vent is located.

- **Placement:** Position the unit on a flat, stable surface. Ensure there is sufficient clearance around the unit for proper air circulation.
- **Leveling:** Use the adjustable bottom feet to level the appliance. Proper leveling is crucial for efficient operation and door alignment.
- **Electrical Connection:** Connect the unit to a grounded electrical outlet. Do not use extension cords or adapters.
- **Door Reversibility:** The door is reversible for flexible placement. If you need to change the opening direction, please contact customer support for guidance and necessary accessories.




Figure 2: Flexible Placement with Reversible Door




Figure 3: Reversible Door for Flexible Placement




Figure 4: Adjustable Bottom Feet

## 4. Operating Instructions

The wine cooler features independent dual temperature zones and an intuitive LCD touch control panel for easy operation.

### 4.1 Dual Temperature Zones

The unit is equipped with two independent temperature zones to accommodate different wine types:

- **Top Zone:** 40-55°F (4-13°C) - Ideal for dry/white wines.
- **Bottom Zone:** 55-65°F (13-18°C) - Ideal for red wines.





Figure 5: Dual Zone Temperature Control

Figure 6: Individually Controlled Dual Zones

### 4.2 Control Panel

The LCD touch control panel allows you to adjust settings easily:

- **Light Control:** Turn the interior blue LED lighting on or off.
- **Temperature Adjustment:** Use the UP and DOWN arrows to set the desired temperature for each zone.
- **Celsius/Fahrenheit:** Toggle between temperature units.
- **Temperature Lock:** Lock the control panel to prevent accidental changes.
- **Power Switch:** Turn the unit on or off.




Figure 7: LCD Touch Control Panel

### 4.3 Shelving

The wine cooler features 14 robust load-bearing removable shelves made of wood and wire. These shelves are designed with ample layer spacing to prevent scratches on wine labels and allow for easy access to your collection.




Figure 8: Removable Wood+Wire Shelves

### 4.4 Security Features

The unit includes a safety lock to protect your wine collection and prevent unauthorized access, especially from children.

Figure 9: Safety Lock

## 5. Maintenance

Regular maintenance ensures the longevity and optimal performance of your wine cooler.

- **Cleaning:** Clean the interior and exterior surfaces with a mild detergent and soft cloth. Avoid abrasive cleaners.
- **Defrosting:** This unit features a frost-free defrost system, minimizing the need for manual defrosting.
- **Activated Carbon Deodorization:** The integrated activated carbon filter helps maintain a fresh, odor-free environment inside the cooler. Replace the filter periodically as recommended by the manufacturer.
- **Door Seal:** Regularly check the door gasket for any signs of wear or damage to ensure a proper seal and energy efficiency.




Figure 10: Maintenance Features

## 6. Troubleshooting

If you encounter issues with your wine cooler, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|---|---|---|
| Unit does not operate | No power; circuit breaker tripped; power switch off. | Check power supply; reset circuit breaker; ensure power switch is on. |
| Temperature is not cold enough | Door not closed properly; excessive door opening; poor ventilation; unit overloaded. | Ensure door is sealed; reduce door openings; check ventilation; do not overload. |
| Unit is noisy | Unit not leveled; loose parts; fan obstruction. | Adjust leveling feet; check for loose components; clear fan area. |
| Vibration | Unit not leveled; unit touching a wall or cabinet. | Level the unit; ensure adequate clearance. |

If problems persist after attempting these solutions, please contact customer support.

## 7. Specifications

Detailed specifications for the FoMup Wine Cooler Refrigerator (Model: FM24WD):

| Feature | Detail |
|---|---|
| Brand Name | FoMup |
| Model Info | FM24WD |
| Item Weight | 216 pounds |
| Product Dimensions | 27.16 x 23.54 x 65.74 inches (27.16"D x 23.54"W x 65.74"H) |
| Capacity | 13.5 Cubic Feet (Up to 180 standard Bordeaux wine bottles) |
| Annual Energy Consumption | 240 Kilowatt Hours Per Year |
| Noise Level | 42 dB |
| Installation Type | Built-In/Freestanding |
| Special Features | Digital Temperature Control, Door Lock, Front Ventilation, Frost Free, Large Capacity |
| Color | Silver Stainless Steel |
| Voltage | 115 Volts (AC) |
| Defrost System | Frost Free |
| Door Hinges | Reversible |
| Door Material Type | Stainless Steel |
| Shelf Type | Wood+Wire |
| Number of Shelves | 14 |
| Number Of Doors | 1 |




Figure 11: Product Specifications Overview

## 8. Warranty and Support

FoMup provides 12 months technical support for this wine cellar. During this period, if you have any questions or require assistance, you can contact our professional after-sales service staff.

For further support, please refer to the customer support options provided at the point of purchase or visit the official FoMup store online.

*Note: The door is reversible. If you need to change the opening direction, please contact us for guidance and related accessories.*

© 2025 FoMup. All rights reserved.

## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**

---

**Open the live page**

**https://manuals.plus/asin/B0CBV9VNDZ**

More documents and user manuals: **https://manuals.plus/**