

KOORUI P01

KOORUI 24-inch FHD Monitor P01 User Manual

Model: P01

1. INTRODUCTION

Thank you for choosing the KOORUI 24-inch FHD Monitor, Model P01. This manual provides essential information for setting up, operating, and maintaining your monitor. Please read this manual thoroughly before use to ensure proper functionality and to maximize your viewing experience.

Package Contents

- KOORUI 23.8-inch Monitor with Stand x1
- HDMI Cable x1
- Power Adapter x1
- User Manual x1



Front view of the KOORUI 24-inch FHD Monitor, showcasing its slim bezels and the stand. Key specifications like 100Hz refresh rate, 99% sRGB, wide view angle, 5ms response time, and built-in speakers are overlaid on the screen.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent damage to the monitor and ensure user safety:

- Place the monitor on a stable, flat surface to prevent it from falling.
- Ensure adequate ventilation around the monitor. Do not block ventilation openings.
- Use only the power adapter supplied with the monitor.
- Do not expose the monitor to rain or moisture to avoid electric shock or fire.
- Keep the monitor away from direct sunlight, heat sources, and extreme temperatures.
- Unplug the power cord from the outlet before cleaning the monitor.
- Do not attempt to repair the monitor yourself. Refer all servicing to qualified personnel.

3. SETUP

3.1 Assembling the Stand

1. Carefully remove the monitor and stand components from the packaging.
2. Attach the stand base to the stand neck, securing it with the provided screw.

3. Align the assembled stand with the mounting slot on the back of the monitor and push firmly until it clicks into place.

3.2 Connecting Cables

Connect the necessary cables to the corresponding ports on the monitor and your computer.

- **Power:** Connect the power adapter to the monitor's power input and then to a power outlet.
- **HDMI:** Connect one end of the HDMI cable to the monitor's HDMI port and the other end to your computer's HDMI output.
- **VGA:** Connect one end of the VGA cable to the monitor's VGA port and the other end to your computer's VGA output.
- **Audio:** If using external speakers or headphones, connect them to the monitor's audio output port. The monitor also has built-in speakers.



A detailed view of the monitor's rear panel, highlighting the VGA, HDMI 1.4, Audio Interface, and power input ports, along with the built-in speakers.

3.3 VESA Mounting

The KOORUI P01 monitor supports 75mm x 75mm VESA mounting standards, allowing you to attach it to a compatible wall mount or desk arm (sold separately).

1. Ensure the monitor is powered off and unplugged.
2. Carefully remove the stand from the monitor by pressing the release button or unscrewing if applicable.
3. Attach your VESA-compatible mount to the four screw holes on the back of the monitor using appropriate screws (typically M4 x 10mm, check your mount's instructions).
4. Follow the instructions provided with your VESA mount for installation.



The monitor shown mounted on a VESA-compatible wall bracket, demonstrating its adaptability for various setups.

4. OPERATING THE MONITOR

4.1 Power On/Off

Press the power button, usually located on the bottom right bezel of the monitor, to turn the monitor on or off. The power indicator light will illuminate when the monitor is on.

4.2 On-Screen Display (OSD) Menu

The OSD menu allows you to adjust various monitor settings. Use the buttons on the bottom right bezel to navigate the menu.

- Press the 'M' button to open the OSD menu.
- Use the directional buttons (usually arrows or '◀'/'▶') to navigate through menu options.
- Press the 'E' button (or similar) to select an option or confirm a setting.
- Press the 'X' button (or similar) to exit the menu or go back to the previous level.

4.3 Adjusting Settings

Within the OSD menu, you can modify settings such as:

- **Brightness/Contrast:** Adjust the overall luminance and contrast levels of the display.
- **Color Settings:** Modify color temperature, gamma, and individual RGB values for precise color calibration.
- **Input Source:** Manually select between HDMI and VGA input signals.
- **Audio:** Control the volume of the built-in speakers or connected audio devices.
- **Scenario Mode:** Select preset display modes optimized for different content (e.g., Standard, Game, Movie, Text).

4.4 Tilt Adjustment

The monitor stand allows for tilt adjustment. You can tilt the screen approximately 5 degrees forward and 15 degrees backward to find your optimal viewing angle.

4.5 Built-in Speakers

The monitor is equipped with two built-in speakers for audio output. Adjust the volume through the OSD menu or your computer's sound settings.

4.6 FreeSync Technology

This monitor supports FreeSync technology, which synchronizes the monitor's refresh rate with your graphics card's frame rate. This helps eliminate screen tearing and stuttering, providing a smoother gaming experience. Ensure FreeSync is enabled in your graphics card settings and the monitor's OSD menu if available.

4.7 Blue Light Filter

The monitor features a Blue Light Filter to reduce eye strain during prolonged use. This setting can typically be adjusted or enabled within the OSD menu's color settings.

Wide Viewing Angle

178° (H), 178° (V)



An image illustrating the monitor's 178-degree wide viewing angle, ensuring consistent image quality from various perspectives.

KOORUI 23.8 inch Computer Monitor


It offers improved color reproduction, wider viewing angles and better color consistency.



A split-screen comparison demonstrating the superior color reproduction and consistency of the KOORUI monitor against a generic display.

Excellent Picture Quality

Multiple interfaces to meet different needs in life



Four monitors side-by-side, each depicting a different use case: work, design, gaming, and movie watching, highlighting the monitor's versatility.

5. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your monitor.

- **Cleaning the Screen:** Gently wipe the screen with a soft, lint-free cloth. For stubborn marks, lightly dampen the cloth with water or a screen-specific cleaning solution. Do not spray liquid directly onto the screen.
- **Cleaning the Casing:** Use a soft, dry cloth to wipe the monitor casing. Avoid using abrasive cleaners, waxes, or solvents as they may damage the finish.
- **Power Off:** Always unplug the monitor from the power outlet before cleaning.

6. TROUBLESHOOTING

If you encounter issues with your monitor, refer to the following common problems and solutions:

Problem	Possible Solution
No power	Ensure the power cable is securely connected to the monitor and a working power outlet. Check if the power adapter is functioning.
No signal	Verify that the video cable (HDMI/VGA) is securely connected to both the monitor and your computer. Select the correct input source via the OSD menu. Ensure your computer is powered on and not in sleep mode.
Image is blurry or distorted	Check your computer's display settings to ensure the resolution is set to 1920 x 1080 pixels and the refresh rate is 100Hz. Adjust the monitor's OSD settings (e.g., sharpness, phase, clock).
No sound from built-in speakers	Increase the volume in the monitor's OSD menu and your computer's sound settings. Ensure the audio output is correctly configured on your computer.
Screen flickering	Check the video cable for damage or loose connections. Ensure the refresh rate is set correctly. If using FreeSync, try disabling it temporarily to see if the issue persists.

7. SPECIFICATIONS

Technical specifications for the KOORUI 24-inch FHD Monitor P01:

Feature	Specification
Model Number	P01
Screen Size	23.8 Inches
Resolution	1920 x 1080 Pixels (FHD 1080p)
Refresh Rate	100 Hz
Response Time	5ms (GTG)
Aspect Ratio	16:9
Brightness	250 cd/m²
Color Gamut	sRGB 99%
Viewing Angle	178° (Horizontal/Vertical)
Panel Type	VA
Connectivity	1x HDMI 1.4, 1x VGA, 1x Audio Out
Speakers	Built-in (x2)
VESA Mount	75mm x 75mm
Tilt Adjustment	-5° to +15°

Feature	Specification
Product Dimensions (with stand)	7.13 x 21.34 x 16.59 inches
Item Weight (with stand)	8.53 pounds
Screen Surface	Matte

8. WARRANTY AND SUPPORT


KOORUI provides comprehensive support for its products.

- **Warranty:** This monitor is covered by a 3-year warranty from the date of purchase.
- **Replacement Service:** A 12-month replacement service is offered for eligible issues.
- **Customer Support:** 24-hour support is available for assistance.

For warranty claims, technical assistance, or any other inquiries, please contact KOORUI customer service through the retailer where you purchased the product or visit the official KOORUI website for contact details.

Related Documents - P01

 01	KOORUI VESA Holder Installation and Removal Guide Detailed instructions for installing and removing the VESA holder on KOORUI monitors, including important safety precautions and mounting specifications.
 User Manual KOORUI Monitor	KOORUI 24N1 Monitor User Manual - Setup, Features, and Troubleshooting Comprehensive user manual for the KOORUI 24N1 monitor, covering setup, product parameters, OSD functions, common applications, and troubleshooting tips. Learn how to optimize your display experience.

  User Manual Koorui Monitor	Koorui 24E4 Monitor User Manual User manual for the Koorui 24E4 monitor, covering product parameters, safety precautions, installation, OSD functions, common applications, and troubleshooting.
 Koorui 25E3A	Koorui 25E3A Monitor Installation Guide Step-by-step installation instructions for the Koorui 25E3A gaming monitor. This guide covers unboxing, assembling the stand, connecting cables (HDMI, DisplayPort), powering on the device, and adjusting the tilt for your new 24.5-inch, 180Hz/200Hz, 1ms FHD display.
  User Manual Koorui Monitor	Koorui E2411H 24-Inch 120Hz Full HD IPS Monitor User Manual Koorui E2411H Monitor User Manual: A comprehensive guide to setting up, operating, and troubleshooting your Koorui 24-inch Full HD IPS monitor (model E2411H). Learn about product specifications, safety, installation, OSD functions, and common issues. Features 120Hz refresh rate and 99% sRGB color gamut.
User Manual for Koorui Monitor 	Koorui Monitor User Manual This user manual provides comprehensive instructions for the Koorui monitor, covering setup, features, troubleshooting, and safety guidelines. It details button functions, OSD menu options, and solutions to common problems, ensuring optimal use and care of the device.

Documents - Koorui – P01



[\[pdf\]](#) User Manual

V13 280202028296 OD User Manual for Koorui Monitor 10 ago 2023 — Hey guys! I m Koorui! As an emerging Internet technology trend brand is committed to creating a smart IoT space P01 EN cdn files innpro pl Koorui |||

User Manual for Koorui Monitor User Manual for Koorui Monitor About the brand Koorui Hey guys I m Koorui As an emerging Internet technology trend brand, Koorui is committed to creating a smart IoT space for young users around the world. It is oriented at the needs of young people, focuses on sma...

lang:en score:27 filesize: 13.72 M page_count: 7 document date: 2023-08-01



Monitor Koorui P01

Instrukcja obsługi

[\[pdf\]](#)

KOORUI P01 PL Monitor Koorui Instrukcja obsługi 10 ago 2023 — Jako wschodząca marka trendów technologii internetowej jest zaangażowana w tworzenie inteligentnej przestrzeni IoT dla młodych użytkowników na całym cdn files innpro pl |||

Monitor Koorui **P01** Instrukcja obsługi Instrukcja obsługi monitora KOORUI O marce Jako wschodzca marka trendw technologii internetowej, KOORUI jest zaangażowana w tworzenie inteligentnej przestrzeni IoT dla młodych użytkowników na całym świecie. Jest zorientowana na potrzeby młodych ludzi, koncentruje ...

lang:pl score:24 filesize: 1.63 M page_count: 8 document date: 2023-08-01



Koorui P01 monitor


Felhasználói kézikönyv

[\[pdf\]](#)

KOORUI GP01 HU Koorui P01 monitor Felhasználói kézikönyv 10 ago 2023 — Feltörekvő internetes technológiai trendmárkaként a elkötelezett amellett hogy intelligens IoT teret hozzon létre fiatal felhasználók számára cdn files innpro pl |||

Koorui **P01** monitor Felhasználói kézikönyv KOORUI felhasználói kézikönyv O marce Feltrekv internetes technológiai trendmárkaként a KOORUI elkötelezett amellett, hogy intelligens IoT teret hozzon létre a fiatal felhasználók számára vilgszerte. A fiatalok igényeire szzpontost, az intelligens szolgáltatásokra szzponto...


lang:no score:24 filesize: 1.96 M page_count: 12 document date: 2023-08-01



KOORUI GP01 CZ Koorui P01 monitor Uživatelská příručka 10 ago 2023 — Jako nově vznikající trendová značka v oblasti internetových technologií se snaží vytvářet chytrý prostor internetu věcí pro mladé uživatele po celém cdn files innpro pl |||

Koorui **P01** monitor Uživatelsk prucka Uživatelsk prucka KOORUI O značke Jako nov vznikajc trendov značka v oblasti internetovch technologi se KOORUI snaz vytvet chytr prostor internetu vc pro mlad uzivatele po celm svt. Zamuje se na poteby mladch lid, soustřed se na služby chytrho života pro scne po...

lang:it score:24 filesize: 1.73 M page count: 9 document date: 2023-08-01



Manufacturer's Name and Address
Name: ShenZhen Koorui Technology Co., Ltd.
Address: 5th Floor, Building 6, Huike Industrial Park, No. 1 Industrial Second Road, Silicon Community Shennan Street, Bao'an District, Shenzhen


[illegible]

ROHS Declaration KOORUI Material of Conformity cdn files myshopline file store 2001347675

1658977938150 |||

Material Declaration of Conformity Manufacturer s Name and Address Name:
ShenZhen Koorui Technology ... r Display Unit 27E6QC Color Display Unit 27E1QA
Color Display Unit 34E6UC Color Display Unit **P01** Color Display Unit P02 Color
Display Unit N01 Color Display Unit N07 Color Display Unit ...

lang:en score:21 filesize: 105.58 K page count: 2 document date: 2023-08-08



Manufacturer's Name and Address Name: Shenzhen Kocoos Technology Co., Ltd. Address: 5th Floor, Building 6, Huike Industrial Park, No. 1 Industrial Second Road, Shilong Community, Shisan Street, Bao'an District, Shenzhen

Products Part description	
Product Name	Product Description
1381	Color Display Unit
1383	Color Display Unit
1401	Color Display Unit
1404A	Color Display Unit
1413	Color Display Unit
1424	Color Display Unit
1500C	Color Display Unit
1502A	Color Display Unit
1701	Color Display Unit
1716K	Color Display Unit
1721QA	Color Display Unit
1848A C	Color Display Unit
1750C	Color Display Unit
1751A	Color Display Unit
1750C	Color Display Unit
1782Q	Color Display Unit
1782QK	Color Display Unit
901	Color Display Unit
P01	Color Display Unit
P02	Color Display Unit
N01	Color Display Unit
N02	Color Display Unit
N03	Color Display Unit
N07	Color Display Unit
G01	Color Display Unit
G02	Color Display Unit
G03	Color Display Unit
G04A	Color Display Unit

Material Declaration of Conformity N07 Color Display Unit GP01 We will be responsible for any non compliance products provided by us Signature and on behalf of ROHS KOORUI cdn files myshopline file store 2001347675 1658977938150 |||

Material Declaration of Conformity Manufacturer s Name and Address Name:
ShenZhen Koorui Technology ... Color Display Unit 27E3Q Color Display Unit
27E3QK Color Display Unit S01 Color Display Unit **P01** Color Display Unit P02 Color
Display Unit N01 Color Display Unit N02 Color Display Unit ...

lang:en score:20 filesize: 105.67 K page count: 2 document date: 2023-04-21