

SCOCANOPY 12X12

SCOCANOPY 12x12ft Canopy Sidewall (Light Khaki) Instruction Manual

Model: 12X12

1. IMPORTANT SAFETY INFORMATION

Please read and understand all safety instructions before installing or using the canopy sidewalls. Failure to follow these instructions may result in injury or product damage.

- **Secure Installation:** Always assemble and secure the canopy firmly to prevent it from being blown away, especially in windy conditions. Use all provided attachment points.
- **Weather Conditions:** While the sidewalls offer protection, avoid using the canopy in extreme weather conditions such as heavy winds, severe rain, or snow. Disassemble and store the sidewalls during such conditions.
- **Fire Safety:** Keep all open flames and heat sources away from the canopy fabric. The material is not fireproof.
- **Regular Inspection:** Periodically inspect the sidewalls and their attachments for any signs of wear, tear, or damage. Replace damaged components immediately.
- **Children and Pets:** Keep children and pets away from the canopy during assembly and disassembly to prevent accidents.

2. PRODUCT OVERVIEW

The SCOCANOPY 12x12ft Canopy Sidewalls are designed to provide additional protection and privacy for your straight-leg pop-up canopy. This package includes three (3) sidewall panels.

Key Features:

- **Durable Fabric:** Constructed from 300D polyester with a PU lining, ensuring 100% waterproof performance and blocking 99% of UV sun rays.
- **Optimal Dimensions:** Each sidewall measures 79 inches in height by 144 inches in length, designed

to fit most 12x12 feet straight-leg pop-up canopies.

- **Secure Attachment:** Features Velcro straps at the top for attachment to canopy trusses and 8 Velcro tabs along the sides for securing to canopy legs.
- **Interconnecting Zippers:** Equipped with zip connectors to securely join multiple sidewalls, creating a tight seal against wind and rain.

Components Included:

- 3 x SCOCANOPY 12x12ft Canopy Sidewall Panels (Light Khaki)

Product Visuals:




Image: Overview of the SCOCANOPY 12x12ft Canopy Sidewall, illustrating its dimensions (79 inches high, 12 feet wide) and how it fits a standard canopy frame. Note the side zipper detail.

DETAILS SHOW

Better Wall is Created by Details.




100% Waterproof



300D Safe Material



Top Widened Velcro Straps



Anti-slip Velcro Straps



Zippers Glide Easily



Adjustable Easy to Setup

Image: Close-up details showcasing the 100% waterproof 300D polyester fabric, top widened Velcro straps for truss attachment, anti-slip Velcro straps for legs, and smooth-gliding zippers for connecting panels.



Image: Visual representation highlighting the sidewall's 100% waterproof and 99% sunproof capabilities, showing water beading on the fabric and protection from sun rays.

3. SETUP INSTRUCTIONS

Follow these steps to properly install your SCOCANOPY Sidewalls onto your 12x12ft straight-leg canopy frame.

1. **Prepare the Canopy Frame:** Ensure your 12x12ft straight-leg canopy frame is fully erected and stable before attaching the sidewalls.
2. **Attach Top Velcro Straps:** Take one sidewall panel. Locate the Velcro straps along the top edge of the sidewall. Wrap these straps firmly around the trusses (horizontal bars) of your canopy frame. Ensure a snug fit to prevent sagging.
3. **Secure Side Velcro Tabs:** Along the vertical edges of the sidewall, locate the 8 Velcro tabs. Wrap these tabs around the vertical legs of your canopy frame. This secures the sidewall to the legs and helps maintain tension.
4. **Connect Multiple Sidewalls (if applicable):** If installing multiple sidewalls, align the zippers on the vertical edges of adjacent panels. Zip them together from top to bottom to create a continuous, sealed wall.

5. **Adjust for Fit:** Once all panels are attached, make any necessary adjustments to the Velcro straps and tabs to ensure the sidewalls are taut and evenly distributed around the canopy frame.

For a visual guide on installation, please refer to the video below:

Your browser does not support the video tag.

Video: This official product video demonstrates the step-by-step process of installing the SCOCANOPY Canopy Sidewalls, including attaching them to the frame and zipping panels together.

4. OPERATING INSTRUCTIONS

The SCOCANOPY Sidewalls are designed for flexible use, adapting to various outdoor needs.

- **Full Enclosure:** For maximum privacy and protection from elements like sun, wind, and rain, install all three sidewall panels and zip them together at the corners.
- **Partial Coverage:** If you only need protection on one or two sides, simply install the required number of panels. The Velcro tabs allow you to secure individual panels to the canopy legs without needing to connect them to other sidewalls.
- **Adjusting for Airflow/Access:** To allow for airflow or easy entry/exit, you can partially unzip the panels or unfasten the side Velcro tabs to temporarily open a section.
- **Weather Adaptability:** The durable, waterproof, and UV-blocking fabric ensures comfort in various weather conditions, from sunny days to light rain.

SIDEWALL ONLY

Perfect Fit For Any Weather



Image: Depicts the versatility of the sidewalls, showing them in use during snowy, sunny, rainy, and beach conditions, highlighting their all-weather suitability.

5. MAINTENANCE

Proper care and maintenance will extend the lifespan of your SCOCANOPY Sidewalls.

- **Cleaning:** Clean the sidewalls with mild soap and lukewarm water. Use a soft brush or cloth to gently scrub any soiled areas. Rinse thoroughly with clean water. Do not use harsh detergents, bleach, or abrasive cleaners, as these can damage the fabric and its waterproof coating.
- **Drying:** Always ensure the sidewalls are completely dry before folding and storing them. Storing damp fabric can lead to mildew and degradation. Air dry in a shaded area if possible.
- **Storage:** Fold the dry sidewalls neatly and store them in a cool, dry place, away from direct sunlight and extreme temperatures. This helps prevent material breakdown and preserves the fabric's integrity.
- **Zipper Care:** Keep zippers clean and free of debris. If zippers become stiff, apply a silicone-based lubricant sparingly.

6. TROUBLESHOOTING

Here are solutions to common issues you might encounter with your canopy sidewalls.

- **Sidewalls not fitting properly:**
 - Ensure your canopy frame is a 12x12ft straight-leg model. These sidewalls are specifically designed for this size and type.
 - Check that all Velcro straps and tabs are securely fastened and evenly distributed. Adjust tension as needed.
- **Water leakage:**
 - Verify that all sidewall panels are zipped together completely and securely at the corners.
 - Ensure the top Velcro straps are tightly attached to the canopy trusses to prevent water from seeping through gaps.
 - Inspect the fabric for any tears or punctures. Small holes can be repaired with a waterproof patch kit.
- **Zippers sticking or difficult to operate:**
 - Clean the zipper teeth to remove any dirt or debris.
 - Apply a small amount of zipper lubricant (e.g., silicone spray or wax) to the teeth.
 - Ensure the fabric is not caught in the zipper mechanism.
- **Wind damage:**
 - Always use additional anchoring methods for your canopy (e.g., sandbags, stakes, guy ropes) in windy conditions, even with sidewalls installed.
 - If strong winds are expected, it is recommended to remove the sidewalls and/or collapse the canopy to prevent damage.

7. SPECIFICATIONS

Brand	SCOCANOPY
Model	12X12
Color	Light Khaki
Material	300D Polyester with PU lining (Canvas)
Product Dimensions (Each Sidewall)	79 inches (Height) x 144 inches (Length)
Item Weight (Total)	2 Pounds
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Blocks 99% UV rays (UPF 30)
Assembly Required	Yes
Compatibility	Most 12x12ft Straight Leg Pop-Up Canopies

8. WARRANTY AND SUPPORT

Specific warranty details for this product were not provided in the available information. For warranty claims, product support, or to inquire about replacement parts, please contact SCOCANOPY customer service directly through their official website or the retailer where the product was purchased.

Always retain your proof of purchase for any warranty-related inquiries.