

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [AlfaBot](#) /

› [AlfaBot Replacement Pads for X7 X8 Window Cleaning Robot - Instruction Manual](#)

AlfaBot 02

AlfaBot Replacement Pads for X7 X8 Window Cleaning Robot

Model: 02

1. INTRODUCTION

This manual provides essential information for the proper use and maintenance of your AlfaBot Replacement Pads. These pads are specifically designed for use with the AlfaBot X7 and X8 Window Cleaning Robots, ensuring optimal cleaning performance and longevity of the product. Please read this manual carefully before use.

2. PRODUCT OVERVIEW

The AlfaBot Replacement Pads are high-quality microfiber cleaning pads intended to replace worn or dirty pads on your AlfaBot X7 or X8 Window Cleaning Robot. Each package contains 6 sets, totaling 12 individual pieces, providing ample supply for continuous cleaning.



Image: AlfaBot Replacement Pads (6 sets / 12 pieces)

Key Features:

- **Microfiber Material:** Designed for effective dirt and stain removal.
- **Washable:** Pads can be washed and reused, promoting sustainability.
- **Replaceable:** Easily attach and detach from your AlfaBot X7/X8 robot.

MICROFIBER CLEANING PADS



Easy to remove the stains



Washable



Replaceable





Image: Microfiber Cleaning Pads features

3. SETUP AND INSTALLATION

Before operating your AlfaBot Window Cleaning Robot, ensure the cleaning pads are correctly installed.

- 1. Prepare the Pads:** Ensure the pads are clean and dry before attachment. For optimal performance, lightly dampen the pads with water or a suitable window cleaning solution as recommended by your robot's manual.
- 2. Locate Attachment Points:** Identify the hook-and-loop (Velcro) attachment areas on the underside of your AlfaBot X7 or X8 Window Cleaning Robot.
- 3. Attach Pads:** Align each replacement pad with the corresponding attachment area on the robot. Press firmly to ensure the pad is securely fastened and lies flat against the robot's surface.
- 4. Verify Attachment:** Gently tug on the edges of the pads to confirm they are securely attached and will not detach during operation.

4. OPERATING CONSIDERATIONS

The replacement pads are an integral part of your robot's cleaning system. Consider the following for effective operation:

- Pad Condition:** Always use clean pads for best results. Dirty or overly saturated pads can leave streaks or reduce cleaning efficiency.
- Replacement Frequency:** Replace pads when they become visibly dirty or when cleaning performance diminishes. The frequency depends on the surface cleanliness and usage.
- Even Distribution:** Ensure cleaning solution, if used, is evenly distributed on the pads to prevent uneven cleaning.

5. MAINTENANCE AND CARE

Proper maintenance of your replacement pads will extend their lifespan and ensure consistent cleaning performance.

- Removal:** After each use, carefully detach the dirty pads from the robot.
- Washing:** The pads are washable. Hand wash them with mild detergent and warm water, or machine wash on a gentle cycle with similar colors. Do not use bleach or fabric softeners, as these can damage the microfiber and reduce its cleaning effectiveness.
- Drying:** Air dry the pads completely before storing or reattaching them to the robot. Do not tumble dry on high heat, as excessive heat can damage the fibers.
- Storage:** Store clean, dry pads in a cool, dry place away from direct sunlight.

6. TROUBLESHOOTING

If you encounter issues with your AlfaBot Replacement Pads, consider the following:

- Pads not cleaning effectively:**
 - Ensure pads are clean before use.
 - Check if pads are properly dampened with water or cleaning solution.
 - Verify the pads are securely attached and flat against the robot.
- Pads detaching during operation:**
 - Ensure pads are firmly pressed onto the hook-and-loop fasteners.
 - Check if the hook-and-loop fasteners on either the pad or the robot are worn out. If so, replace the pads.
- Streaks left on surface:**
 - Pads may be too dirty; replace with clean pads.
 - Too much cleaning solution may have been applied.
 - Pads may not be fully dry after washing, leading to residue.

7. SPECIFICATIONS

Product Name	AlfaBot Replacement Pads
Model Number	02
Compatibility	AlfaBot X7, AlfaBot X8 Window Cleaning Robots
Material	Microfiber
Quantity	6 Sets / 12 Pieces
Package Dimensions	6.38 x 6.38 x 2.05 inches
Item Weight	2.08 ounces

8. WARRANTY AND SUPPORT

For specific warranty information regarding your AlfaBot Replacement Pads, please refer to the original product packaging or contact AlfaBot customer support directly. As a consumable accessory, replacement pads typically have a limited or no direct warranty, but are covered against manufacturing defects upon purchase.

If you require further assistance or have questions not covered in this manual, please visit the official AlfaBot website or contact their customer service department. Contact information can usually be found on the AlfaBot brand store page or on the original product packaging.

You can visit the AlfaBot Store for more information: [AlfaBot Store on Amazon](#)

© 2023 AlfaBot. All rights reserved.