

LEIVI D008

LEIVI Heated Toilet Seat Instruction Manual

Model: D008

1. INTRODUCTION

This manual provides detailed instructions for the safe and efficient installation, operation, and maintenance of your LEIVI Heated Toilet Seat. Please read this manual thoroughly before installation and retain it for future reference. The LEIVI Heated Toilet Seat is designed to provide enhanced comfort and convenience with its integrated heating function, soft-close lid, and automatic night light. It is compatible with most elongated toilets and requires a standard electrical outlet.

2. PRODUCT FEATURES

- **Elongated Heated Toilet Seat:** Designed to fit most elongated toilets, providing warmth and comfort. Features upgraded heating technology combining resistance wire and aluminum foil for uniform temperature distribution.
- **Precise Temperature Control:** Equipped with a precise temperature sensor for real-time monitoring and dynamic adjustment, ensuring stable and comfortable seat temperature. Includes built-in temperature controller and fuse for multiple overheating protection.
- **Ultra-Low Power Consumption:** Utilizes low power and pressure heating technology, consuming less than 0.5 degrees per day even at the highest temperature setting, promoting energy efficiency.
- **Man-Machine Surface Seat:** Ergonomically designed seat surface to eliminate pressure points, reduce muscle fatigue, and enhance user comfort. Features a slightly raised front end for a smoother experience.
- **High Strength Structural Support:** Lightweight yet robust design (approx. 1.5kg) capable of withstanding over 1335N external force for more than 25,000 times without deformation, supporting over 150 kg.
- **Soft-Close Design:** The lid and seat feature a soft-close mechanism to prevent slamming and reduce noise.
- **Auto Night Light:** Integrated night light for convenience during nighttime use.
- **Easy Installation & Disassembly:** Designed for straightforward installation and easy removal for cleaning or maintenance.

3. PACKAGE CONTENTS

Please ensure all components are present before beginning installation:

- LEIVI Heated Toilet Seat
- Mounting Hardware
- Power Cord (120 Volts)
- Instruction Manual (this document)

4. INSTALLATION GUIDE

Follow these steps for proper installation of your LEIVI Heated Toilet Seat. Ensure you have an electrical outlet available in your bathroom.

4.1. Preparation

1. Turn off the water supply to your toilet and flush to empty the tank.
2. Remove your existing toilet seat by unscrewing the mounting bolts, typically located at the back of the toilet bowl.
3. Clean the toilet bowl rim thoroughly before installing the new seat.

4.2. Mounting the Seat

1. Place the new LEIVI Heated Toilet Seat onto the toilet bowl, aligning the mounting holes.
2. Insert the provided mounting bolts through the seat's mounting holes and into the toilet bowl's holes.
3. Secure the bolts from underneath the toilet bowl using the provided nuts and washers. Tighten them firmly but do not overtighten to avoid damaging the ceramic.
4. Ensure the seat is centered and stable on the toilet bowl.

4.3. Electrical Connection

The LEIVI Heated Toilet Seat requires a standard 120V electrical outlet. The power cord is approximately 59 inches (1.5 meters) long.

1. Plug the power cord into a grounded electrical outlet. It is recommended to use a GFCI (Ground Fault Circuit Interrupter) protected outlet for safety in bathrooms.
2. Ensure the cord is routed safely and does not pose a tripping hazard or get pinched.



Image: Dimensions and compatibility for elongated toilets. This image shows the measurements of the toilet seat and indicates that it is designed for elongated toilets, not round ones. It also highlights the need for an electrical outlet.



Image: The LEIVI Heated Toilet Seat with a visual representation of the heating element. The image shows the white toilet seat with a glowing orange outline on the seat ring, indicating the heated area.

5. OPERATING INSTRUCTIONS

5.1. Power On/Off and Heating Control

The heated toilet seat features a simple one-button operation for the heating function, located on the side control

panel.

- To turn on the heating function, press the button on the side control. An indicator light will illuminate.
- To turn off the heating function, press the button again. The indicator light will turn off.

The seat's precise temperature sensor will dynamically adjust the heating to maintain a stable and comfortable temperature.



SOFT CLOSE DESIGN

Prevent loud slamming,
will not make any noise at
night.



EASY TO DISASSEMBLE

Press and hold the button to
remove the seat easily.

Image: A hand demonstrating the one-button operation on the side of the toilet seat. This shows the location of the control for activating the heating function.

5.2. Soft-Close Function

The lid and seat are designed with a soft-close mechanism. Simply push the lid or seat down gently, and it will close slowly and quietly on its own, preventing sudden slams.


Fits With Most Elongated Toilets



ELONGATED



ROUND



OUTLET REQUIRED



A 19.88"-21.06"

C 4.64"-7.16"

B 14.76"

D 2.4"




Image: A sequence of images demonstrating the soft-close feature of the toilet seat, showing it slowly lowering without slamming.

5.3. Auto Night Light

The integrated night light automatically activates in low-light conditions, providing subtle illumination for nighttime use without needing to turn on bright bathroom lights.

6. MAINTENANCE AND CLEANING

Regular cleaning will ensure the longevity and hygiene of your LEIVI Heated Toilet Seat.

- **Daily Cleaning:** Wipe the seat and lid with a soft, damp cloth and a mild, non-abrasive cleaner.
- **Deep Cleaning:** For thorough cleaning, the seat can be easily disassembled. Press and hold the button to remove the seat from its mounting posts. Clean all surfaces, then reattach the seat.
- **Avoid Harsh Chemicals:** Do not use strong acidic or alkaline cleaners, abrasive powders, or brushes, as these can damage the surface of the seat.

- **Electrical Safety:** Always unplug the unit before performing any cleaning or maintenance that involves water or direct contact with electrical components.

ONE BUTTON OPERATION

With the side control, you could easily turn on/off the seat heating function according to your needs.



Image: A visual guide demonstrating how to easily disassemble the toilet seat by pressing a button for cleaning or maintenance.

7. TROUBLESHOOTING

If you encounter any issues with your LEIVI Heated Toilet Seat, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Seat is not heating.	Not plugged in; power button off; power outage; GFCI tripped.	Ensure the power cord is securely plugged into a working outlet. Press the power button on the side control. Check your home's circuit breaker. If using a GFCI outlet, press the "Reset" button.


Problem	Possible Cause	Solution
Seat is too hot or not warm enough.	Environmental temperature fluctuations; internal sensor adjustment.	The seat features precise temperature control that dynamically adjusts based on real-time monitoring. Allow time for the sensor to adapt to the environment. If discomfort persists, ensure the seat is properly installed and not obstructed.
Lid/Seat slams shut.	Soft-close mechanism not engaged or damaged.	Ensure the lid/seat is gently pushed down to allow the soft-close mechanism to engage. If the issue persists, check the hinges for any obstructions or damage.
Night light is not working.	Insufficient darkness; sensor obstruction.	The night light activates automatically in low-light conditions. Ensure the bathroom is dark enough for activation. Check if the light sensor (if visible) is obstructed.
Seat feels loose or wobbly.	Mounting bolts are loose.	Carefully tighten the mounting bolts underneath the toilet bowl. Do not overtighten.

If the problem persists after attempting these solutions, please contact LEIVI customer support for assistance.

8. SPECIFICATIONS

Feature	Detail
Model Number	D008
Brand	LEIVI
Color	White
Material	Polypropylene (PP)
Style	Elongated
Shape	Elongated
Product Dimensions	26"L x 13"W
Item Weight	5 Pounds (approx. 1.5 kg)
Operation Mode	Manual
Voltage	120 Volts
Power Consumption	50W (Heating)
Cord Length	Approx. 59 inches (1.5 meters)
UPC	768477467794
Country of Origin	China

D008



Product Model: D008

Product Name: LEIVI Heated Toilet Seat

Product Weight: 3.4LB (1.5KG)

Rated power supply: 120V~60Hz

Rated power: 50W




Cord length: Approx. 59IN(1.5M)

Image: Diagram showing the product model, name, weight, power supply, rated power, and cord length for the LEIVI Heated Toilet Seat Model D008.

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact LEIVI customer service through the retailer where you purchased the product or visit the official LEIVI website. Please have your model number (D008) and purchase date available when contacting support.

Related Documents - D008

	<p>LEIVI D008 Series Heated Seat Instruction Manual</p> <p>Comprehensive instruction manual for the LEIVI D008 Series Heated Seat, detailing safety precautions, component identification, technical specifications, installation guides, maintenance procedures, troubleshooting tips, and warranty information.</p>
	<p>T162A Smart Toilet Troubleshooting Guide LEIVI</p> <p>Troubleshooting guide for the LEIVI T162A Smart Toilet, covering common issues like product not working, water pressure, deodorization, and remote control problems.</p>
	<p>LEIVI T181 Series Smart Toilet Instruction Manual</p> <p>Comprehensive instruction manual for the LEIVI T181 Series Smart Toilet, covering installation, operation, maintenance, and troubleshooting.</p>