

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [luckystyle](#) /

› [luckystyle Dimmable Floor Standing Tall Lamp LK-F3-RF User Manual](#)

luckystyle LK-F3-RF

luckystyle Dimmable Floor Standing Tall Lamp User Manual

Model: LK-F3-RF

INTRODUCTION

Thank you for choosing the luckystyle Dimmable Floor Standing Tall Lamp. This manual provides essential information for the safe and efficient use of your new lamp. Please read these instructions carefully before assembly and operation, and retain them for future reference.

SAFETY INSTRUCTIONS

- Ensure the power supply is disconnected before assembly, disassembly, or cleaning.
- This lamp is designed for indoor use only. Do not expose to water or high humidity.
- Use only the specified E26 LED bulb (12W max) or an equivalent.
- Do not attempt to modify the lamp's electrical components.
- Keep the lamp away from flammable materials.
- Ensure the base is stable on a flat surface to prevent tipping.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Remote Control
- 12W E26 LED Bulb
- Linen Lampshade
- Pole Sections
- Heavy Duty Base

Easy Installatio




Figure 1: Included Components

SETUP AND ASSEMBLY

Follow these steps to assemble your floor lamp:

1. **Assemble the Pole:** Carefully screw all pole sections together from top to bottom until secure.
2. **Attach to Base:** Insert the assembled pole into the heavy-duty base and tighten securely.
3. **Install the Bulb:** Screw the provided 12W E26 LED bulb into the lamp socket.
4. **Attach the Lampshade:** Place the linen lampshade over the socket. Secure it by screwing the socket ring onto the socket, holding the lampshade in place.
5. **Connect Power:** Plug the UL certified power cord into a standard electrical outlet.



Figure 2: Assembly Steps

OPERATING INSTRUCTIONS

Your luckystyle floor lamp can be controlled via the included remote control or the foot switch.

Remote Control Functions

The remote control allows for comprehensive adjustment of the lamp's settings. Ensure the foot switch is in the 'on' position for remote control functionality.




Figure 3: Remote Control and Foot Switch

- **Power Button:** Turns the lamp on or off.
- **Brightness Adjustment:** Use the '+' and '-' buttons to adjust brightness from 5% to 100%.
- **Color Temperature Adjustment:** Cycle through color temperatures (3000K Warm Light, 4000K Cool White, 5000K White Daylight, 6000K Cool White, 6500K Daylight) using the dedicated buttons or fine-tune with '+' and '-' for color temperature.
- **Night Light Mode:** Activates a soft, low-brightness setting (3000K, 10% brightness) for a comfortable atmosphere.
- **Timer Function:** Set the lamp to automatically turn off after 30 minutes or 1 hour.



Figure 4: Color Temperature Options

Foot Switch Operation

The integrated foot switch provides a convenient way to turn the lamp on and off. Press the switch once to turn on, and again to turn off.

MAINTENANCE

Cleaning

To clean the lamp, ensure it is unplugged from the power outlet. Use a soft, dry cloth to wipe down the pole and base. For the lampshade, a lint roller or a slightly damp cloth can be used to remove dust. Avoid using abrasive cleaners or solvents.

Bulb Replacement

The lamp uses an E26 base LED bulb. If the bulb needs replacement, ensure the lamp is unplugged and the bulb has cooled down. Unscrew the old bulb and replace it with a new E26 LED bulb (maximum 12W). The manufacturer offers replacement bulbs; contact customer support for details.

Get Replacement Bulbs Easily

Luckystyle Offers Gratis Replacement Bulbs for Lifetime

Your replacement bulb has arrived!

energy-saving Eye Protection Bulb & Remote

LED Bulb
12W AC100-240V

Figure 5: Bulb Replacement Information

TROUBLESHOOTING

Problem	Possible Cause	Solution
Lamp does not turn on.	No power, loose bulb, foot switch off.	Check power outlet, ensure bulb is screwed in tightly, press foot switch to 'on'.
Remote control not working.	Dead batteries, foot switch off, remote out of range.	Replace remote batteries (2 AAA required), ensure foot switch is 'on', operate remote within 50ft.

Problem	Possible Cause	Solution
Light flickers or is dim.	Loose bulb, faulty bulb, power fluctuation.	Tighten bulb, replace bulb, check power source.
Lampshade is unstable.	Socket ring not tightened.	Ensure the socket ring is fully tightened to secure the lampshade.

SPECIFICATIONS


Feature	Detail
Model Name	LK-F3-RF
Dimensions	9.5"D x 6.7"W x 63"H
Item Weight	3.85 pounds
Material	Metal
Finish Type	Matte
Bulb Type	12W E26 LED (Included)
Brightness	5% - 100% Dimmable (1200 Lumen max)
Color Temperature	3000K - 6500K (Adjustable)
Control Method	Remote Control, Foot Switch
Cable Length	50 Feet
Power Source	Corded Electric
Remote Batteries	2 AAA batteries (not included)
Indoor/Outdoor Usage	Indoor

WARRANTY AND SUPPORT

The luckystyle Dimmable Floor Standing Tall Lamp is covered by a manufacturer's warranty. For specific warranty details, claims, or technical support, please contact luckystyle customer service through the retailer where the product was purchased or visit the official luckystyle website. Please have your model number (LK-F3-RF) and purchase information ready when contacting support.

Related Documents - LK-F3-RF

Keepsmile HX-XDD01 LED Ceiling Light User Manual User manual for the Keepsmile HX-XDD01 LED Ceiling Light. Learn about installation, app control, troubleshooting, and specifications for this 20W dimmable LED fixture with adjustable color temperature and remote/app control.
--



[LG Air Conditioner Replacement Parts List and Exploded Views](#)

Comprehensive guide to replacement parts and exploded views for LG air conditioning units, including models LK-0580, LK-0880, LK-1080, LK-1580, and LK-2080 series. Find part numbers and specifications for cooling and heat pump systems.



[LK Manifold RF Accessory Guide: Components and Specifications](#)

Comprehensive accessory guide for LK Manifold RF systems, detailing components, article numbers, and specifications for plumbing and heating installations by LK Systems.



[SEWOO Printer Product Guide Book](#)

A comprehensive guide to SEWOO's range of POS printers, label printers, mobile printers, and KIOSK printers, detailing their features, specifications, and applications across various industries.



[SEWOO Printer Product Guide: POS, Label, Mobile, and KIOSK Printers](#)

A comprehensive product guide detailing SEWOO's range of POS, Label, Mobile, and KIOSK printers. This guide covers specifications, features, applications, and model information for various SEWOO printer series.



[SEWOO Printer Product Guide: POS, Label, Mobile, and KIOSK Printers](#)

Discover SEWOO's complete range of printing solutions, including POS, Label, Mobile, and KIOSK printers. This guide details product features, applications, and specifications for various industries.