Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Lionelo LO-BASTIAAN RWF I-SIZE BLACK CARBON

Lionelo Bastiaan RWF Baby and Toddler Car Seat User Manual

Model: LO-BASTIAAN RWF I-SIZE BLACK CARBON

Introduction

Thank you for choosing the Lionelo Bastiaan RWF Baby and Toddler Car Seat. This manual provides essential information for the safe and correct installation, operation, and maintenance of your car seat. Please read these instructions carefully before use and keep them for future reference.
The Lionelo Bastiaan RWF car seat is designed to provide maximum safety and comfort for children from birth up to 36 kg (40-150 cm), complying with the i-Size R129 standard. Its 360-degree rotation feature simplifies securing your child, while the ISOFIX and TopTether system ensures stable and secure installation.

Safety Guidelines

- Always ensure the car seat is correctly installed according to these instructions.
- Never leave a child unattended in the car seat.
- Ensure the child is properly secured with the 5-point harness before every journey.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage.
- Only use original Lionelo accessories and spare parts.
- Refer to your vehicle's owner's manual for information on car seat installation points.

Setup and Installation

The Bastiaan RWF car seat offers flexible installation options using ISOFIX and TopTether for enhanced stability and safety.

Rearward-Facing Installation (RWF): 40-105 cm (up to 18 kg)

For optimal safety, children should travel rearward-facing for as long as possible, ideally up to 105 cm (approx. 4 years old).

1. **Prepare the Car Seat:** Ensure the car seat is in the rearward-facing position. The 360-degree rotation feature allows easy adjustment.
2. **Extend ISOFIX Connectors:** Press the ISOFIX release buttons (usually located at the front of the base) and extend the ISOFIX connectors.
3. **Attach ISOFIX:** Align the ISOFIX connectors with your vehicle's ISOFIX anchor points. Push firmly until you hear a

distinct click and the indicators turn green.

4. **Engage TopTether:** Route the TopTether strap over the back of the vehicle seat and attach it to the designated TopTether anchor point in your car. Tighten the strap until the indicator on the TopTether connector turns green.
5. **Push Firmly:** Push the car seat firmly against the vehicle seat back to ensure a tight fit.



Image: ISOFIX and 5-point harness system for secure installation.



Image: Detailed view of ISOFIX and TopTether attachment points on the car seat base.

Forward-Facing Installation (FWF): 100-150 cm

For older children, the car seat can be installed forward-facing. Ensure the child meets the minimum height requirement of 100 cm.

1. **Prepare the Car Seat:** Rotate the car seat to the forward-facing position.
2. **Extend ISOFIX Connectors:** Extend the ISOFIX connectors as described for RWF installation.
3. **Attach ISOFIX:** Secure the ISOFIX connectors to your vehicle's anchor points until they click and show green indicators.
4. **Secure with Vehicle Seatbelt:** Once the child reaches 100 cm, the internal 5-point harness should be removed and the child secured using the vehicle's 3-point seatbelt. Guide the vehicle seatbelt through the designated guides on the car seat.
5. **Check Stability:** Ensure the car seat is stable and does not move excessively.

Operating the Car Seat

360-Degree Rotation

The car seat features a convenient 360-degree rotation mechanism, allowing you to easily turn the seat towards the car door for effortless child placement and removal. To rotate, locate the rotation release lever (usually at the front of the base) and pull it while turning the seat.



Image: The car seat rotating 360 degrees on its base for easy access.

Recline Positions

The car seat offers 4 recline positions for optimal comfort, whether installed rearward or forward-facing. To adjust the recline, locate the recline adjustment handle (typically under the front edge of the seat) and pull it while tilting the seat to the desired position. Ensure it locks securely into place.



Image: Visual representation of the car seat's adjustable recline positions.

Headrest and Harness Adjustment

The headrest is adjustable to 15 different positions, and the integrated harness adjusts simultaneously with the headrest. This allows for easy adaptation to your child's growth. To adjust, locate the headrest adjustment lever (usually at the top of the headrest) and pull it while sliding the headrest up or down. Ensure the headrest is positioned so that the harness straps are at or slightly below the child's shoulders for rearward-facing, and at or slightly above for forward-facing.

Maintenance

Regular maintenance ensures the longevity and hygiene of your car seat.

Cleaning the Fabric Covers

The fabric covers of the Lionelo Bastiaan RWF car seat are removable and hand washable at temperatures up to 30°C. Do not machine wash, tumble dry, iron, or dry clean, as this may damage the fabric and compromise safety features.



Image: The car seat with an indication of removable, hand-washable padding.

Cleaning the Hard Parts

The hard parts of the car seat (plastic, metal) can be cleaned with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

Harness Care

Inspect the harness straps regularly for any signs of wear, fraying, or damage. If damaged, contact Lionelo customer support for replacement parts. Keep the harness buckle clean and free of debris to ensure proper function.

Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Car seat feels loose after installation.	ISOFIX connectors not fully engaged, TopTether not tight enough, or vehicle seatbelt not properly routed/tightened.	Ensure ISOFIX indicators are green. Tighten TopTether strap until its indicator is green. For FWF, pull vehicle seatbelt taut. Push car seat firmly into vehicle seat.
Harness is difficult to tighten or loosen.	Harness straps are twisted or buckle is obstructed.	Untwist straps. Clear any debris from the buckle mechanism. Ensure the harness adjuster is functioning freely.
Child's head falls forward when sleeping (RWF).	Insufficient recline for the child's age/size or vehicle seat angle.	Adjust the car seat to a more reclined position (up to 4 positions available). Ensure the car seat is installed as reclined as possible while maintaining stability.
360-degree rotation is stiff or not working.	Rotation lock engaged or mechanism obstructed.	Ensure the rotation release lever is fully pulled. Check for any objects obstructing the rotation mechanism on the base.

Specifications

Feature	Detail
Model Number	LO-BASTIAAN RWF I-SIZE BLACK CARBON
Product Dimensions	52 x 43 x 79 cm
Item Weight	12 Kilograms
Recommended Max. Body Weight	36 Kilograms
Material Type	100% Polyester
Special Features	ISOFIX, 360° Rotation, Side Protection System (SPS), Tri-Guard Headrest
Recline Positions	4
Headrest Height Positions	15
Harness Type	5-Point
Installation Type	ISOFIX, TopTether, Vehicle Seatbelt
Orientation	Rearward-Facing (RWF), Forward-Facing (FWF)
Safety Standard	i-Size R129

Bastiaan i-Size




Image: Technical drawing showing the dimensions of the Lionelo Bastiaan RWF car seat.

Warranty and Support

For warranty information, please refer to the documentation provided at the time of purchase or visit the official Lionelo website. Warranty terms and conditions may vary by region and retailer.
If you encounter any issues or have questions regarding your Lionelo Bastiaan RWF car seat, please contact Lionelo customer support. Contact details can typically be found on the manufacturer's website or on the product packaging.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CCJDDKX4

More documents and user manuals: **https://manuals.plus/**