

[Manuals.plus](#) /

› [PROFLO](#) /

› PROFLO PF605 Shower Drain Part Installation and Maintenance Guide

PROFLO PF605



PROFLO PF605 Shower Drain Part Instruction Manual

Model: PF605ZBN - Brushed Nickel

1. PRODUCT OVERVIEW

The PROFLO PF605 Shower Drain Part is a durable replacement or upgrade component designed for specific PROFLO shower drains. Constructed from 304 Stainless Steel with a Brushed Nickel finish, it offers both longevity and a modern aesthetic.



Image: PROFLO PF605 Shower Drain Part, Brushed Nickel. This image shows the circular drain part with screw holes and a central post.

2. SPECIFICATIONS

- **Material:** 304 Stainless Steel
- **Finish:** Brushed Nickel
- **Outer Diameter (OD):** 4-1/4 inches
- **Center to Center Screw Holes:** 2-7/8 inches
- **Item Weight:** 0.18 Pounds
- **Model Number:** PF605ZBN
- **UPC:** 781889372029

3. COMPATIBILITY

This PROFLO PF605 Shower Drain Part is designed to fit the following PROFLO drain models:

- PF42945
- PF42946
- PF42943
- PF42944

Ensure your existing PROFLO drain body matches one of these models for proper fitment.

4. INSTALLATION INSTRUCTIONS

Follow these general steps for installing the PROFLO PF605 Shower Drain Part. Professional installation is recommended if you are unsure about any steps.

1. **Preparation:** Ensure the water supply to the shower is turned off. Clear the work area of any tools or debris.
2. **Removal of Old Drain Part (if applicable):** If replacing an existing drain part, use a screwdriver to remove any securing screws. Carefully lift out the old drain part.
3. **Cleaning:** Thoroughly clean the drain opening and the surrounding area. Remove any accumulated hair, soap scum, or old sealant residue to ensure a clean surface for the new part.
4. **Placement:** Carefully position the new PROFLO PF605 Shower Drain Part into the drain opening. Ensure it sits flush with the shower floor or pan.
5. **Securing:** Align the screw holes on the new drain part with the corresponding holes in the drain body. Insert and tighten the screws evenly until the part is secure. *Do not overtighten*, as this can damage the drain part or the drain body.
6. **Testing:** Once installed, turn on the water supply and test for proper drainage. Observe for any leaks around the newly installed part.

5. MAINTENANCE

Proper maintenance will help preserve the appearance and functionality of your PROFLO PF605 Shower Drain Part.

- **Regular Cleaning:** Clean the drain part regularly with a soft cloth and a mild, non-abrasive cleaner. Avoid using harsh chemicals, abrasive sponges, or scouring powders, as these can damage the Brushed Nickel finish.
- **Debris Removal:** Periodically remove any hair or debris that may accumulate on or around the drain

part to ensure optimal water flow and prevent clogs.

- **Inspection:** Periodically inspect the drain part for any signs of wear, damage, or loosening. Address any issues promptly.

6. TROUBLESHOOTING

Refer to the following common issues and their potential solutions:

- **Slow Drainage:**
 - Check for hair or debris accumulation in the drain and remove it.
 - Ensure the drain part is seated correctly and not obstructing water flow.
- **Loose Drain Part:**
 - Gently tighten the mounting screws. *Do not overtighten.*
- **Discoloration or Stains:**
 - Use a cleaner specifically designed for brushed nickel finishes. Avoid acidic or abrasive cleaners which can cause permanent damage.

7. WARRANTY INFORMATION

This PROFLO product is covered by a limited warranty. For specific terms, conditions, and duration of the warranty, please refer to the original product packaging or contact PROFLO customer support directly. Keep your proof of purchase for warranty claims.

8. CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about warranty claims, please visit the official PROFLO website or contact their customer service department. Refer to your product's packaging or the PROFLO website for the most current contact information and support resources.