



[Manuals.plus](#) /

> [SOLRIG](#) /

> SOLRIG 60" x 80" 1-Lite Mirror Sliding Closet Door Instruction Manual

SOLRIG 60x80 1-Lite Mirror Sliding Closet Door

SOLRIG 60" x 80" 1-Lite Mirror Sliding Closet Door Instruction Manual

Model: 60x80 1-Lite Mirror Sliding Closet Door

INTRODUCTION

This manual provides comprehensive instructions for the safe and correct installation, operation, and maintenance of your SOLRIG 60" x 80" 1-Lite Mirror Sliding Closet Door. Please read all instructions carefully before beginning installation and retain this manual for future reference.

SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or product damage.

- **Heavy Item:** The door panels are heavy (approximately 115 pounds). Two or more people are required for safe lifting and installation.
- **Protective Gear:** Wear appropriate personal protective equipment, including gloves and safety glasses, during installation.
- **Secure Mounting:** Ensure the top track is securely fastened to a structurally sound header or wall studs. Use appropriate fasteners for your wall type.
- **Mirror Handling:** Handle mirror panels with care to prevent breakage. Although explosion-proof, excessive force can cause damage.
- **Children and Pets:** Keep children and pets away from the installation area.
- **Proper Tools:** Use the correct tools for each step as specified in the installation guide.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, please contact customer support.

- 2 x Door Panels (60" x 80" total, each 30.98" W x 78.58" H)
- Top Track System (including 1x top track and 4x top connectors)
- Sliding Door Rollers
- Sliding Floor Guides
- Installation Hardware (screws, anchors, etc.)

SLIDING DOOR HARDWARE



1

Sliding Door Rollers
Quiet Operation



2

Sliding Floor Guides
Stability Enhancement



3

Sliding Door Tracks
Rugged Build




Image Description: This image illustrates the key components of the sliding door hardware. It highlights three elements: (1) Sliding Door Rollers for quiet operation, (2) Sliding Floor Guides for stability enhancement, and (3) Sliding Door Tracks for a rugged build. Each component is shown with a close-up view and a brief description of its function.


SPECIFICATIONS

Feature	Detail
Model	60" x 80" 1-Lite Mirror Sliding Closet Door

Overall Dimensions	60" (Width) x 80" (Height)
Individual Panel Size	30.98" (Width) x 78.58" (Height) x 0.82" (Thickness)
Material	MDF (Medium-Density Fiberboard) with Explosion-Proof Mirror
Color	White frame with 1-Lite Mirror
Item Weight	Approximately 115 pounds
Suitable Opening Size	60" (Width) x 80" (Height)

SLIDING CLOSET DOORS SIZE CHART

PANEL SIZE	ADAPT TO THE WIDTH OF THE DOOR OPENING	ACTUAL SINGLE DOOR WIDTH	ACTUAL DOUBLE DOOR WIDTH
60" * 80"	60" 1524mm	30.98" 787mm	60" 1524mm



A ACTUAL HEIGHT	B FIT OPENING HEIGHT
78.58" 1996mm	80" 2032mm
C FIT OPENING HEIGHT AND TRACK	DOOR PANEL THICKNESS
80 11/16" 2049mm	0.82" 21mm

Note: Please carefully look at the **actual size of the door panel** and the **applicable door opening** before purchasing.

If you have any questions, please do not hesitate to **contact us**.

Image Description: This image displays a detailed size chart for the sliding closet doors. It specifies the panel size as 60" x 80", adapting to a door opening width of 60" (1524mm). It also provides actual single door width (30.98" / 787mm) and double door width (60" / 1524mm). A separate table details actual height (78.58" / 1996mm), fit opening height (80" / 2032mm), fit opening height and track (80 11/16" / 2049mm), and door panel thickness (0.82" / 21mm). A note advises careful review of actual panel size and applicable opening size before purchase.

SETUP AND INSTALLATION

Careful measurement and preparation are crucial for successful installation. It is recommended to have at least two people for this process.

Required Tools (Not Included):

- Measuring Tape
- Pencil
- Level
- Drill with appropriate drill bits (e.g., Phillips head screw bit)
- Screwdriver
- Stud Finder (recommended for secure mounting)

Pre-Installation Steps:

1. **Measure Opening:** Accurately measure the width and height of your door opening. Ensure it matches the recommended 60" x 80" dimensions for this product. Refer to the "Specifications" section and the provided size chart image.
2. **Inspect Components:** Unpack all components and inspect them for any damage or missing parts. Contact customer support immediately if issues are found.
3. **Prepare Area:** Clear the installation area of any obstructions.

Installation Steps:

1. **Install Top Track:** Position the top track within the door opening. Use a level to ensure it is perfectly horizontal. Mark the drilling points. Secure the top track using the provided hardware, ensuring it is firmly attached to a solid header or wall studs. Use the 4x top connectors and 1x top track for fast, accurate installation.
2. **Attach Rollers to Doors:** Attach the sliding door rollers to the top edge of each door panel according to the detailed diagrams in the separate assembly guide (if provided).
3. **Hang Door Panels:** With assistance, carefully lift each door panel and engage the rollers with the top track. Ensure the rollers are properly seated in the track.
4. **Install Floor Guides:** Position the sliding floor guides on the floor beneath the door panels. These guides enhance stability and prevent the doors from swinging. Mark and secure them to the floor.
5. **Adjust and Test:** Gently slide the doors back and forth to ensure smooth operation. Make any necessary adjustments to the floor guides or rollers for optimal alignment and movement.



Image Description: This image shows the SOLRIG 60" x 80" 1-Lite Mirror Sliding Closet Door fully installed in a bedroom. The two mirrored panels are slightly ajar, revealing a closet interior. The white frames of the doors complement the room's decor, demonstrating the product's aesthetic integration.

OPERATING INSTRUCTIONS

Your SOLRIG sliding closet doors are designed for smooth and quiet operation.

- **Opening and Closing:** Gently push or pull the door panels to slide them open or closed. Avoid excessive force.
- **Door Stacking:** The doors can be stacked to the right, left, or centered, depending on your preference and the track configuration.
- **Mirror Functionality:** The integrated mirror provides a clear reflection and enhances the room's spaciousness.




Image Description: This image displays the SOLRIG 60" x 80" 1-Lite Mirror Sliding Closet Door in a closed position within a room. The mirrored surfaces reflect the room, creating an illusion of greater space. The white frames blend seamlessly with the wall color.

MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your sliding doors.

- **Cleaning Mirrors:** Use a soft, lint-free cloth and a non-abrasive glass cleaner to clean the mirror surfaces. Avoid harsh chemicals that could damage the mirror or frame.
- **Cleaning Tracks:** Periodically clean the top track and floor guides to remove dust, debris, or pet hair that could impede smooth operation. A vacuum cleaner with a narrow attachment or a damp cloth can be used.
- **Hardware Inspection:** Annually inspect all hardware, including rollers, guides, and fasteners, for any signs of wear, looseness, or damage. Tighten any loose screws.
- **Frame Care:** Clean the MDF frame with a soft, damp cloth. Avoid excessive moisture.

SAFETY GLASS MIRRORS



HD Imaging



No Deformation



Shatter-Proof



Eco-Friendly Material

Image Description: This image illustrates the construction of the safety glass mirrors. It shows five layers: High Quality Float Glass, Reflective Aluminum Film, Passivator Protective Film, Insulating Waterproof Protective Paint, and Explosion Protection Film. Below the diagram, icons indicate HD Imaging, No Deformation, Shatter-Proof, and Eco-Friendly Material, highlighting the mirror's features.

TROUBLESHOOTING

Refer to the following common issues and their solutions:

- **Doors are difficult to slide or make noise:**
 - Check the top track and floor guides for debris. Clean thoroughly.
 - Inspect rollers for damage or obstruction.
 - Ensure the track is level and securely mounted.
- **Doors are misaligned:**

- Verify that the top track is level.
- Adjust the floor guides to ensure proper alignment and stability.

- **Damaged or Missing Parts upon Arrival:**

- If the product arrives damaged or with missing components, please contact SOLRIG customer support immediately for a free replacement.

WARRANTY AND CUSTOMER SUPPORT

SOLRIG is committed to providing quality products and excellent customer service. For any issues, questions, or concerns regarding your product, please contact our support team.

If you encounter any issues or have any damage or missing regarding the product, please don't hesitate to contact us. We will be more than happy to assist you and ensure your satisfaction.



Image Description: This image provides a visual guide on how to contact customer support. It shows a sequence of mobile phone screens: (1) locating the 'Sold by Solrig' link on the product page, (2) clicking 'Ask a question' on the seller's page, and (3) initiating a chat with the Seller Messaging Assistant. The overall message is 'Please contact us if you have any questions.'

