

[Manuals.plus](#) /

› [Blooy](#) /

› Blooy 400-06722 Needle Plate Assembly Instruction Manual

Blooy 400-06722

Blooy 400-06722 Needle Plate Assembly Instruction Manual

For JUKI LK-1900A and LK-1900AN Bartacking Sewing Machines

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of the Blooy 400-06722 Needle Plate Assembly. This component is specifically designed for use with JUKI LK-1900A and LK-1900AN Bartacking Sewing Machines, serving as a critical part of the thread trimmer mechanism.

Understanding the correct procedures outlined in this manual will help ensure the longevity and optimal performance of your sewing machine and the needle plate assembly.




Figure 1: Top view of the Blooy 400-06722 Needle Plate Assembly. This image shows the main surface and integrated components of the needle plate.

2. SAFETY INFORMATION

Always observe the following safety precautions when handling or installing the needle plate assembly:

- **Power Disconnection:** Before attempting any installation, removal, or maintenance, always ensure the sewing machine is completely powered off and unplugged from the electrical outlet.
- **Personal Protective Equipment (PPE):** Consider wearing appropriate PPE, such as gloves, to protect hands from sharp edges or moving parts.
- **Handle with Care:** The needle plate assembly contains precision components. Handle it carefully to avoid bending, scratching, or damaging any part.
- **Professional Installation:** If you are unfamiliar with sewing machine maintenance or part replacement, it is highly recommended to seek assistance from a qualified technician.
- **Original Parts:** Use only genuine or compatible replacement parts as specified by the manufacturer to ensure proper function and safety.

3. PRODUCT OVERVIEW AND COMPONENTS

The Blooy 400-06722 Needle Plate Assembly is a crucial component for the JUKI LK-1900A and LK-1900AN bartacking sewing machines. It provides the surface over which fabric moves and contains the necessary openings and mechanisms for needle penetration and thread trimming.

Key features of this assembly include:

- Integrated thread trimmer mechanism components.
- Precision-engineered for compatibility with JUKI LK-1900A and LK-1900AN models.
- Durable construction for long-term performance in industrial sewing environments.




Figure 2: Bottom view of the Blooy 400-06722 Needle Plate Assembly. This perspective shows the underside mounting points and structural design.

4. SETUP AND INSTALLATION

The installation of the needle plate assembly requires careful attention to detail. Refer to your JUKI LK-1900A or LK-1900AN sewing machine's official service manual for detailed, model-specific instructions. The following steps are general guidelines:

1. **Prepare the Machine:** Ensure the sewing machine is turned off and unplugged. Raise the presser foot and needle bar to their highest positions.
2. **Remove Old Needle Plate (if applicable):** Carefully unscrew and remove the existing needle plate. Note the position of any associated components, such as feed dogs or thread trimmer parts, for reassembly.
3. **Clean the Area:** Clean any lint, dust, or debris from the area where the needle plate sits. This ensures a smooth and proper fit.
4. **Position New Needle Plate:** Align the Blooy 400-06722 Needle Plate Assembly with the mounting holes on the machine bed. Ensure all components, especially those related to the thread trimmer, are correctly seated.
5. **Secure the Plate:** Gently insert and tighten the screws to secure the needle plate. Do not overtighten, as this can strip threads or damage the plate.
6. **Test Functionality:** After installation, manually turn the machine's handwheel a few rotations to ensure all parts move freely and without obstruction. Check that the needle passes cleanly through the needle hole.
7. **Power On and Test:** Plug in and power on the machine. Perform a test stitch to verify proper operation of the needle plate and thread trimmer mechanism.

For optimal performance, it is recommended to have this part installed by a certified JUKI technician or an experienced sewing machine mechanic.

5. OPERATING CONSIDERATIONS

As a component part, the Blooy 400-06722 Needle Plate Assembly does not have independent operational controls. Its function is integral to the overall operation of the JUKI LK-1900A/AN bartacking sewing machine. Once correctly installed, the needle plate facilitates:

- Smooth fabric feeding during the bartacking process.
- Precise needle penetration and loop formation.
- Efficient and reliable thread trimming at the end of a sewing cycle.

Ensure that the needle used is appropriate for the fabric and thread type, and that it passes through the needle hole without striking the plate. Any contact can damage the needle, the plate, or affect stitch quality.

6. MAINTENANCE

Regular maintenance of the needle plate assembly is crucial for extending its lifespan and ensuring consistent sewing machine performance:

- **Cleaning:** Periodically remove the needle plate (after disconnecting power) and clean accumulated lint, dust, and thread fragments from its underside and the feed dog area using a brush or vacuum cleaner.
- **Inspection:** Regularly inspect the needle hole for burrs, nicks, or enlargement, which can cause thread breakage or skipped stitches. Check the thread trimmer blades for sharpness and proper alignment.
- **Lubrication:** Refer to your sewing machine's manual for specific lubrication points around the needle plate area, especially for the thread trimmer mechanism. Use only recommended sewing machine oil.
- **Replacement:** If the needle plate shows significant wear, damage, or if the thread trimmer components are no longer functioning effectively, replace the assembly with a new Blooy 400-06722 part.

7. TROUBLESHOOTING

Issues related to the needle plate assembly often manifest as problems with stitching or thread trimming. Here are some common issues and potential solutions:

Problem	Possible Cause	Solution
Thread Breakage	Burrs or sharp edges around the needle hole; incorrect needle size; damaged needle plate.	Inspect needle hole for damage. Replace needle plate if damaged. Ensure correct needle is used.
Skipped Stitches	Needle striking the needle plate; bent needle; incorrect needle plate installation.	Verify needle plate is correctly installed and secured. Check for bent needles and replace if necessary.
Poor Thread Trimming	Dull or misaligned trimmer blades; lint accumulation in trimmer mechanism.	Clean the trimmer area. Inspect blades for sharpness and alignment. If necessary, replace the needle plate assembly.
Fabric Not Feeding Smoothly	Lint or debris under the needle plate; damaged feed dog slots.	Remove and clean under the needle plate. Inspect feed dogs for damage.

If problems persist after attempting these solutions, consult a professional sewing machine technician or refer to the comprehensive service manual for your JUKI machine.

8. SPECIFICATIONS

The following are the general specifications for the Blooy 400-06722 Needle Plate Assembly:

Part Number: 400-06722

Compatibility: JUKI LK-1900A, JUKI LK-1900AN Bartacking Sewing Machines

Function: Needle Plate Assembly with Thread Trimmer Mechanism Components

Manufacturer: Blooy

Product Dimensions: Approximately 6 inches (Length) x 3 inches (Width) x 2 inches (Height)

Item Weight: Approximately 1 pound

ASIN: B0CCPLZNT8

UPC: 715748347095




Figure 3: Blooy 400-06722 Needle Plate Assembly with approximate dimensions indicated (131.1mm length, 65mm width).

9. WARRANTY AND SUPPORT

For information regarding warranty coverage for the Blooy 400-06722 Needle Plate Assembly, please refer to the documentation provided at the time of purchase or contact the seller directly. Warranty terms and conditions may vary. For technical support or further assistance with installation and troubleshooting, it is recommended to contact the manufacturer, Blooy, or a certified JUKI sewing machine service center. Always provide the part number (400-06722) and your sewing machine model (JUKI LK-1900A or LK-1900AN) when seeking support. For general inquiries, you may also visit the [Blooy brand page on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CCPLZNT8>

More documents and user manuals: <https://manuals.plus/>