

Fernco QC-103

Fernco QC-103 Qwik Cap Flexible PVC Pipe Cap Instruction Manual

Model: QC-103 | Brand: Fernco

[Overview](#) [Safety](#) [Features](#) [Specifications](#) [Installation](#) [Maintenance](#) [Troubleshooting](#) [Warranty & Support](#)

1. PRODUCT OVERVIEW

The Fernco QC-103 Qwik Cap is designed for capping pipe ends in various plumbing applications. These flexible PVC caps provide a leak-proof and water-tight seal, suitable for both above-ground and underground use. They are ideal for testing pipes or permanently sealing pipe ends and cleanouts. Constructed from high-quality elastomeric polyvinyl chloride and featuring corrosion-resistant stainless steel clamps, the Qwik Cap offers a reliable and durable solution for your plumbing needs.



Figure 1: Two Fernco QC-103 Qwik Caps. Each cap is black, made of flexible PVC, and secured with a stainless steel clamp.

2. SAFETY INFORMATION

Always prioritize safety when working with plumbing systems. Please observe the following guidelines:

- Wear appropriate personal protective equipment (PPE), such as gloves and eye protection.
- Ensure the work area is well-ventilated.
- Turn off water supply if working on a pressurized system.
- Handle tools carefully to prevent injury.
- Keep children and pets away from the work area.
- Consult a professional plumber if you are unsure about any aspect of the installation.

3. PRODUCT FEATURES

- **Durable Construction:** Made from high-quality elastomeric polyvinyl chloride for long-lasting performance.
- **Flexible Fit:** Designed to accommodate pipe outside diameters (ODs) between 3.25 and 3.70 inches, with an internal diameter (ID) of 3.50 inches.
- **Versatile Application:** Suitable for permanent capping of pipe ends and cleanouts, or temporary use for pipe testing, both above and below ground.

- **Easy Installation:** No need for messy primers or glues. Installs quickly with a screwdriver, nut driver, or torque wrench.
- **Corrosion-Resistant Clamps:** Features 300-grade stainless steel clamps that are rustproof and resistant to corrosion.
- **Code Compliant:** Conforms to ASTM D 5926, C 1173 CSA B602, and is UPC Approved.
- **Pressure Rating:** Maximum working pressure of 4.3 PSI.

4. PACKAGE CONTENTS

Your Fernco QC-103 Qwik Cap package includes:

- Two (2) Fernco QC-103 Flexible PVC Pipe Caps
- Two (2) Stainless Steel Clamps (pre-attached)

5. PRODUCT SPECIFICATIONS

Attribute	Detail
Model Number	QC-103
Material	Elastomeric Polyvinyl Chloride (PVC)
Clamp Material	300 Series Stainless Steel
Color	Black
Nominal Pipe Size	3 inches
Internal Diameter (ID)	3.50 inches
Fits Pipe Outside Diameter (OD)	3.25 - 3.70 inches
Maximum Working Pressure	4.3 PSI
Product Dimensions (L x W x H)	3 x 1.94 x 3.5 inches
Item Weight	12 ounces (per cap)
Certifications	ASTM D 5926, C 1173 CSA B602, UPC Approved

6. INSTALLATION INSTRUCTIONS

Follow these steps for proper installation of the Fernco QC-103 Qwik Cap:

1. **Prepare the Pipe:** Ensure the end of the pipe to be capped is clean and free of debris. Measure the outside diameter (OD) of your pipe to confirm it falls within the cap's compatible range of 3.25 to 3.70 inches.
2. **Position the Cap:** Slide the Fernco Qwik Cap over the end of the pipe. The flexible PVC material allows for a snug fit.
3. **Tighten the Clamp:** Use a screwdriver, nut driver, or torque wrench to tighten the stainless steel clamp. Tighten evenly until the cap is securely fastened and a water-tight seal is achieved. Avoid over-tightening, which could damage the cap or pipe.
4. **Verify Seal:** For applications involving liquids or gases, perform a leak test to ensure the cap is properly sealed.



Figure 2: Close-up view of a single Fernco QC-103 Qwik Cap, highlighting the flexible PVC material and the stainless steel clamp mechanism.

7. OPERATING AND APPLICATION

The Fernco QC-103 Qwik Cap can be used for various applications:

- **Permanent Capping:** Use to permanently seal off unused pipe ends or cleanouts in DWV (Drain, Waste, Vent) systems.
- **Temporary Testing:** Apply the cap to temporarily seal pipes for pressure testing or to prevent debris entry during construction or repair.
- **Above or Below Ground:** The durable materials are suitable for both exposed and buried installations.

8. MAINTENANCE

The Fernco QC-103 Qwik Cap requires minimal maintenance:

- **Periodic Inspection:** Periodically check the cap and clamp for any signs of wear, damage, or loosening, especially in outdoor or underground applications.
- **Cleaning:** If necessary, clean the exterior of the cap with mild soap and water. Avoid harsh chemicals that could degrade the PVC material.
- **Re-tightening:** If any loosening is observed, re-tighten the stainless steel clamp to ensure a secure seal.

9. TROUBLESHOOTING

If you encounter issues with your Qwik Cap, consider the following:

- **Leakage:**
 - Ensure the clamp is sufficiently tightened.
 - Verify that the pipe's outside diameter (OD) is within the specified range (3.25 - 3.70 inches) for the QC-103 cap.
 - Inspect the cap for any visible damage or cracks. Replace if damaged.
- **Difficulty Installing:**
 - Confirm the pipe size matches the cap's specifications.
 - Ensure the pipe end is smooth and free of burrs that might obstruct installation.

If problems persist, contact Fernco customer support or a qualified plumbing professional.

10. WARRANTY AND SUPPORT

Fernco products are manufactured to high standards of quality and performance. For specific warranty information, please refer to the official Fernco website or contact their customer service department. Keep your purchase receipt as proof of purchase.


For technical assistance, product inquiries, or support, please visit the official Fernco website or contact their customer support channels. You can often find contact information and FAQs on the manufacturer's website:

- **Fernco Official Website:** www.fernco.com

© 2025 Fernco Inc. All rights reserved. This manual is for informational purposes only.

Related Documents - QC-103

	Fernco PlumbQwik Flexible Pipe Couplings - Product Range and Specifications Explore the Fernco PlumbQwik range of flexible PVC pipe couplings for plumbing and drainage. Find straight, adaptor, elbows, tees, caps, and accessories for various pipe materials and applications.
	Fernco Product Catalog: Plumbing Flexible Couplings Explore the comprehensive Fernco Product Catalog featuring a wide range of plumbing flexible couplings, including standard, specialty, and high-torque options. Find solutions for sewer, drain, and chemical waste applications with detailed specifications and product information.

	E.H. Wachs Industrial Pipe Cutting & Beveling Machines Catalog Explore the comprehensive range of E.H. Wachs industrial pipe cutting, beveling, and weld preparation machinery, including split frame machines, pipe saws, and end prep tools for oil & gas, power generation, and pipeline industries. Discover solutions for demanding field machining applications.
	QuietCool Classic Whole House Fan Owner's Guide and Installation Manual Comprehensive owner's guide and installation manual for the QuietCool Classic Whole House Fan series, covering operation, system overview, wiring, installation, and warranty information.
	QuietCool Energy Saver Whole House Fan Owner's Guide Comprehensive owner's guide for the QuietCool Energy Saver Whole House Fan, detailing installation, operation, wiring, system overview, and warranty information.
	TECWERK NC Counterbore Application Recommendations and Cutting Data This document provides application recommendations and cutting data for TECWERK NC counterbores, detailing recommended cutting speeds (Vc) and cooling methods for various materials including different grades of steel, stainless steel, cast iron, non-ferrous metals, and hardened steel.


Documents - Fernco – QC-103

[\[pdf\]](#) Confidentiality Request Letter

QC 103 FERNCODAV dbrady13 X252 FERNCO 100060395 McLendon Hardware Line Drawing assets
unilogcorp 187 ITEM DOC |||

0.042 3.951 3.525 0.250 0.511 3.025 .055 Tall 0.110 0.040 1.394 0.208 0.606 0.500
R3.460 R3.460 ... X= Fractional .XX= .02 .XXX= .030 ANG.= 0.5 UNLESS
OTHERWISE SPECIFIED DESCRIPTION: Cap 3 Plastic **QC-103** UNITS: INCHES
SIZE A DESIGNER: D. Brady 3RD ANGLE PROJECTION CHECKER: DATE: DO
NOT SCAL...

lang:es score:30 filesize: 182.41 K page_count: 1 document date: 2007-08-03



[pdf] Confidentiality Request Letter

QC 103 FERNCODAV dbrady13 X252 Datasheet3 Inch Fernco 104 Qwick Capcdn shopify s files 1 0822

0771 v 1689880838 |||

0.042 3.951 3.525 0.250 0.511 3.025 .055 Tall 0.110 0.040 1.394 0.208 0.606 0.500
R3.460 R3.460 ... X= Fractional .XX= .02 .XXX= .030 ANG.= 0.5 UNLESS
OTHERWISE SPECIFIED DESCRIPTION: Cap 3 Plastic **QC-103** UNITS: INCHES
SIZE A DESIGNER: D. Brady 3RD ANGLE PROJECTION CHECKER: DATE: DO
NOT SCAL...

lang:es score:29 filesize: 182.41 K page_count: 1 document date: 2007-08-03

[pdf] Confidentiality Request Letter

QC 103 FERNCODAV dbrady13 X252 SPECIFICATION 3 in Copper Flexible Pipe Cap Fernco Ferguson

35467 6496306 specification fergusonprod a bigcontent io v1 static |||

0.042 3.951 3.525 0.250 0.511 3.025 .055 Tall 0.110 0.040 1.394 0.208 0.606 0.500
R3.460 R3.460 ... X= Fractional .XX= .02 .XXX= .030 ANG.= 0.5 UNLESS
OTHERWISE SPECIFIED DESCRIPTION: Cap 3 Plastic **QC-103** UNITS: INCHES
SIZE A DESIGNER: D. Brady 3RD ANGLE PROJECTION CHECKER: DATE: DO
NOT SCAL...

lang:es score:28 filesize: 182.24 K page_count: 1 document date: 2020-06-04



PlumbQwik
by **Fernco**

Fernco supply a market leading range of flexible pipe couplings for plumbing and drainage applications, including straight and reducer couplings, and a selection of supporting products and accessories.

The Fernco PlumbQwik Range includes:

- Fernco PlumbQwik Couplings**
A complete range of flexible pipe couplings for plumbing and drainage applications, to join pipes of the same or differing diameters, from 20-375mm.
- Elbows and Junctions**
Qwik Tee and elbows let you make 90° connections to common household drain, waste and vent pipes quickly and easily without using special tools or fittings.
- Qwik Caps**
Qwik Caps offer a quick, easy way to cap pipe ends, cleanouts and open test pipes.
- Hose Grips**
Prevents washing machine hose spills and flooding by gripping the hoses securely in the standard drain.
- Expansion Joints**
Fernco's one-piece expansion joints allow for thermal expansion and contraction of drain, waste and vent pipes.
- PlumbQwik Accessories**
Replacement clamps, torque wrenches and others...

www.fernco.com.au

[Fernco PlumbQwik Flexible Pipe Couplings - Product Range and Specifications](#)

Explore the Fernco PlumbQwik range of flexible PVC pipe couplings for plumbing and drainage. Find straight, adaptor, elbows, tees, caps, and accessories for various pipe materials and applications.

lang:en score:22 filesize: 1.4 M page_count: 4 document date: 2019-07-16



Standard Flexible Couplings

For a coupling to perform like a Fernco,
IT MUST SAY FERNCO.

Manufactured of tough elastomer - polyvinyl chloride (PVC) Fernco couplings are strong, resilient and not affected by oil conditions. Due to the nature and physical properties of their material, they are also resistant to chemicals, ultra-violet rays, fungus, growth and normal sewer gases. And they are leak-proof, non-proud and seal against infiltration and exfiltration.

Because of their quality and ease of installation, Fernco flexible couplings have found approval among plumbers, contractors and municipalities across the globe. Fernco couplings are used for all types of in-house and sewer applications such as drains, waste, vent piping, house-to-main, cut-ins, conductors, roof drains and more.

All couplings are clearly marked with part number, size, and the material that the coupling will connect to. Fernco has fast lead times with no minimum order required. For special applications, our custom design service can supply couplings for individual customer requirements. Our Flexible Couplings are the industry standard.

4
www.fernco.com
(810) 525-9000

[pdf] Catalog

CatalogNortheastern 2 x22 Flexible PVC Pipe End CapFernco 00032 4 5 19 CATimages tradeservice

ATTACHMENTS DIR100254 Fernco CAT |||

Standard Flexible Couplings Flexible Couplings For a coupling to perform like a Fernco, IT MUST SA ... e: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. Min. 1.86 1.61 2.34 1.94 3.48 3.09 4.4...

lang:en score:22 filesize: 1.7 M page_count: 3 document date: 2019-07-06




[\[pdf\]](#) Specifications Catalog

Fernco US Global Leaders in Flexible Couplings Drainage Plumbing Systems Catalog fernco sites default files literature |||

CAP TA P SEAL R E PA I R CONNEC T ADAPT INCREASE 810 503-9000

www.fernco.com R E PA I R C ... art Number I.D. Min. Max. Nominal Qwik Caps QC-0.85 Part Number I.D. QC-101 1.90 QC-102 2.40 **QC-103** 3.50 QC-104 4.50 Min. Max. 1.75 2.00 2.25 2.60 3.25 3.70 4.25 4.70 QC-1.07 QC-1.38 QC-1....

lang:en score:19 filesize: 28.38 M page_count: 52 document date: 2022-10-24




[\[pdf\]](#) Specifications Declaration of Conformity Catalog

fernco svg 2 catalog Fernco SVG Catalog s3 amazonaws insite commerce production consolidatedsupply 5d82e978 assets documents products unilogcorp ITEM DOC |||

2016 Waterworks Catalog 810 503-9000 www.fernco.com Commitment Fernco is committed to giving th ... rmanent seal Fast, easy solution Nominal Qwik Caps Part Number I.D. QC-101 1.86 QC-102 2.34 **QC-103** 3.48 QC-104 4.47 QC-105 5.57 QC-106 6.30 QC-108 QC-10 TC-10 QC-112 8.63 10.47 12.4...

lang:en score:19 filesize: 10.27 M page_count: 36 document date: 2016-12-16




[\[pdf\]](#) Specifications Declaration of Conformity Catalog

Fernco 10011010WC Catalog assets unilogcorp 2 ITEM DOC |||

2017 Product Catalog 810 503-9000 www.fernco.com Commitment Fernco is committed to giving the h ... ressure: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. 1.86 2.34 3.48 4.47 5.57 6.30 8.63 10....

lang:en score:19 filesize: 13.56 M page_count: 44 document date: 2017-03-27



[\[pdf\]](#) Specifications Catalog

CatalogFernco® SF 100 Fix A Flange Repair Toilet First Supply61607 fernco 10011010wc

catalogd2yn8sruhmqjt4 cloudfront net userfiles documents inriver original 61607 catalog Product

CatalogCatalogFernco® Supplyv161607 catalogporterpipes ASSETS DOCUMENTS ITEMS EN Fernco

10011010WC Catalogd2yn8sruhmqjt4 CatalogCatalogCatalogFernco® SupplyFaucetDepot Fernco®

Flangev161607 catalogFernco Catalogporterpipes cataloghirschcontent Catalog |||

2017 Product Catalog 810 503-9000 www.fernco.com Commitment Fernco is

committed to giving the h ... e: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. 1.86 2.34 3.48 4.47 5.57 6.30 8.63 10....

lang:en score:19 filesize: 13.56 M page_count: 44 document date: 2017-03-27

[\[pdf\]](#) Specifications Catalog

Fernco Product Catalog CD 2001 Anthony G Hill Concept Three Inc 2479181 SpecSheet content

interlinebrands product document 10080 |||

FLEXIBLE COUPLINGS Fernco Flexible Couplings have found wide acceptance among sewer and plumbing co ... ent or temporary For underground or above-ground use. Low cost, reusable. Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 Size 1-1/2 38mm 2 50mm 3 76mm 4 101mm 5 127mm 6 ...

lang:en score:19 filesize: 701.14 K page_count: 29 document date: 2015-01-10

[\[pdf\]](#) Specifications Declaration of Conformity Catalog

Waterworks CatalogFernco 1002 1818 Catalogassets unilogcorp 267 ITEM DOC Fernco Catalog |||

2017 Waterworks Catalog 810 503-9000 www.fernco.com Commitment Fernco is

committed to giving th ... nent seal Fast, easy solution Nominal Qwik Caps Part Number I.D. QC-101 1.86 QC-102 2.34 **QC-103** 3.48 QC-104 4.47 QC-105 5.57 QC-106 6.30 QC-108 QC-10 TC-10 QC-112 8.63 10.47 12.4...



lang:en score:19 filesize: 10.27 M page_count: 36 document date: 2017-03-27

[\[pdf\]](#) Catalog

Fernco 012 300 Catalog demo pacesupply s3 amazonaws DAMRoot Original 10 |||

WaterWwateorwrorkss Product Catalog Keeping your world flowing with quality, innovative and easy-to ... greater pressure for testing purposes and minimizes ballooning. Qwik Caps Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 Nominal Pipe Size Part No. 1-1/2 38mm QC-106 2 50mm QC-108 3 76mm...

lang:en score:19 filesize: 6.85 M page_count: 40 document date: 2012-05-03



[\[pdf\]](#) Specifications Declaration of Conformity Catalog

fernco Unilog Fernco Donuts are flexible PVC donut shaped rings for the compression sealing of sewer pipe joints and DWV connections such as sockets hubs bells spigots 22U 205 Catalog assets unilogcorp 2 ITEM DOC

2016 Product Catalog 810 503-9000 www.fernco.com Commitment Fernco is committed to giving the h ... ressure: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. 1.86 2.34 3.48 4.47 5.57 6.30 8.63 10.... lang:en **score:19** filesize: 13.48 M page_count: 44 document date: 2016-12-16

[\[pdf\]](#) Declaration of Conformity Catalog


McLendon Hardware FERNCO 100049796 Catalog assets unilogcorp 187 ITEM DOC ||| Product Catalog CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT ... HBC-1 1-1/2 38mm HBC-2 2 50mm HBC-3 3 76mm HBC-4 4 101mm Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 TC-10 QC-112 Nominal Pipe Size 1-1/2 38mm 2 50mm 3 76mm ... lang:en **score:18** filesize: 8.54 M page_count: 52 document date: 2012-05-23

[\[pdf\]](#) Specifications Declaration of Conformity Catalog

McLendon Hardware FERNCO 102750764 Catalog assets unilogcorp 187 ITEM DOC ||| CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT INCREASE REDUCE ... ttent Maximum test pressure: 4.3 PSI Permanent seal Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-110 TC-10 QC-112 I.D. Min. 1.90 1.75 2.40 2.25 3.50 3.25 4.... lang:en **score:18** filesize: 19.33 M page_count: 48 document date: 2020-06-02

[\[pdf\]](#) Borchure Catalog

Fernco Product Catalog CD 2001 Anthony G Hill Concept Three Inc v1hdsuppliesolutions wcsstore ExtendedSitesCatalogAssetStore product hdpro additional PR PRO 110620 ProductBrochure 2486824 Brochure ||| FLEXIBLE COUPLINGS Fernco Flexible Couplings have found wide acceptance among sewer and plumbing co ... temporary For underground or above-ground use. Low cost, reusable. Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 Size 1-1/2 38mm 2 50mm 3 76mm 4 101mm 5 ... lang:en **score:18** filesize: 1.75 M page_count: 29 document date: 2002-08-25



[\[pdf\]](#) Specifications Borchure Catalog

Brochure FERNCO 1002 1818 18 CLAY X PLASTIC PlumbersStock 119337 IAJmxy xrefs0 plumbersstock product 1 |||

2017 Waterworks Catalog 810 503-9000 www.fernco.com Commitment Fernco is committed to giving th ... rmanent seal Fast, easy solution Nominal Qwik Caps Part Number I.D. QC-101 1.86 QC-102 2.34 **QC-103** 3.48 QC-104 4.47 QC-105 5.57 QC-106 6.30 QC-108 QC-10 TC-10 QC-112 8.63 10.47 12.4...

lang:en score:18 filesize: 10.27 M page_count: 36 document date: 2017-03-27




[\[pdf\]](#) Specifications Catalog

SPECIFICATION 6 in Clamp Cast Iron Coupling Fernco Ferguson 3973943 7223468 specification fergusonprod a bigcontent io v1 static |||

CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT INCREASE REDUCE ... ttent Maximum test pressure: 4.3 PSI Permanent seal Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-110 TC-10 QC-112 I.D. 1.90 2.40 3.50 4.50 5.60 6.60 8.50 10...

lang:en score:18 filesize: 21.34 M page_count: 48 document date: 2020-10-07



[\[pdf\]](#) Specifications

Specification Fernco 1 4 3 in 425F 132 Repair Kit FPW3132CS Pollardwater Query ASSET ID 7317760 USE TYPE SPECIFICATION PRODUCT 3094709 api ferguson dar step service |||

PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... es ballooning. Nominal Qwik Caps Part No. Nominal Pipe QC-101 1-1/2 38mm QC-102 2 50mm **QC-103** QC-104 3 76mm 4 101mm QC-105 5 127mm QC-106 6 152mm QC-108 TC-10 8 203mm...

lang:en score:17 filesize: 8.7 M page_count: 56 document date: 2013-10-25




[\[pdf\]](#) Specifications Catalog

Product Catalog Town Country Hardware Fernco has expanded throughout North and South America acquired Flexseal Couplings LTD the leading manufacturer of flexible couplings in European 100073229 townandcountryhardware ASSETS DOCUMENTS ITEMS EN |||

CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT INCREASE REDUCE ... ressure: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. Min. 1.86 1.61 2.34 1.94 3.48 3.09 4.4...

lang:en score:17 filesize: 21.64 M page_count: 48 document date: 2018-08-13



[\[pdf\]](#) Catalog

Waterworks PSC Distribution QS ADAPTER 1 1/4 x 3/4 Coring Machine Adapter Part No Description 5x14CB 5 F 519 332 8610 We support recycling fernco TERMS All prices waterworks mf1712 0 pscia ASSETS DOCUMENTS ITEMS EN |||

WaterWwateorworkkss Product Catalog Keeping your world flowing with quality, innovative and easy-to ... for testing purposes and minimizes ballooning. Nominal Pipe Size Qwik Caps Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 Nominal Pipe Size Part No. 1-1/2 38mm QC-106 2 50mm QC-108 3 76mm...

lang:en score:16 filesize: 2.43 M page_count: 40 document date: 2015-10-24

[\[pdf\]](#) Specifications Catalog

Product Catalog Plumbers Supply Co 29 30 31 Fernco s phone ordering system ensures easy and prompt delivery for our customers When UNI PS21745 Cat plumbers supply co ASSETS DOCUMENTS ITEMS EN

CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT INCREASE REDUCE ... ressure: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. Min. 1.86 1.61 2.34 1.94 3.48 3.09 4.4...


lang:en score:16 filesize: 21.69 M page_count: 48 document date: 2019-01-14

[\[pdf\]](#) Borchure Catalog

Fernco Product Catalog CD 2001 Anthony G Hill Concept Three Inc FLEXIBLE COUPLINGS SIZING CHARTS 1001 SERIES AB C Part Number in mm 44 5 25 133 4 00 101 54 6 12 155 152 The dimensional flexibility of couplings ensures leakproof seals on virtually any pipe material plastic cast iron asbestos cement clay concrete 2486824 Brochure content interlinebrands product document 10080

FLEXIBLE COUPLINGS Fernco Flexible Couplings have found wide acceptance among sewer and plumbing co ... ent or temporary For underground or above-ground use. Low cost, reusable. Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 Size 1-1/2 38mm 2 50mm 3 76mm 4 101mm 5 127mm 6 ...

lang:en score:16 filesize: 1.75 M page_count: 29 document date: 2002-08-25



[\[pdf\]](#) Catalog

PROVEN PREFERRED PROFESSIONAL PSC DistributionCSA B602 mechanical couplings for drain waste vent pipe and sewer 157 5 93 151 *1002 86WC 10 00 254 6 38 162 152 1002 88 9 63 245fernc catalog t4114pscias ASSETS DOCUMENTS ITEMS EN fernco t4114 |||

PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... pressure for testing purposes and minimizes ballooning. Nominal Qwik Caps Part No. QC-101 QC-102 **QC-103** Nominal Pipe 1-1/2 38mm 2 50mm 3 76mm QC-104 QC-105 QC-106 QC-108 TC-10 4 101mm... lang:en score:16 filesize: 3.11 M page_count: 56 document date: 2015-12-30



[\[pdf\]](#) Catalog

PROVEN PREFERRED PROFESSIONAL Etna Supply 4 714 United States PH 810 503 9000 FX 1015 fern co Canada 519 332 6711 8610 ca HOT PRODUCTS If you can core through it QwikSeal connect to Corrugated SDR 35 Clay allows service pipe solid wall profile closed and corrugated Fernco 3001 150 Catalog etnasupply ASSETS DOCUMENTS ITEMS EN |||

PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... es ballooning. Nominal Qwik Caps Part No. Nominal Pipe QC-101 1-1/2 38mm QC-102 2 50mm **QC-103** QC-104 3 76mm 4 101mm QC-105 5 127mm QC-106 6 152mm QC-108 TC-10 8 203mm... lang:en score:15 filesize: 8.52 M page_count: 56 document date: 2014-08-04



[\[pdf\]](#) Specifications Declaration of Conformity

FERNCO 100060393 Specification Sheet assets unilogcorp 187 ITEM DOC |||

Qwik Caps Quick, reusable caps for pipe ends, testing cleanouts. QC TECHNICAL SPECS Fast, easy ... ilable - call for details. NOMINAL PIPE SIZE QWIK CAPS QC-101 1.86 1.61 1.95 QC-102 2.34 1.94 2.48 **QC-103** 3.48 3.09 3.63 QC-104 4.47 3.96 4.60 QC-105 5.57 5.03 5.85 QC-106 6.30 5.73 6.62 QC-108 QC-1... lang:en score:13 filesize: 765.01 K page_count: 1 document date: 2012-09-28



[pdf] Reference Guide Guide Catalog

Microsoft Word PPS plumbing catalog final docx Porter Pipe Supply web portertube ASSETS

DOCUMENTS CMS EN |||

TABLE OF CONTENTS REFERENCE GUIDE Plumbing Specialties Misc. Plumbing Items CO FERNCO FERNCO FERNCO FERNCO PORTER PART NO. 3001150 FER 300122 FER 300133 FER 300144 FER QC-102 **QC-103** DESCRIPTION 1-1/2 PROFLEX CI TO PLST, COP COUPLING 2 PROFLEX CI TO PL, ST COP, COUPLING 3 ...

lang:en score:13 filesize: 6.84 M page_count: 55 document date: 2020-10-20



[pdf] Catalog

fernco qwik caps catalog v 1703789541 cdn shopify s files 1 0268 6150 2518 |||

Qwik Caps Quick, reusable caps for pipe ends, testing cleanouts Flexible Couplings Qwik Caps off ... art Number I.D. Min. Max. Nominal Qwik Caps QC-0.85 Part Number I.D. QC-101 1.90 QC-102 2.40 **QC-103** 3.50 QC-104 4.50 Min. Max. 1.75 2.00 2.25 2.60 3.25 3.70 4.25 4.70 QC-1.07 QC-1.38 QC-1...

lang:no score:13 filesize: 930.53 K page_count: 1 document date: 2023-12-28



[pdf] Catalog Price List

100034889 Catalog townandcountryhardware ASSETS DOCUMENTS ITEMS EN |||

Product Price List REVISION DATE: October 1, 2013 PLEASE NOTE: New changes have been highlighte ... PS 0.07 20 0.35 20 0.50 20 QC-101 1-1/2 3 4.39 0.15 40 QC-102 2 3 5.14 0.20 40 **QC-103** 3 3 6.51 0.35 40 QC-104 4 3 8.33 0.51 20 QC-105 5 3 11.15 1.00 10 10 PA...

lang:en score:12 filesize: 1.37 M page_count: 12 document date: 2014-05-08



[pdf] Declaration of Conformity Catalog Price List

Product Price List100034889 Catalogassets unilogcorp 187 ITEM DOC 100034889 Catalog |||

Product Price List REVISION DATE: October 1, 2013 PLEASE NOTE: New changes have been highlighte ... 0.07 20 0.35 20 0.50 20 QC-101 1-1/2 3 4.39 0.15 40 QC-102 2 3 5.14 0.20 40 **QC-103** 3 3 6.51 0.35 40 QC-104 4 3 8.33 0.51 20 QC-105 5 3 11.15 1.00 10 ...

lang:en score:12 filesize: 1.37 M page_count: 12 document date: 2014-05-08



[pdf] Specifications

Other 1Northeastern 2 x22 Flexible PVC Pipe End CapFernco 00033 39 OTHER1images tradeservice ATTACHMENTS DIR100254 Fernco OTHER1 |||

4/12 Qwik Caps / Hose Bibbs Quick, reusable caps for pipe ends, testing cleanouts. Qwik Caps offer ... HBC-1 1-1/2 38mm HBC-2 2 50mm HBC-3 3 76mm HBC-4 4 101mm Part No. QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 TC-10 QC-112 Nominal Pipe Size 1-1/2 38mm 2 50mm 3 76mm ...

lang:en score:12 filesize: 597.08 K page_count: 1 document date: 2013-03-09




[pdf] Specifications Datasheet

Data Sheet TechnicalNortheastern 2 x22 Flexible PVC Pipe End CapFernco 00041 1 DATAimages tradeservice ATTACHMENTS DIR100254 Fernco DATA |||

Qwik Caps Quick, reusable caps for pipe ends, testing cleanouts. QC TECHNICAL SPECS Fast, ea ... ilable - call for details. NOMINAL PIPE SIZE QWIK CAPS QC-101 1.86 1.61 1.95 QC-102 2.34 1.94 2.48 **QC-103** 3.48 3.09 3.63 QC-104 4.47 3.96 4.60 QC-105 5.57 5.03 5.85 QC-106 6.30 5.73 6.62 QC-108 QC-1...

lang:en score:12 filesize: 766.02 K page_count: 1 document date: 2013-02-18



[pdf] Specifications Catalog

3083418 11298402 specification fergusonprod a bigcontent io v1 static |||

CAP TA P SEAL R E PA I R CONNEC T ADAPT INCREASE 810 503-9000

www.Fernco.com R E PA I R C ... Number I.D. Min. Max. Nominal Qwik Caps QC-0.85 Part Number I.D. Min. Max. QC-1.07 QC-101 QC-102 **QC-103** QC-104 1.90 1.75 2.00 QC-1.38 2.40 2.25 2.60 3.50 3.25 3.70 QC-1.68 QC-2.75 4.50 4.25 4.70 Q...

lang:en score:11 filesize: 25.74 M page_count: 44 document date: 2023-01-27



[pdf] Borchure Catalog

301140 Brochure content interlinebrands product document 10151

Product Catalog CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R CONNECT ADAPT ... es ballooning. Nominal Qwik Caps Part No. Nominal Pipe QC-101 1-1/2 38mm QC-102 2 50mm **QC-103** QC-104 3 76mm 4 101mm QC-105 5 127mm QC-106 6 152mm QC-108 TC-10 8 203mm...

lang:en score:11 filesize: 8.3 M page_count: 52 document date: 2013-05-10



[pdf] Specifications Catalog

Qwik Caps 3 apr 2021 — offer a quick easy way to cap pipes ends cleanouts and test Made of flexible PVC they are suitable for CATALOG Fernco QC 101 library coburns specs |||

Flexible Couplings Qwik Caps Quick, reusable caps for pipe ends, testing cleanouts Technical Dat ... ressure: 4.3 PSI Permanent seal Fast, easy solution Nominal Qwik Caps Part Number QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 QC-10 TC-10 QC-112 I.D. 1.86 2.34 3.48 4.47 5.57 6.30 8.63 10....

lang:en score:11 filesize: 316.13 K page_count: 1 document date: 2017-10-17



[pdf]

600CSCIRC Broc macombgroup ASSETS DOCUMENTS ITEMS EN |||

PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... es ballooning. Nominal Qwik Caps Part No. Nominal Pipe QC-101 1-1/2 38mm QC-102 2 50mm **QC-103** QC-104 3 76mm 4 101mm QC-105 5 127mm QC-106 6 152mm QC-108 TC-10 8 203mm...

lang:en score:11 filesize: 8.42 M page_count: 56 document date: 2014-11-26



[pdf]

FCTST4 1 southernpipe ASSETS DOCUMENTS CMS EN |||

PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... pressure for testing purposes and minimizes ballooning. Nominal Qwik Caps Part No. QC-101 QC-102 **QC-103** Nominal Pipe 1-1/2 38mm 2 50mm 3 76mm QC-104 QC-105 QC-106 QC-108 TC-10 4 101mm...

lang:en score:11 filesize: 3.11 M page_count: 56 document date: 2015-01-09



[pdf]

PROVEN PREFERRED PROFESSIONAL Southern Pipe SupplyAll 10 inch diameter couplings are 6 inches wide with 2 clamp areas and all 12 larger 4 areasFCTST4 1southernpipe ASSETS DOCUMENTS CMS EN FCTST4 1 srsltid AfrnBOopeJrNqvPlbBIKTg4iX3fl1BxG3zRiwl WwXMOwkVgbnowKfSzM ||| PROVEN. PREFERRED. PROFESSIONAL. CAP TA P SEAL R E PA I R CONNECT ADAPT INCREASE R E PA I R ... pressure for testing purposes and minimizes ballooning. Nominal Qwik Caps Part No. QC-101 QC-102 **QC-103** Nominal Pipe 1-1/2 38mm 2 50mm 3 76mm QC-104 QC-105 QC-106 QC-108 TC-10 4 101mm... lang:en score:11 filesize: 3.11 M page_count: 56 document date: 2015-01-09

BUTLER SUPPLY		Table of Contents
Communications		
Exchange Cable	1	
Drop Wire	3	
Inside, Station and Other Wires	5	
Closures	11	
Grounding	15	
NGS, OTE, Protection	17	
Pedestals, Cabinets, Stakes	19	
Customer Premise	21	
Outside Plant Product	49	
Splicing	53	
Tools and Test	53	
Supplies	79	
Electrical		
Cables, Wireways & Wiremold	83	
Wire & Cable	81	
Boxes, Cabinets & Enclosures	107	
Fittings & Connectors	153	
Fatigue Devices	271	
Motor Controls	221	
Connectors & Splicing	383	
Switches, Interrupters, Plates, & Plugs	309	
Smoke Alarms & Signaling	365	
Tools	369	
Fans & Ventilation	401	
Commercial Lighting	431	
Residential Lighting	461	
Heating Equipment	517	
Loadcenter Guide	527	
Plumbing		
Pipe	603	
Fittings	611	
Supply & Drains	640	
Valves	669	
Pumps & Hydrants	679	
Fixtures, Toilets & Urinals	687	
Fixtures, Sinks	697	
Fixtures, Tubs & Showers	703	
Faucets	711	
Septic & Sewer	747	
Appliances	751	
Chemicals	765	
Specialties	771	
Tools	777	

Butler Supply Communication & Electrical Product Catalog

Explore the comprehensive Butler Supply product catalog featuring a wide range of communication, electrical, and plumbing supplies, including cables, wires, fiber optics, enclosures, and more. Find detailed specifications and pricing for commercial and industrial applications.

lang:en score:11 filesize: 17.28 M page_count: 814 document date: 2014-02-25

Qwik Caps / Hose Bibbs
Quick, reusable caps for pipe ends, testing & cleanouts.

Qwik Caps offer a quick, easy way to cap pipe ends, cleanouts and open test pipes. Made of flexible PVC they're suitable for above ground or underground use, on cast iron, steel, copper or plastic piping. The covers have absorbent caps to prevent greater removal for testing purposes and minimize ballooning.

Part No.	Nominal Pipe	Part No.	Part No.	Part No.	
QC-101	1-1/2" (38mm)	QC-102	2" (50mm)	QC-103	3" (76mm)
QC-104	4" (101mm)	QC-105	5" (127mm)	QC-106	6" (152mm)
QC-107	8" (203mm)	QC-108	10" (254mm)	QC-109	12" (305mm)
QC-110	14" (355mm)	QC-111	16" (406mm)	QC-112	18" (457mm)
QC-113	20" (508mm)	QC-114	24" (609mm)	QC-115	30" (762mm)
QC-116	36" (914mm)	QC-117	42" (1067mm)	QC-118	48" (1219mm)
QC-119	54" (1375mm)	QC-120	60" (1524mm)	QC-121	72" (1829mm)
QC-122	84" (2134mm)	QC-123	96" (2438mm)	QC-124	108" (2743mm)
QC-125	120" (3048mm)	QC-126	144" (3658mm)	QC-127	168" (4268mm)
QC-128	192" (4877mm)	QC-129	216" (5491mm)	QC-130	240" (6096mm)

Custom sizes greater than 18" available - call for details.

Water Well Debris Traps
Prevents loose debris from plugging pump suction area.

Debris traps eliminate the common problem of loose debris and debris plugging the pump suction area in water wells. The trap is quickly and easily installed over the well casing and secured with stainless steel clamps. Made of soft flexible PVC which conforms to irregularities of the drilled well. Does not crack or become brittle with age.

Part No.	Description
WC-200-20	2" clamping 1" well
WC-200-24	2" clamping 1 1/2" well
WC-200-30	2" clamping 2" well
WC-200-36	2" clamping 2 1/2" well
WC-200-42	2" clamping 3" well
WC-200-48	2" clamping 3 1/2" well
WC-200-54	2" clamping 4" well
WC-200-60	2" clamping 4 1/2" well
WC-200-66	2" clamping 5" well
WC-200-72	2" clamping 5 1/2" well

[pdf]

Qwik Caps Hose Bibbs Water Well Debris Traps WinsupplyQwik offer a quick easy way to cap pipe ends cleanouts and open test pipes Made of flexible PVC they re suitable forFERNCO INC WC500 238 0171WC500238 CUTpimmedia winsupplyinc pim CUT 112017 FERNCO ||| 5/13 Qwik Caps / Hose Bibbs Quick, reusable caps for pipe ends, testing cleanouts. Qwik Caps offe ... es ballooning. Nominal Qwik Caps Part No. Nominal Pipe QC-101 1-1/2 38mm QC-102 2 50mm **QC-103** QC-104 3 76mm 4 101mm QC-105 5 127mm QC-106 6 152mm QC-108 TC-10 8 203mm... lang:en score:10 filesize: 609.42 K page_count: 1 document date: 2013-08-12



MIFAB 2020 Couplings Catalog: No Hub, Flexible, and Transition Couplings

Comprehensive catalog of MIFAB's MI-HUB, MI-XHUB, MI-QHUB, MI-QXHUB, MI-FLEX, and other no hub couplings, transition couplings, and related plumbing products. Includes specifications, features, installation instructions, certifications (IAPMO, NSF, CSA), and cross-references.

lang:i-klinton score:10 filesize: 11.83 M page_count: 40 document date: 2020-10-03



[pdf] Catalog

Catalog Porter Pipe SupplyQuik Tite SV 950 SW2 Dual V95 Multi Tested and certified to ASTM Standard C564 All models are listed with IAPMO Gaskets made from MIFAB MIQHUB150 Catalogporterpipe ASSETS DOCUMENTS ITEMS EN MIFAB |||

NH-2020 TABLE OF CONTENTS MI-HUB and MI-XHUB Cross

Reference..... I-EC-300 MI-EC-400 MI-EC-500 MI-EC-600 MI-EC-800 ANACO 9329 9330 9331 9332 - FERNCO QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 HUSKY 9329 9330 9331 9332 - MISSION 0701 011 0702 019 0703 017 ...

lang:i-klngon score:10 filesize: 11.83 M page_count: 40 document date: 2020-10-03



[pdf] Specifications Catalog

MIFAB MI XHUB 3 Catalog demo pacesupply s3 amazonaws DAMRoot Original 10016 |||

www.mifab.com Go to www.mifab.com for the most current product specification sheets. NH-2015-SEPT ... I-EC-300 MI-EC-400 MI-EC-500 MI-EC-600 MI-EC-800 ANACO 9329 9330 9331 9332 - FERNCO QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 HUSKY 9329 9330 9331 9332 - MISSION 0701 011 0702 019 0703 017 ...

lang:i-klngon score:10 filesize: 7.18 M page_count: 32 document date: 2015-09-12



[pdf] Specifications Catalog

mifab Porter Pipe SupplyAll models are manufactured in compliance with ASTM 1460 2012 and CSA B602 2010 Ridgid MI TORQUE 1967 8 9995 3T000 902 It is important to test all MIFAB XHUB 3

Catalogporterpipe ASSETS DOCUMENTS ITEMS EN MIFAB Catalog |||

www.mifab.com Go to www.mifab.com for the most current product specification sheets. NH-2015-SEPT ... I-EC-300 MI-EC-400 MI-EC-500 MI-EC-600 MI-EC-800 ANACO 9329 9330 9331 9332 - FERNCO QC-101 QC-102 **QC-103** QC-104 QC-105 QC-106 QC-108 HUSKY 9329 9330 9331 9332 - MISSION 0701 011 0702 019 0703 017 ...

lang:i-klngon score:10 filesize: 7.18 M page_count: 32 document date: 2015-09-12

Ultra-Rib™ Sewer Pipe Couplings

1072 Series -
ETI x Asbestos Cement or Plastic Box

Part No.	PL	SP	PL	SP
1072-1212	1-1/2	120	1-1/2	120
1072-1515	1-5/8	147	1-5/8	147
1072-1818	1-3/4	180	1-3/4	180

1073 Series -
ETI x SP-11 Plastic

Part No.	PL	SP	PL	SP
1073-1212	1-1/2	120	1-1/2	120
1073-1515	1-5/8	146	1-5/8	146
1073-1818	1-3/4	179	1-3/4	179

Corrugated Pipe Couplings

1070 Series -
RIB and RIB-EX Corrugated Polyethylene to Plastic Pipe

Part No.	PL	SP	PL	SP
1070-1212	1-1/2	120	1-1/2	120
1070-1515	1-5/8	147	1-5/8	147
1070-1818	1-3/4	180	1-3/4	180
1070-2121	2-1/8	210	2-1/8	210
1070-2424	2-1/4	240	2-1/4	240
1070-2727	2-3/4	270	2-3/4	270
1070-3030	3-1/8	300	3-1/8	300
1070-3333	3-1/2	330	3-1/2	330
1070-3636	3-3/4	360	3-3/4	360
1070-3939	4-1/8	390	4-1/8	390
1070-4242	4-1/2	420	4-1/2	420
1070-4545	4-3/4	450	4-3/4	450
1070-4848	5-1/8	480	5-1/8	480
1070-5151	5-1/2	510	5-1/2	510
1070-5454	5-3/4	540	5-3/4	540
1070-5757	6-1/8	570	6-1/8	570
1070-6060	6-1/2	600	6-1/2	600
1070-6363	6-3/4	630	6-3/4	630
1070-6666	7-1/8	660	7-1/8	660
1070-6969	7-1/2	690	7-1/2	690
1070-7272	7-3/4	720	7-3/4	720
1070-7575	8-1/8	750	8-1/8	750
1070-7878	8-1/2	780	8-1/2	780
1070-8181	8-3/4	810	8-3/4	810
1070-8484	9-1/8	840	9-1/8	840
1070-8787	9-1/2	870	9-1/2	870
1070-9090	9-3/4	900	9-3/4	900
1070-9393	10-1/8	930	10-1/8	930
1070-9696	10-1/2	960	10-1/2	960
1070-9999	10-3/4	990	10-3/4	990
1070-10210	11-1/8	1020	11-1/8	1020
1070-10512	11-1/2	1050	11-1/2	1050
1070-10815	11-3/4	1080	11-3/4	1080
1070-11118	12-1/8	1110	12-1/8	1110
1070-11421	12-1/2	1140	12-1/2	1140
1070-11724	12-3/4	1170	12-3/4	1170
1070-12027	13-1/8	1200	13-1/8	1200
1070-12330	13-1/2	1230	13-1/2	1230
1070-12633	13-3/4	1260	13-3/4	1260
1070-12936	14-1/8	1290	14-1/8	1290
1070-13239	14-1/2	1320	14-1/2	1320
1070-13542	14-3/4	1350	14-3/4	1350
1070-13845	15-1/8	1380	15-1/8	1380
1070-14148	15-1/2	1410	15-1/2	1410
1070-14451	15-3/4	1440	15-3/4	1440
1070-14754	16-1/8	1470	16-1/8	1470
1070-15057	16-1/2	1500	16-1/2	1500
1070-15360	16-3/4	1530	16-3/4	1530
1070-15663	17-1/8	1560	17-1/8	1560
1070-15966	17-1/2	1590	17-1/2	1590
1070-16269	17-3/4	1620	17-3/4	1620
1070-16572	18-1/8	1650	18-1/8	1650
1070-16875	18-1/2	1680	18-1/2	1680
1070-17178	18-3/4	1710	18-3/4	1710
1070-17481	19-1/8	1740	19-1/8	1740
1070-17784	19-1/2	1770	19-1/2	1770
1070-18087	19-3/4	1800	19-3/4	1800
1070-18390	20-1/8	1830	20-1/8	1830
1070-18693	20-1/2	1860	20-1/2	1860
1070-18996	20-3/4	1890	20-3/4	1890
1070-19299	21-1/8	1920	21-1/8	1920
1070-19602	21-1/2	1960	21-1/2	1960
1070-19905	21-3/4	1990	21-3/4	1990
1070-20208	22-1/8	2020	22-1/8	2020
1070-20511	22-1/2	2050	22-1/2	2050
1070-20814	22-3/4	2080	22-3/4	2080
1070-21117	23-1/8	2110	23-1/8	2110
1070-21420	23-1/2	2140	23-1/2	2140
1070-21723	23-3/4	2170	23-3/4	2170
1070-22026	24-1/8	2200	24-1/8	2200
1070-22329	24-1/2	2230	24-1/2	2230
1070-22632	24-3/4	2260	24-3/4	2260
1070-22935	25-1/8	2290	25-1/8	2290
1070-23238	25-1/2	2320	25-1/2	2320
1070-23541	25-3/4	2350	25-3/4	2350
1070-23844	26-1/8	2380	26-1/8	2380
1070-24147	26-1/2	2410	26-1/2	2410
1070-24450	26-3/4	2440	26-3/4	2440
1070-24753	27-1/8	2470	27-1/8	2470
1070-25056	27-1/2	2500	27-1/2	2500
1070-25359	27-3/4	2530	27-3/4	2530
1070-25662	28-1/8	2560	28-1/8	2560
1070-25965	28-1/2	2590	28-1/2	2590
1070-26268	28-3/4	2620	28-3/4	2620
1070-26571	29-1/8	2650	29-1/8	2650
1070-26874	29-1/2	2680	29-1/2	2680
1070-27177	29-3/4	2710	29-3/4	2710
1070-27480	30-1/8	2740	30-1/8	2740
1070-27783	30-1/2	2770	30-1/2	2770
1070-28086	30-3/4	2800	30-3/4	2800
1070-28389	31-1/8	2830	31-1/8	2830
1070-28692	31-1/2	2860	31-1/2	2860
1070-28995	31-3/4	2890	31-3/4	2890
1070-29298	32-1/8	2920	32-1/8	2920
1070-29601	32-1/2	2960	32-1/2	2960
1070-29904	32-3/4	2990	32-3/4	2990
1070-30207	33-1/8	3020	33-1/8	3020
1070-30510	33-1/2	3050	33-1/2	3050
1070-30813	33-3/4	3080	33-3/4	3080
1070-31116	34-1/8	3110	34-1/8	3110
1070-31419	34-1/2	3140	34-1/2	3140
1070-31722	34-3/4	3170	34-3/4	3170
1070-32025	35-1/8	3200	35-1/8	3200
1070-32328	35-1/2	3230	35-1/2	3230
1070-32631	35-3/4	3260	35-3/4	3260
1070-32934	36-1/8	3290	36-1/8	3290
1070-33237	36-1/2	3320	36-1/2	3320
1070-33540	36-3/4	3350	36-3/4	3350
1070-33843	37-1/8	3380	37-1/8	3380
1070-34146	37-1/2	3410	37-1/2	3410
1070-34449	37-3/4	3440	37-3/4	3440
1070-34752	38-1/8	3470	38-1/8	3470
1070-35055	38-1/2	3500	38-1/2	3500
1070-35358	38-3/4	3530	38-3/4	3530
1070-35661	39-1/8	3560	39-1/8	3560
1070-35964	39-1/2	3590	39-1/2	3590
1070-36267	39-3/4	3620	39-3/4	3620
1070-36570	40-1/8	3650	40-1/8	3650
1070-36873	40-1/2	3680	40-1/2	3680
1070-37176	40-3/4	3710	40-3/4	3710
1070-37479	41-1/8	3740	41-1/8	3740
1070-37782	41-1/2	3770	41-1/2	3770
1070-38085	41-3/4	3800	41-3/4	3800
1070-38388	42-1/8	3830	42-1/8	3830
1070-38691	42-1/2	3860	42-1/2	3860
1070-38994	42-3/4	3890	42-3/4	3890
1070-39297	43-1/8	3920	43-1/8	3920
1070-39600	43-1/2	3960	43-1/2	3960
1070-39903	43-3/4	3990	43-3/4	3990
1070-40206	44-1/8	4020	44-1/8	4020
1070-40509	44-1/2	4050	44-1/2	4050
1070-40812	44-3/4	4080	44-3/4	4080
1070-41115	45-1/8	4110	45-1/8	4110
1070-41418	45-1/2	4140	45-1/2	4140
1070-41721	45-3/4	4170	45-3/4	4170
1070-42024	46-1/8	4200	46-1/8	4200
1070-42327	46-1/2	4230	46-1/2	4230
1070-42630	46-3/4	4260	46-3/4	4260
1070-42933	47-1/8	4290	47-1/8	4290
1070-43236	47-1/2	4320	47-1/2	4320
1070-43539	47-3/4	4350	47-3/4	4350
1070-43842	48-1/8	4380	48-1/8	4380
1070-44145	48-1/2	4410	48-1/2	4410
1070-44448	48-3/4	4440	48-3/4	4440
1070-44751	49-1/8	4470	49-1/8	4470
1070-45054	49-1/2	4500	49-1/2	4500
1070-45357	49-3/4	4530	49-3/4	4530
1070-45660	50-1/8	4560	50-1/8	4560
1070-45963	50-1/2	4590	50-1/2	4590
1070-46266	50-3/4	4620	50-3/4	4620
1070-46569	51-1/8	4650	51-1/8	4650
1070-46872	51-1/2	4680	51-1/2	4680
1070-47175	51-3/4	4710	51-3/4	4710
1070-47478	52-1/8	4740	52-1/8	4740
1070-47781	52-1/2	4770	52-1/2	4770
1070-48084	52-3/4	4800	52-3/4	4800
1070-48387	53-1/8	4830	53-1/8	4830
1070-48690	53-1/2	4860	53-1/2	4860
1070-48993	53-3/4	4890	53-3/4	4890
1070-49296	54-1/8	4920	54-1/8	4920
1070-49600	54-1/2	4960	54-1/2	4960
1070-49903	54-3/4	4990	54-3/4	4990
1070-50206	55-1/8	5020	55-1/8	5020
1070-50509	55-1/2	5050	55-1/2	5050
1070-50812	55-3/4	5080	55-3/4	5080
1070-51115	56-1/8	5110	56-1/8	5110
1070-51418	56-1/2	5140	56-1/2	5140
1070-51721	56-3/4	5170	56-3/4	5170
1070-52024	57-1/8	5200	57-1/8	5200
1070-52327	57-1/2	5230	57-1/2	5230
1070-52630	57-3/4	5260	57-3/4	5260
1070-52933	58-1/8	5290	58-1/8	5290
1070-53236	58-1/2	5320	58-1/2	5320
1070-53539	58-3/4	5350	58-3/4	5350
1070-53842	59-1/8	5380	59-1/8	5380
1070-54145	59-1/2	5410	59-1/2	5410
1070-54448	59-3/4	5440	59-3/4	5440
1070-54751	60-1/8	5470	60-1/8	5470
1070-55054	60-1/2	5500	60-1/2	5500
1070-55357	60-3/4	5530	60-3/4	5530
1070-55660	61-1/8	5560	61-1/8	5560
1070-55963	61-1/2	5590	61-1/2	5590
1070-56266	61-3/4	5620	61-3/4	5620
1070-56569	62-1/8	5650	62-1/8	5650
1070-56872	62-1/2	5680	62-1/2	5680
1070-57175	62-3/4	5710	62-3/4	5710
1070-57478	63-1/8	5740	63-1/8	5740
1070-57781	63-1/2	5770	63-1/2	5770
107				