

[Manuals.plus](#) /

› [NOVOO](#) /

› NOVOO USB C Hub 5-in-1 User Manual

NOVOO 5 in 1

NOVOO USB C Hub 5-in-1 User Manual

Model: 5 in 1

INTRODUCTION

This manual provides detailed instructions for the NOVOO USB C Hub 5-in-1. This versatile dongle is designed to expand the connectivity of your USB-C enabled devices, offering essential ports for various applications. It features a 4K HDMI output, two USB 3.0 ports, and dedicated slots for SD and microSD cards, making it an ideal solution for enhancing productivity and media connectivity.

Please read this manual thoroughly before using the product to ensure proper operation and to maximize its capabilities.

PRODUCT OVERVIEW

The NOVOO USB C Hub 5-in-1 is a compact and durable aluminum accessory designed for seamless integration with your USB-C devices. It provides multiple connectivity options through a single USB-C port.



Figure 1: NOVOO USB C Hub 5-in-1 and its included components, including USB-C cable, HDMI cable, USB flash drive, and SD/microSD cards.

Key Features:

- **4K HDMI Output:** Supports 4K@30Hz or 1080P video streaming to external displays.
- **USB 3.0 Ports (x2):** Offers data transfer speeds up to 5Gbps for connecting peripherals like keyboards, mice, and external hard drives.
- **SD/TF Card Reader:** Enables quick access to files from SD and microSD cards simultaneously.
- **Durable Design:** Constructed from aluminum for enhanced durability and efficient heat dissipation.
- **Plug and Play:** No additional drivers required for most compatible operating systems.

5-IN-1 USB C HUB

Plug and play, no extra driver needed.



Figure 2: Detailed view of the NOVOO USB C Hub 5-in-1, highlighting its various ports and their functionalities.

SETUP

The NOVOO USB C Hub 5-in-1 is designed for simple plug-and-play operation. Follow these steps to set up your hub:

1. **Connect the Hub:** Insert the USB-C connector of the NOVOO hub into an available USB-C port on your compatible device (e.g., MacBook Pro, MacBook Air, Dell XPS, Huawei MateBook, Google Chromebook Pixel).

2. **Connect Peripherals:**

- **HDMI Display:** Connect an HDMI cable from your monitor or TV to the HDMI port on the hub. Ensure your display supports 4K@30Hz for optimal resolution.
- **USB Devices:** Plug your USB 3.0 or USB 2.0 devices (e.g., keyboard, mouse, USB flash drive, external hard drive) into the USB 3.0 ports. Note that for external HDDs/SSDs, only one can be connected at a time due to power requirements.
- **Memory Cards:** Insert your SD or microSD card into the corresponding slot. Both can be used simultaneously.

3. **Verify Connection:** Your operating system should automatically detect the hub and connected devices. No additional drivers are typically required.

All-IN-ONE

Lightweight & Portable



Useful extension ports in one hand,
suitable for working or traveling

Figure 3: The NOVVO USB C Hub 5-in-1 connected to a laptop, showcasing its portability and ease of use.

OPERATING INSTRUCTIONS

HDMI Video Output:

The HDMI port allows you to mirror or extend your device's screen to an external display. For 4K@30Hz resolution, ensure your host device, HDMI cable (HDMI 2.0 or higher recommended), and external display all support this resolution.

4K@30Hz HD Display



Figure 4: Demonstrating Mirror Mode (displaying the same content on both screens) and Extend Mode (extending the desktop across multiple screens) using the HDMI output.

USB 3.0 Data Transfer:

The two USB 3.0 ports provide high-speed data transfer up to 5Gbps. This is ideal for quickly moving large files, connecting external storage, or using USB peripherals.

5 Gbps USB 3.0

Transfer Files in Second



10X faster than USB 2.0

USB3.0

5Gbps

USB2.0

480Mbps

Figure 5: High-speed data transfer via USB 3.0 ports, capable of transferring files in seconds.

SD/MicroSD Card Reader:

Insert your SD or microSD card into the designated slots. The hub supports simultaneous reading and writing for both card types, providing fast access to your media files.




Figure 6: Using the speedy card reader for SD and microSD cards, supporting simultaneous use.

MAINTENANCE

- Keep the hub clean by wiping it with a soft, dry cloth. Avoid using liquid cleaners or solvents.
- Store the hub in a cool, dry place away from direct sunlight and extreme temperatures.
- Avoid dropping or subjecting the hub to strong impacts, as this may damage internal components.

- Do not attempt to disassemble or repair the hub yourself. Refer to qualified service personnel if issues arise.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No display output via HDMI.	Incorrect display settings. HDMI cable issue. Host device/display does not support required resolution/refresh rate. Loose connection.	Check display settings on your device (e.g., "Display Mirroring" or "Extend Display"). Ensure HDMI cable is HDMI 2.0 or higher and is securely connected. Verify that your laptop/monitor/TV/Projector supports 4K@30Hz. Reconnect the hub and HDMI cable.
USB devices not recognized.	Insufficient power for connected device (e.g., HDD/SSD). Loose connection. Device driver issue on host.	If connecting an HDD/SSD, ensure only one is connected at a time. The hub does not support Apple USB SuperDrive. Ensure the USB device is fully inserted into the port. Try connecting the USB device directly to your computer to rule out device issues.
SD/MicroSD card not detected.	Card not inserted correctly. Card format not supported. Card is damaged.	Reinsert the card firmly into the correct slot. Ensure the card is formatted to a compatible file system (e.g., FAT32, exFAT, NTFS). Try another card to check if the issue is with the card itself.
Hub feels warm during use.	Normal operation.	The aluminum casing is designed to dissipate heat. This is normal, especially during heavy use (e.g., 4K video streaming, large file transfers).

SPECIFICATIONS

Feature	Detail
Model	5 in 1
Dimensions (L x W x H)	3.74 x 1.18 x 0.35 inches (9.5 x 3 x 0.9 cm)
Weight	1.44 ounces (40.8 grams)
Input Port	USB Type-C
Output Ports	1 x HDMI (4K@30Hz) 2 x USB 3.0 (up to 5Gbps) 1 x SD Card Reader 1 x MicroSD (TF) Card Reader
Compatible Devices	MacBook Pro (2016-2021), MacBook Air (2018-2021), iMac (2017), Dell XPS, Huawei MateBook, Google Chromebook Pixel, Digital Cameras, Tablets, Gaming Consoles, Routers, Laptops, and other USB-C enabled devices.
Material	Aluminum Alloy

Feature	Detail
Operating System Compatibility	macOS, ChromeOS, Windows, Linux

WARRANTY AND SUPPORT

NOVOO products are backed by a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official NOVOO website. For technical support, troubleshooting assistance, or any inquiries regarding your NOVOO USB C Hub, please contact NOVOO customer service through their official channels.

You can find more information and support resources on the [NOVOO Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CCTWDFMT>

More documents and user manuals: <https://manuals.plus/>