

DREAME L30 Ultra

Dreame L30 Ultra Robot Vacuum Instruction Manual

Model: L30 Ultra

Brand: DREAME

1. INTRODUCTION AND OVERVIEW

The Dreame L30 Ultra is an advanced robotic vacuum and mop designed to provide comprehensive floor cleaning. It features innovative technologies such as MopExtend Edge Cleaning, 136°F hot water mop self-cleaning, powerful 7,300 Pa suction, and AI-powered navigation for intelligent obstacle avoidance and efficient cleaning paths. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your L30 Ultra to ensure optimal performance and longevity.



This image displays the Dreame L30 Ultra robot vacuum docked in its sleek black base station, with a smartphone showing the companion app interface. The base station is designed for automatic dust collection and mop cleaning, providing a hands-free cleaning experience.

2. PACKAGE CONTENTS

Please verify that all items listed below are included in your package. If any items are missing or damaged, please contact customer support.

Package List



Robot x 1



Base Station - Charging Dock x 1



Dust Bag x 2



Cleaning Tool x 1



Base Station Ramp Extension Plate x 1



Side Brush x 1



Power Cord x 1



Multi-Surface
Floor Cleaner x 1



Mop Pad x 2



Mop Pad Holder x 2

This image shows all the components included in the Dreame L30 Ultra package, neatly arranged. It serves as a visual checklist for users to confirm they have received all necessary parts.

- Robot x 1
- Base Station - Charging Dock x 1
- Dust Bag x 2
- Cleaning Tool x 1
- Base Station Ramp Extension Plate x 1

- Side Brush x 1
 - Power Cord x 1
 - Multi-Surface Floor Cleaner x 1
 - Mop Pad x 2
 - Mop Pad Holder x 2
-

3. SETUP

3.1 Unboxing and Placement

Carefully remove all components from the packaging. Choose a suitable location for the base station, ensuring it is on a hard, level surface with adequate clearance around it (at least 0.5 meters on both sides and 1.5 meters in front) for the robot to dock and maneuver.

3.2 Filling Water Tanks and Installing Dust Bag

Open the top cover of the base station. Fill the clean water tank with tap water and, if desired, add the recommended amount of Dreame Multi-Surface Floor Cleaner. Ensure the dirty water tank is empty before starting. Insert a new dust bag into the dust compartment if one is not already installed.

Versatile and fully automatic base station.



Auto-Empty



Mop Self-Cleaning



Automatic Mop Drying

This image provides an internal view of the Dreame L30 Ultra's base station, highlighting the clean water tank, dirty water tank, and the auto-empty dust collection system. It illustrates the self-cleaning and auto-empty functionalities.

3.3 Initial Charging and App Connection

Place the robot onto the base station to begin charging. For first-time use, it is recommended to fully charge the robot. Download the Dreamehome app from your mobile app store. Follow the in-app instructions to connect your L30 Ultra to your home Wi-Fi network and complete the initial setup, including mapping your home.

4. OPERATION

4.1 Starting and Stopping Cleaning

Press the power button on the robot or use the Dreamehome app to start a cleaning cycle. The robot will automatically return to the base station when cleaning is complete or when its battery is low. To pause cleaning, press the power button once. To resume, press it again. To send the robot back to the base station, press and hold the power button.

4.2 MopExtend Edge Cleaning

The L30 Ultra features MopExtend Technology, allowing the mop pads to extend outwards to clean closer to edges and corners, ensuring thorough coverage. This feature is automatically engaged when the robot detects edges during mopping tasks.

In-depth edge cleaning.

Position Sensitive Detector

MopExtend Assembly



*Certified by TÜV SÜD as the closest deliverable edge-cleaning distance.

This image illustrates the Dreame L30 Ultra's MopExtend feature, showing the mop pad extending to clean along a wall edge, ensuring no area is missed during mopping.

4.3 136°F Hot Water Mop Self-Cleaning

The base station automatically cleans the mop pads with 136°F (58°C) hot water during and after cleaning cycles. This ensures the mop pads are thoroughly cleaned and sanitized, preventing the spread of dirt and odors. After cleaning, the mop pads are hot-air dried to prevent mildew and unpleasant smells.

58°C (136°F) Mop Self-Cleaning for Clutter-Free Home



*Based on tests in Dreame's lab. In a standard room temperature environment (about 23°C), after water heating, the outlet temperature up to 58 °C. Actual performance may vary depending on the real-world environment and usage.



This image demonstrates the 136°F hot water mop self-cleaning process within the base station, showing water being used to clean the mop pads, ensuring they are hygienic for the next cleaning session.

4.4 Advanced Vacuuming Technology

The L30 Ultra boasts a powerful 7,300 Pa suction system for deep cleaning on various surfaces. Its liftable rubber brush effectively detangles hair and minimizes clogs. The robot intelligently recognizes carpets using ultrasonic sensors and automatically boosts suction power for thorough carpet cleaning, while also lifting the mop pads to

prevent wetting carpets.

Mighty Vormax Suction System



*7,300Pa:Based on tests in Dreame's lab. Actual performance may vary depending on the real-world environment and usage.

This image visually represents the powerful 7,300 Pa suction system of the Dreame L30 Ultra, showing a blue light indicating the strong airflow and cleaning capability on a carpeted surface.

Groundbreaking Mops Removal Technology



This image highlights the L30 Ultra's ability to automatically lift its mop pads when detecting carpets, preventing them from getting wet during vacuum-only cleaning on carpeted areas.

4.5 AI-Powered Navigation and Obstacle Avoidance

Equipped with AI Action and a 3D Structured Light Obstacle Avoidance System, the L30 Ultra navigates your home seamlessly. It can identify up to 55 different objects, such as shoes and cables, and intelligently plans its cleaning path around them, even in low-light conditions thanks to its built-in LED.

More insight and intelligence.



Pathfinder
Smart Navigation

4

Multi-Floor Maps

3D

Mapping



AI Action, and 3D Structured
Light Obstacle Avoidance System

55

Types of Objects*

LED

Light



*55 types of objects: Based on a calculation derived from environment testing in Dreame's lab.
*L30 Ultra is certified-safe by TÜV SÜD and meets ETSI EN 303 645 cyber security standards for IoT products.

This image shows the Dreame L30 Ultra robot vacuum operating in a living room with a family, illustrating its advanced AI navigation and obstacle avoidance capabilities, including 3D mapping and multi-floor map support.

4.6 Smart Home Integration

The L30 Ultra can be integrated with popular voice assistants like Amazon Alexa, Apple Siri, and Google Assistant. Once connected through the Dreamehome app, you can use voice commands to start, stop, or send the robot back to its base station.

Seamless Smart Home Integration with Voice Control.

"Alexa, ask Dreame bot to start vacuuming."



*Voice Control: Alexa, Siri, and the Google Assistant are a third-party service requiring a device that integrates the relevant voice control technology. The Dreamehome app is required for Siri.

This image depicts a user interacting with the Dreame L30 Ultra using voice commands, showcasing its seamless integration with smart home systems like Alexa for convenient control.

5. MAINTENANCE

5.1 Auto Robot Maintenance

The L30 Ultra's base station features automatic dust collection into a 3.2 L dust bag, which can hold debris for up to 75 days, significantly reducing the frequency of manual emptying. The DualBoost 2.0 technology ensures efficient and quiet dust collection.

5.2 Cleaning the Robot

- **Main Brush:** Remove the main brush cover and clean any tangled hair or debris from the brush. It is recommended to clean weekly.
- **Side Brush:** Check for tangled hair or debris and clean as needed.
- **Sensors:** Wipe all sensors (cliff sensors, wall sensor, charging contacts) with a clean, dry cloth to ensure proper operation.
- **Wheels:** Clean any debris from the drive wheels and universal wheel.

5.3 Cleaning the Base Station

- **Water Tanks:** Regularly empty the dirty water tank and rinse it. Clean the clean water tank as needed.
- **Mop Washing Tray:** Remove the mop washing tray from the base station and rinse it thoroughly to remove any residue.
- **Dust Bag:** Replace the dust bag when the indicator light on the base station or the app prompts you.

5.4 Filter Cleaning/Replacement

The robot's filter should be cleaned regularly by tapping out dust. Replace the filter every 3-6 months, or as needed, to maintain optimal suction performance.

6. TROUBLESHOOTING

If you encounter issues with your Dreame L30 Ultra, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Robot does not start or respond.	Low battery; Power button not pressed correctly; Robot stuck.	Charge the robot; Press the power button firmly; Clear any obstructions.
Poor cleaning performance.	Dustbin full; Brushes tangled; Filter clogged; Mop pads dirty.	Empty dustbin; Clean main/side brushes; Clean/replace filter; Clean mop pads.
Robot cannot return to base station.	Base station obstructed; Robot too far; Charging contacts dirty.	Ensure clear path to base station; Move robot closer; Clean charging contacts.
App connection issues.	Incorrect Wi-Fi password; Router issues; Robot offline.	Verify Wi-Fi password; Restart router; Reconnect robot to app.

6.1 Resetting the Device

If the robot is unresponsive, you may need to perform a reset. Refer to the Dreamehome app or the product's quick start guide for specific reset instructions, which typically involve pressing and holding a combination of buttons.

7. SPECIFICATIONS

Feature	Specification
Brand	DREAME
Model Name	L30 Ultra
Special Feature	Automatic Dust Collection
Color	Black
Product Dimensions	18.99"L x 26.75"W x 19.97"H
Suction Power	7,300 Pa
Mop Cleaning Temperature	136°F (58°C)
Dust Bag Capacity	3.2 L (up to 75 days)

8. SAFETY INFORMATION

Please read and follow all safety instructions to prevent injury or damage to the device:

- Do not use the robot to pick up large objects, sharp objects, liquids, or burning/smoking materials.
- Keep the robot and base station away from water and moisture.
- Ensure children and pets are supervised when the robot is operating.
- Use only the original power adapter and charging base provided with the device.
- Do not attempt to repair or modify the robot or base station yourself. Contact qualified service personnel.
- Before cleaning or maintaining the robot, ensure it is turned off and unplugged from the power source.

9. WARRANTY AND SUPPORT

The Dreame L30 Ultra comes with a standard manufacturer's warranty. For detailed warranty terms and conditions, please refer to the warranty card included in your package or visit the official DREAME website. If you require technical support, have questions about your product, or need to claim warranty service, please contact DREAME customer support through their official channels.

For the most up-to-date support information, please visit the [DREAME Store on Amazon](#) or the official DREAME website.

Related Documents - L30 Ultra

	<p>Dreame L40 Ultra AE Robot Vacuum and Mop: Advanced Cleaning with Auto-Empty and Mop Self-Cleaning</p> <p>Discover the Dreame L40 Ultra AE, an advanced robot vacuum and mop featuring 19,000Pa suction, intelligent obstacle avoidance, and an 8-in-1 PowerDock for automated dust emptying and mop self-cleaning. Experience a spotless home with hands-free maintenance.</p>
	<p>Dreame L30 Ultra S Robot Vacuum and Mop User Manual - Setup, Operation, Maintenance</p> <p>Comprehensive user manual for the Dreame L30 Ultra S Robot Vacuum and Mop. Learn how to set up, operate, maintain, and troubleshoot your device for optimal cleaning performance. Includes safety guidelines and specifications.</p>
	<p>Dreame X40 Master Robot Vacuum and Mop User Manual</p> <p>User manual for the Dreame X40 Master robot vacuum and mop, featuring auto water refilling, auto-empty, and mop self-cleaning functions. Includes installation, usage, maintenance, and troubleshooting guides.</p>
	<p>Roborock S7 Max Ultra Robot Vacuum and Mop Combo: Components and Assembly Guide</p> <p>A comprehensive guide detailing the components and assembly steps for the Roborock S7 Max Ultra robot vacuum and mop combo, featuring its docking station and accessories.</p>
	<p>Dreame X50 Ultra Robot Vacuum and Mop User Manual</p> <p>Explore the Dreame X50 Ultra Robot Vacuum and Mop User Manual, providing comprehensive instructions for setup, operation, maintenance, and safety. This advanced cleaning appliance features auto-empty and mop self-cleaning capabilities for a superior home cleaning experience.</p>
	<p>Dreame D20 Ultra Robot Vacuum and Mop User Manual</p> <p>Discover the advanced features and operation of the Dreame D20 Ultra Robot Vacuum and Mop with this comprehensive user manual. Learn setup, maintenance, and troubleshooting for efficient home cleaning, including auto-empty and self-cleaning mop functions. Visit global.dreametech.com for support.</p>

Documents - DREAME – L30 Ultra



[Dreame L30 Ultra S Robot Vacuum and Mop User Manual - Setup, Operation, Maintenance](#)

Comprehensive user manual for the Dreame L30 Ultra S Robot Vacuum and Mop. Learn how to set up, operate, maintain, and troubleshoot your device for optimal cleaning performance. Includes safety guidelines and specifications.

lang:en score:40 filesize: 4 M page_count: 16 document date: 2025-05-21

型号名称	R9421- 旗舰 B	
品牌	A00	
物料号	2024/06/20	
物料名称	说明书	
物料号	主型号	变体
品牌	Dreame	
型号	04170500003075	
规格参数:	额定功率: 157g 净重: 157g 净重: 157g 净重: 157g 额定功率: 157g 净重: 157g 净重: 157g 净重: 157g 额定功率: 157g 净重: 157g 净重: 157g 净重: 157g	
重量:	157g	
尺寸:	157g	
颜色:	157g	
其他:	157g	

[\[pdf\] User Manual](#)

Download file Robot Vacuum Comparison L30s Ultra User Manual v 4261514389734834097 dreame my cdn shop files |||

R9421- B A00 2024/06/20 04170500003075 : 157g : 68 210mm*140mm The word dreame is the abbreviation of Dreame Technology Co., Ltd. and its subsidiaries in China. It is the transliteration of the company s Chinese name , which means striving for excellence in every endeavor and re...

lang:en score:27 filesize: 17.21 M page_count: 59 document date: 2024-06-27

DREAME		
Original Manufacturer of Conformity		
EU DECLARATION OF CONFORMITY		
Apparatus/Equipment	Robot Vacuum Cleaner v Base Station	
Model	R9421- B A00	
Reference	04170500003075	
Manufacturer or its authorized representative:		
Name:	Dreame Technology (Shenzhen) Co., Ltd.	
Address:	Room 2103/3, South District, Donghai and Tianhe Crossway, Nanshan District, Shenzhen, Guangdong, P.R. China	
Country:	China	
Manufacturer authorized EU Representative:		
Name:	Dreame Technology (Shenzhen) Co., Ltd.	
Address:	Room 2103/3, South District, Donghai and Tianhe Crossway, Nanshan District, Shenzhen, Guangdong, P.R. China	
Country:	China	
Telephone:	+86 755 26666666	
E-mail:	dreame@dreame.com	
The declaration of conformity is issued under the sole responsibility of the manufacturer.		
We declare that this device under our sole responsibility (that bears national product) is in conformity with following directives and standards:		
Radio Equipment Directive (RED)	2014/53/EU	<input checked="" type="checkbox"/>
Low Voltage Directive (LVD)	2014/34/EU	<input checked="" type="checkbox"/>
Electromagnetic Compatibility Directive (EMC)	2014/53/EU	<input checked="" type="checkbox"/>
Restriction of Hazardous Substances (RoHS)	(EU) 2015/863	<input checked="" type="checkbox"/>
Construction Requirements for energy related products (CER)	2014/30/EU	<input checked="" type="checkbox"/>
Machinery Directive (MD)	2006/42/EC	<input type="checkbox"/>
For notified bodies:		
EN 60950-1:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-1:2012	<input checked="" type="checkbox"/>
EN 60950-2:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-2:2012	<input checked="" type="checkbox"/>
EN 60950-3:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-3:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	<input checked="" type="checkbox"/>
EN 60950-4:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-4:2012	<input checked="" type="checkbox"/>
EN 60950-5:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-5:2012	<input checked="" type="checkbox"/>
EN 60950-6:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-6:2012	<input checked="" type="checkbox"/>
EN 60950-7:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-7:2012	<input checked="" type="checkbox"/>
EN 60950-8:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-8:2012	<input checked="" type="checkbox"/>
EN 60950-9:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-9:2012	<input checked="" type="checkbox"/>
EN 60950-10:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-10:2012	<input checked="" type="checkbox"/>
EN 60950-11:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-11:2012	<input checked="" type="checkbox"/>
EN 60950-12:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-12:2012	<input checked="" type="checkbox"/>
EN 60950-13:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-13:2012	<input checked="" type="checkbox"/>
EN 60950-14:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-14:2012	<input checked="" type="checkbox"/>
EN 60950-15:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-15:2012	<input checked="" type="checkbox"/>
EN 60950-16:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-16:2012	<input checked="" type="checkbox"/>
EN 60950-17:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-17:2012	<input checked="" type="checkbox"/>
EN 60950-18:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-18:2012	<input checked="" type="checkbox"/>
EN 60950-19:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-19:2012	<input checked="" type="checkbox"/>
EN 60950-20:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-20:2012	<input checked="" type="checkbox"/>
EN 60950-21:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-21:2012	<input checked="" type="checkbox"/>
EN 60950-22:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-22:2012	<input checked="" type="checkbox"/>
EN 60950-23:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-23:2012	<input checked="" type="checkbox"/>
EN 60950-24:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-24:2012	<input checked="" type="checkbox"/>
EN 60950-25:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-25:2012	<input checked="" type="checkbox"/>
EN 60950-26:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-26:2012	<input checked="" type="checkbox"/>
EN 60950-27:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-27:2012	<input checked="" type="checkbox"/>
EN 60950-28:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-28:2012	<input checked="" type="checkbox"/>
EN 60950-29:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-29:2012	<input checked="" type="checkbox"/>
EN 60950-30:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-30:2012	<input checked="" type="checkbox"/>
EN 60950-31:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-31:2012	<input checked="" type="checkbox"/>
EN 60950-32:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-32:2012	<input checked="" type="checkbox"/>
EN 60950-33:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-33:2012	<input checked="" type="checkbox"/>
EN 60950-34:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-34:2012	<input checked="" type="checkbox"/>
EN 60950-35:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-35:2012	<input checked="" type="checkbox"/>
EN 60950-36:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-36:2012	<input checked="" type="checkbox"/>
EN 60950-37:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-37:2012	<input checked="" type="checkbox"/>
EN 60950-38:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-38:2012	<input checked="" type="checkbox"/>
EN 60950-39:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-39:2012	<input checked="" type="checkbox"/>
EN 60950-40:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-40:2012	<input checked="" type="checkbox"/>
EN 60950-41:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-41:2012	<input checked="" type="checkbox"/>
EN 60950-42:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-42:2012	<input checked="" type="checkbox"/>
EN 60950-43:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-43:2012	<input checked="" type="checkbox"/>
EN 60950-44:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-44:2012	<input checked="" type="checkbox"/>
EN 60950-45:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-45:2012	<input checked="" type="checkbox"/>
EN 60950-46:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-46:2012	<input checked="" type="checkbox"/>
EN 60950-47:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-47:2012	<input checked="" type="checkbox"/>
EN 60950-48:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-48:2012	<input checked="" type="checkbox"/>
EN 60950-49:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-49:2012	<input checked="" type="checkbox"/>
EN 60950-50:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-50:2012	<input checked="" type="checkbox"/>
EN 60950-51:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-51:2012	<input checked="" type="checkbox"/>
EN 60950-52:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-52:2012	<input checked="" type="checkbox"/>
EN 60950-53:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-53:2012	<input checked="" type="checkbox"/>
EN 60950-54:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-54:2012	<input checked="" type="checkbox"/>
EN 60950-55:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-55:2012	<input checked="" type="checkbox"/>
EN 60950-56:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-56:2012	<input checked="" type="checkbox"/>
EN 60950-57:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-57:2012	<input checked="" type="checkbox"/>
EN 60950-58:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-58:2012	<input checked="" type="checkbox"/>
EN 60950-59:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-59:2012	<input checked="" type="checkbox"/>
EN 60950-60:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-60:2012	<input checked="" type="checkbox"/>
EN 60950-61:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-61:2012	<input checked="" type="checkbox"/>
EN 60950-62:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-62:2012	<input checked="" type="checkbox"/>
EN 60950-63:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-63:2012	<input checked="" type="checkbox"/>
EN 60950-64:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-64:2012	<input checked="" type="checkbox"/>
EN 60950-65:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-65:2012	<input checked="" type="checkbox"/>
EN 60950-66:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-66:2012	<input checked="" type="checkbox"/>
EN 60950-67:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-67:2012	<input checked="" type="checkbox"/>
EN 60950-68:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-68:2012	<input checked="" type="checkbox"/>
EN 60950-69:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-69:2012	<input checked="" type="checkbox"/>
EN 60950-70:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-70:2012	<input checked="" type="checkbox"/>
EN 60950-71:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-71:2012	<input checked="" type="checkbox"/>
EN 60950-72:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-72:2012	<input checked="" type="checkbox"/>
EN 60950-73:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-73:2012	<input checked="" type="checkbox"/>
EN 60950-74:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-74:2012	<input checked="" type="checkbox"/>
EN 60950-75:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-75:2012	<input checked="" type="checkbox"/>
EN 60950-76:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-76:2012	<input checked="" type="checkbox"/>
EN 60950-77:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-77:2012	<input checked="" type="checkbox"/>
EN 60950-78:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-78:2012	<input checked="" type="checkbox"/>
EN 60950-79:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-79:2012	<input checked="" type="checkbox"/>
EN 60950-80:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-80:2012	<input checked="" type="checkbox"/>
EN 60950-81:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-81:2012	<input checked="" type="checkbox"/>
EN 60950-82:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-82:2012	<input checked="" type="checkbox"/>
EN 60950-83:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-83:2012	<input checked="" type="checkbox"/>
EN 60950-84:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-84:2012	<input checked="" type="checkbox"/>
EN 60950-85:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-85:2012	<input checked="" type="checkbox"/>
EN 60950-86:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-86:2012	<input checked="" type="checkbox"/>
EN 60950-87:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-87:2012	<input checked="" type="checkbox"/>
EN 60950-88:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-88:2012	<input checked="" type="checkbox"/>
EN 60950-89:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-89:2012	<input checked="" type="checkbox"/>
EN 60950-90:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-90:2012	<input checked="" type="checkbox"/>
EN 60950-91:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-91:2012	<input checked="" type="checkbox"/>
EN 60950-92:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-92:2012	<input checked="" type="checkbox"/>
EN 60950-93:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-93:2012	<input checked="" type="checkbox"/>
EN 60950-94:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-94:2012	<input checked="" type="checkbox"/>
EN 60950-95:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-95:2012	<input checked="" type="checkbox"/>
EN 60950-96:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-96:2012	<input checked="" type="checkbox"/>
EN 60950-97:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-97:2012	<input checked="" type="checkbox"/>
EN 60950-98:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-98:2012	<input checked="" type="checkbox"/>
EN 60950-99:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-99:2012	<input checked="" type="checkbox"/>
EN 60950-100:2012 + A1:2014 + A2:2017 + A3:2018 + A4:2019	EN 60950-100:2012	<input checked="" type="checkbox"/>

[Dreame Robotic Vacuum Cleaner EU Declaration of Conformity](#)

Official EU Declaration of Conformity for the Dreame Robotic Vacuum Cleaner (Model: RLL43SE, RCXE0307-5), confirming compliance with relevant EU directives and harmonized standards.

lang:en score:23 filesize: 435.43 K page_count: 48 document date: 2025-07-28



[pdf]

2 X40 X40 Master 21 set 2024 — *10 mm Basierend auf Tests im Dreame Lab Die Anhebehöhe ist definiert als der Abstand zwischen Oberseite Bürstenborsten und dem Boden nach 10da3f4de3d9a83a49848c5830700ef868e1 srsltid AfmBOopdInrzenFqMJMH DooLZSw0OpiPKQsLQhRTFUjyn51oC5TtGqM interdiscount ch static shops products document ||| X40 Master Kleines Gert mit groen Ergebnissen Key Features Dreame X40 Master Kleines Gert mit gro ... anhaltend frischen Wischmopp. *61.2 : Basierend auf Tests im Dreame Lab. Das Ergebnis wird mit dem L30 Ultra verglichen. *100 Tage: Basierend auf einer Berechnung, die aus Umwelttests im Dreame Lab ... lang:de score:15 filesize: 1.55 M page_count: 2 document date: 2024-07-05

Table with technical specifications for Dreame X40 Master, including model number R9421-B A00, dimensions 210x49x23, and weight 157g.

[pdf] User Manual

Download fileDreame X50 Ultra Robot VacuumL30s User Manualdreame my cdn shop files L30s Manual v 4261514389734834097 ||| R9421- B A00 2024/06/20 04170500003075 : 157g : 68 210mm*140mm The word dreame is the abbreviation of Dreame Technology Co., Ltd. and its subsidiaries in China. It is the transliteration of the company s Chinese name , which means striving for excellence in every endeavor and re... lang:en score:14 filesize: 17.21 M page_count: 59 document date: 2024-06-27

Table with multiple columns listing various products, their prices, and other details.

[pdf]

орепрух Название приза Номер телефона Имя Аэрогриль Philips NA 120 Робот пылесос Xiaomi X20 Pro 7778594**** Нет данных Сковорода Вок Rondell RDA 114 7777239**** Асем Смарт браслет Samsung Galaxy Fit 3 Silver 7778187**** black friday 03 12 srsltid AfmBOook4IM04v0VaYUtuRs7tpjul x14qkawBdcKjbn4JgsEmwNjPsR technodom kz under ||| Philips NA-120/00 7707830**** Rondell RDE-1302 7701113**** AVA NEO-EBSL-6120 77 ... 11 Samsung Tab A9 7707517**** AVA C44DW600 7708313**** AVA C59DW800 7777310**** Dreame L30 Ultra 7705211**** LG VC-83209UHA 7771899**** Philips FC-957001 7701656**** - Xiaomi X20 ... lang:tl score:11 filesize: 89.78 K page_count: 3 document date: 2024-12-24

