

## GEORGE KOVACS P5433-697-L

# GEORGE KOVACS Astor LED Wall Sconce

## MODEL: P5433-697-L USER MANUAL

### 1. Important Safety Instructions

Please read and understand all instructions before beginning installation and use. Failure to follow these instructions may result in electric shock, fire, or other hazards that can cause injury or property damage.

- **Professional Installation Recommended:** Installation should be performed by a qualified electrician.
- **Disconnect Power:** Always disconnect power at the main circuit breaker or fuse box before installation, servicing, or cleaning.
- **Grounding:** Ensure the fixture is properly grounded to avoid potential electrical shock.
- **Indoor Use Only:** This fixture is damp rated for indoor locations. Do not install in areas exposed to direct water or extreme humidity.
- **Fixture Integrity:** Do not alter, relocate, or remove any components of the fixture.
- **LED Module:** The LED module is integrated and not user-replaceable. Do not attempt to open or service the LED components.

### 2. Package Contents

Verify that all components are present before proceeding with installation.

- Astor LED Wall Sconce Fixture (Model P5433-697-L)
- Integrated LED Module
- Mounting Hardware (screws, wire nuts, mounting plate)




Figure 1: Overview of the Astor LED Wall Sconce.

### 3. Setup and Installation

This fixture is designed for direct wiring to an existing junction box. Ensure power is OFF before starting.

1. **Prepare the Area:** Turn off power at the circuit breaker. Clear the work area and gather necessary tools (screwdriver, wire strippers, electrical tape, safety glasses).
2. **Attach Mounting Plate:** Secure the mounting plate to the existing junction box using the provided screws. Ensure it is firmly attached.
3. **Electrical Connections:** Carefully connect the fixture's wires to the corresponding wires from the junction box. Use the provided wire nuts.

- Connect the **black** fixture wire to the **black** (hot) supply wire.
- Connect the **white** fixture wire to the **white** (neutral) supply wire.
- Connect the **green or bare copper** fixture wire to the **green or bare copper** (ground) supply wire.

Ensure all connections are secure and insulated with electrical tape if necessary.



Figure 2: Detail of the fixture's mounting base, showing connection points.

4. **Mount the Fixture:** Carefully tuck all wires into the junction box. Align the fixture with the mounting plate and secure it using the provided screws. Do not overtighten.
5. **Restore Power:** Once the fixture is securely mounted, restore power at the circuit breaker.



Figure 3: Close-up view of the integrated LED light source within the fixture design.

## 4. Operating Instructions

The GEORGE KOVACS Astor LED Wall Sconce operates via a standard wall switch connected to the electrical circuit. No special controls are required for basic operation.

- **Turning On/Off:** Flip the wall switch connected to the fixture's circuit to turn the light on or off.
- **Light Characteristics:** The integrated LED module provides 1370.3 lumens of light at a color temperature of 3000K (Soft White) with a Color Rendering Index (CRI) of 92, ensuring accurate color representation.
- **Dimming:** If connected to a compatible LED dimmer switch (sold separately), the brightness of the fixture can be adjusted. Consult the dimmer manufacturer's instructions for proper installation and use.

## 5. Maintenance

Regular maintenance will help preserve the appearance and functionality of your fixture.

- **Cleaning:** Ensure power is off before cleaning. Wipe the fixture with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or electrical components.
- **LED Module:** The LED module is designed for long-term operation (approximately 50,000 hours) and is not user-serviceable. Do not attempt to replace the LED module.

## 6. Troubleshooting

If your fixture is not operating correctly, refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Light does not turn on	No power to the fixture	Check circuit breaker or fuse. Ensure wall switch is in the 'ON' position.
Loose wire connections	Turn off power at the circuit breaker. Verify all wire connections are secure.	
Fixture flickers	Incompatible dimmer switch	Ensure you are using an LED-compatible dimmer switch. If not, replace the dimmer or remove it.
Loose wire connections	Turn off power at the circuit breaker. Verify all wire connections are secure.	
Light output is low	Dimmer setting too low	Adjust the dimmer to a higher setting.

If troubleshooting steps do not resolve the issue, contact a qualified electrician or the manufacturer for assistance.

## 7. Specifications

Feature	Detail
Model Number	P5433-697-L
Dimensions (L x W x H)	6.25" x 17" x 18.5"
Item Weight	2.29 pounds
Material	Alloy Steel, Aluminum, Silicone
Finish Type	Soft Gold
Light Source Type	Integrated LED
Number of Light Sources	1
Wattage	24 Watts

Feature	Detail
Brightness	1370.3 Lumens (initial)
Color Temperature	3000 Kelvin (Soft White)
Color Rendering Index (CRI)	92
Voltage	120 Volts
Indoor/Outdoor Usage	Indoor (Damp Rated)
Average Life	50,000 Hours
Certifications	ETL Certified, Title 24 Compliant
Assembly Required	Yes


## 8. Warranty and Support




This GEORGE KOVACS product is covered by a manufacturer's warranty. For specific warranty terms and conditions, please refer to the documentation included with your purchase or visit the official GEORGE KOVACS website.

For technical support, replacement parts, or any questions regarding the installation or operation of your Astor LED Wall Sconce, please contact GEORGE KOVACS customer service. Contact information can typically be found on the manufacturer's website or on your purchase receipt.


© 2023 GEORGE KOVACS. All rights reserved.

## Related Documents - P5433-697-L

	<p><a href="#">George Kovacs P1202-287-L Integrated LED Sconce Installation Guide</a></p> <p>Comprehensive installation instructions for the George Kovacs P1202-287-L outdoor wall sconce featuring integrated LED. Includes safety precautions, assembly steps, wiring guidance, and LED module replacement.</p>
	<p><a href="#">George Kovacs P5951-077 Wall Sconce Installation Instructions</a></p> <p>Detailed installation guide for the George Kovacs P5951-077 wall sconce, covering safety precautions, mounting, wiring, and bulb replacement. Emphasizes professional installation by a qualified electrician.</p>

	<p><a href="#">George Kovacs P2265-084-L LED Pendant Installation Instructions</a></p> <p>Detailed installation instructions for the George Kovacs P2265-084-L integrated LED pendant light, including mounting, wiring, and finishing steps.</p>
	<p><a href="#">George Kovacs P5406-689-L Installation Instructions</a></p> <p>Step-by-step guide for installing the George Kovacs P5406-689-L pendant light, including preparation, wiring connections, and completing the installation. Features information on replacing the LED driver and compatibility with dimmer switches.</p>
	<p><a href="#">Installation Instructions for George Kovacs Floor Lamp Model P305-5-654-L</a></p> <p>Step-by-step installation guide for the George Kovacs P305-5-654-L floor lamp. Includes safety warnings, assembly instructions, and touch dimmer operation details.</p>
	<p><a href="#">George Kovacs P1903-66A-L Installation Instructions</a></p> <p>Detailed installation guide for the George Kovacs P1903-66A-L pendant light fixture. Includes safety warnings, preparation steps, mounting instructions, wiring diagrams, and finishing procedures. Compatible with ELV/LED dimmers.</p>

Documents - GEORGE KOVACS – P5433-697-L



[\[pdf\] Dimension Guide Guide](#)

Minka Group George Kovacs P5433 697 L Dimensions Guide Astor By Robin Baron 1 light Soft Gold LED Wall Sconce with Lucent Silicone Diffuser 844349033240 65234504 lowes productdocuments e5436a1a ffe1 4132 901d 5212199364be |||

Item # **P5433-697-L** Product Family Name: Astor by Robin Baron Category: WALL MOUNT Certification 5005395 Patents: Notes: UPC Code: 844349033240 Finish: Soft Gold Category Type: Wall Lamp MEASUREMENTS Width: 17 Height Adjustable: No Wire Length: 7 Canopy Width: Backplate Width: 4.25 Length: Heig... lang:en score:47 filesize: 509.31 K page\_count: 1 document date: 2023-08-15

INSTALLATION INSTRUCTIONS

Model P5433-697-L (Rev. 06/2023)

READ AND SAVE THESE INSTRUCTIONS

**WARNING: SHUT POWER OFF AT FUSE OR CIRCUIT BREAKER. PREPARATION: COUPER LE COURANT AU NIVEAU DES FUSIBLES OU DU DISJONCTEUR.**

PREPARATION


1. Shut off power at the main panel or circuit breaker box. If necessary, remove the old fixture and mounting hardware.
2. Carefully remove your new fixture and lay out all the parts on a clean area. Make sure not to lose any small parts necessary for installation.

Fig. 1

- Self-Adhesive  
- Mounting plate  
- Mounting plate  
- Mounting plate

MOUNTING THE FIXTURE (Fig. 1)

3. Remove mounting plate (A) in the white box (not included) and the mounting plate (B) (see Model P5433-697-L). The side of the mounting plate (A) marked "SPD" must face out.



CONNECTING THE WIRES (Fig. 2)

4. Connect the electrical wires as shown in Fig. 2. Make sure that all wire connections are secured. If you cannot find a ground wire (green or bare or grey), connect the fixture's ground wire to (1) Otherwise, connect the fixture's ground wire along to the mounting plate (A) using the ground wire provided. After wires are connected, look again carefully inside the white box.

COMPLETING THE INSTALLATION (Fig. 1)

5. Place the fixture's base plate (C) over mounting plate (A) and secure with screws (D).

**IMPORTANT:** Fixture should be installed by a qualified electrician to ensure proper wiring and operation.

Compatible with E14 standard LED compatible wall of indoor outdoor.



[pdf] User Manual Instructions

Microsoft Word P5433 697 L IM 20230602 1 FINAL ABH1054 George Kovacs Installation Manual Astor By Robin Baron light Soft Gold LED Wall Sconce with Lucent Silicone Diffuser 844349033240 65234503 lowes productdocuments c8dd495a 0769 4155 be9b fb3e6fcabe7f |||

INSTALLATION INSTRUCTIONS Item# **P5433-697-L** Rev. 06/02/2023 READ AND SAVE THESE INSTRUCTIONS **W A R N I N G S H U T P O W E R O F F A T F U S E O R C I R C U I T B R E A K E R . A V E R T I S S E M E N T C O U P E R L E C O U R A N T A U N I V E A U D E S F U S I B L E S O U D U D I S J O N C T E U R . P R E P A R A T I O N 1 . S h u t o f f p o w e r a t t h e f u s e ...**

lang:en score:44 filesize: 450.06 K page\_count: 1 document date: 2023-06-08