Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

NEBO NEB-FLT-1016-G

NEBO Davinci 8000 Rechargeable Flashlight User Manual

Model: NEB-FLT-1016-G

1. Introduction

Thank you for choosing the NEBO Davinci 8000 Rechargeable Flashlight. This powerful and versatile flashlight is designed for various applications, from outdoor adventures to emergency situations. It features multiple light modes, a power bank function, and a durable, water-resistant design. Please read this manual carefully to ensure proper use and maintenance of your device.



Image 1.1: The NEBO Davinci 8000 Rechargeable Flashlight, showcasing its sleek design and robust build.

2. Setup

2.1 Initial Charging

Before first use, ensure the battery's protective disc is removed. Unscrew the base of the flashlight to access the battery compartment. Remove the small plastic disc covering the battery terminals, then reinsert the battery and securely screw the base back on. Fully charge the flashlight using the included USB-C cable.

- Connect the USB-C cable to the flashlight's charging port.
- Connect the other end of the cable to a USB power source (e.g., wall adapter, computer USB port).
- The charging indicator light will show the charging status.



Image 2.1: Close-up view of the NEBO Davinci 8000's charging port, indicating its rechargeable capability.

3. Operating Instructions

3.1 Power On/Off

Press the power button located on the side of the flashlight to turn it on. Press again to cycle through modes or turn off.

3.2 Light Modes

The Davinci 8000 features a magnetic mode dial for easy selection of different light modes:

- **Turbo:** 8000 Lumens (30-second intervals, 206 meters) - For maximum brightness.
- **High:** 4000 Lumens (3.5 hours, 157 meters) - Bright illumination for general use.
- **Medium:** 2000 Lumens (6 hours, 119 meters) - Balanced brightness and runtime.
- **Low:** 80 Lumens (45 hours, 25 meters) - Extended runtime for minimal light needs.
- **Strobe:** For signaling or disorienting.



Image 3.1: A table illustrating the different light modes of the Davinci 8000, including lumens, runtime, and beam distance.



Image 3.2: Visual representation of the five distinct light modes (High, Low, Medium, Turbo, Strobe) in various usage scenarios.

3.3 Zoom Function

The flashlight features a 4x adjustable zoom. To adjust the beam, simply slide the head of the flashlight forward or backward. This allows you to transition from a wide floodlight to a focused spotlight.

3.4 Power Bank Function

The Davinci 8000 can also function as a power bank to charge other USB devices. Connect your device to the flashlight's USB-A output port. This feature is useful for charging phones or other small electronics in emergencies.



Image 3.3: Overview of key features including Ultra Bright output, Power Bank capability, Smart Power Control, and Smart Temperature Control.

4. Maintenance

4.1 Cleaning

Wipe the flashlight with a soft, damp cloth to remove dirt and debris. Do not use abrasive cleaners or solvents, as they may damage the finish.

4.2 Battery Care

To prolong battery life, avoid fully discharging the battery frequently. Recharge the flashlight regularly, especially if it will be stored for an extended period.

4.3 Water Resistance

The Davinci 8000 is IP67 water-resistant, meaning it is protected from dust and can withstand immersion in water up to 1 meter for 30 minutes. Ensure all ports and caps are securely closed before exposing the flashlight to water.



Image 4.1: Demonstrates the rugged construction of the flashlight, highlighting its anodized aircraft-grade aluminum body for durability and water resistance.

5. Troubleshooting

- **Flashlight not turning on:**
  - Ensure the battery's protective disc has been removed.
  - Check if the battery is fully charged.
  - Verify the battery is inserted correctly with proper polarity.
- **Dim light or short runtime:**

- Recharge the battery fully.
- Ensure the flashlight is not in a low power mode.

- **Charging issues:**
  - Try a different USB-C cable and power adapter.
  - Clean the charging port for any debris.

6. Technical Specifications

Feature	Specification
Brand	NEBO
Model Number	NEB-FLT-1016-G
Dimensions (L x W x H)	27.8 x 5.7 x 5.7 cm
Weight	720 grams
Material	Aluminum
Power Source	Battery Powered
Battery Type	2 Lithium-ion (included)
Voltage	7.4 Volts
Luminous Flux (Max)	8000 Lumens
Beam Distance (Max)	206 Meters
Water Resistance	IP67
Special Features	Waterproof, Magnetic Mode Dial, 4x Zoom, Power Bank Function, Intelligent Temperature Control, Intelligent Power Control

7. Warranty and Support

NEBO products are built with quality and durability in mind. For information regarding warranty coverage and customer support, please refer to the warranty card included with your product or visit the official NEBO website. Keep your proof of purchase for any warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CD35NJ98

More documents and user manuals: **https://manuals.plus/**