

[Manuals.plus](#) /

› [SHLUCE](#) /

› SHLUCE 19" Farmhouse Fandelier Ceiling Fan with Light Instruction Manual

SHLUCE FLA003

SHLUCE 19" Farmhouse Fandelier Ceiling Fan with Light

Model: FLA003 | Brand: SHLUCE

INTRODUCTION

Thank you for choosing the SHLUCE 19" Farmhouse Fandelier Ceiling Fan with Light. This manual provides detailed instructions for the safe installation, operation, and maintenance of your new ceiling fan. Please read this manual thoroughly before beginning installation and retain it for future reference.



Image: The SHLUCE 19" Farmhouse Fandelier Ceiling Fan with Light, showcasing its caged design and integrated lighting.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always turn off power at the main circuit breaker or fuse box before beginning installation. All wiring must be in accordance with national and local electrical codes. If you are unfamiliar with wiring, consult a qualified electrician. Ensure the installation location can support the weight of the fan. Do not bend fan blades when installing, balancing, or cleaning the fan. Do not insert foreign objects between rotating fan blades.

WHAT'S IN THE BOX

- Caged Ceiling Fan with Lights
- Remote Control
- Mounting Hardware




Image: A close-up view of the fan's components, highlighting the sturdy metal frame, the 8 ABS blades, and the E12 light bases.

SPECIFICATIONS


Feature	Description
Brand	SHLUCE
Model Name	FLA003
Color	Black Gold
Material	Metal

Product Dimensions	19"L x 19"W x 16.7"H
Light Source Type	E12 light bulb (bulbs not included)
Number of Light Sources	6
Control Method	Remote Control
Motor Type	Upgraded DC motor (Ultra-quiet)
Noise Level	Below 30 decibels
Special Features	Reversible Motor, 6 Speed Control, 2/4H Timing Setting, No Beeping Mode
Certification	ETL certified

PRODUCT SPECIFICATIONS



- 6 Speed + Natural Wind
- 6xE12 Base(More Brighter)
- Reversible Motor
- Timing 2/4H
- Easy to Install(Already Assembled)



Mute: No beeping Provide 2 Downrods

Image: Diagram illustrating product dimensions, remote control features, and ETL certification.




Image: A visual representation comparing the low noise level of the SHLUCE ceiling fan (below 30dB) to common sounds.

SETUP AND INSTALLATION

The SHLUCE Fandelier is designed for easy installation, with most functional components pre-assembled. All necessary mounting hardware is included.

Installation Steps:

1. **Install Hardware:** Prepare all components and tools as per the included instruction manual.
2. **Install the Mounting Bracket:** Secure the mounting bracket to your ceiling junction box. Ensure it is firmly attached and can support the fan's weight.
3. **Install the Downrod:** Attach the downrod to the fan motor assembly, feeding the wires through the downrod. Secure it with the provided screws.
4. **Install the Ceiling and Connect AC Wires:** Lift the fan assembly and connect the AC power wires (Live, Neutral, Ground) from the ceiling to the fan's wiring. Carefully tuck the wires into the junction box and secure the canopy to the mounting bracket.

5. **Install Light Bulbs:** Insert 6 E12 light bulbs (not included) into the sockets.

Your browser does not support the video tag.

Video: Official installation guide for the SHLUCE Fandelier, demonstrating the step-by-step assembly and wiring process.

OPERATING INSTRUCTIONS

Your SHLUCE Fandelier is controlled by a remote, offering convenient operation of both the fan and light functions.

Remote Control Functions:

- **ALL ON/OFF:** Turns on/off both lights and fan simultaneously.
- **Light On/Off:** Controls the light independently.
- **Fan Reverse Transmission:** Changes fan direction for winter (updraft mode).
- **Fan Forward Transmission:** Changes fan direction for summer (downdraft mode).
- **Mute:** Activates/deactivates the no-beeping mode.
- **Fan On/Off:** Controls the fan independently.
- **Fan Speed Control (LV1-6):** Adjusts fan speed from gentle (1-2) to strong (5-6).
- **Natural Wind:** Simulates natural breeze.
- **Timer (2H/4H):** Sets the fan and light to turn off automatically after 2 or 4 hours.

Note: 2*AAA batteries are not included for the remote control.



Image: Visual guide to the fan's 6-speed settings, categorizing them into gentle, comfortable, and strong wind modes.

Reversible Motor




Image: Illustration of the reversible motor function, demonstrating downdraft mode for cooling in summer and updraft mode for air circulation in winter.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your fan.

- **Cleaning:** To clean the fan, wipe with a soft, damp cloth. Do not use abrasive cleaners or solvents as they may damage the finish. Ensure power is off before cleaning.
- **Blade Cleaning:** The 8 ABS blades are hidden within the caged design, making them safe from direct touch. Clean them gently if accessible, ensuring no dust accumulation affects performance.
- **Light Bulbs:** Replace E12 bulbs as needed. Always turn off power and allow bulbs to cool before replacing.
- **Tightness Check:** Periodically check all screws and connections for tightness.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low or not paired.	Check circuit breaker/fuse; Verify all wire connections are secure; Replace remote battery or re-pair remote.
Lights do not work	Bulbs are faulty or not installed correctly; Loose wire connections; Remote control issue.	Replace bulbs; Check light fixture wiring; Ensure remote is functioning and paired.
Fan makes noise	Loose screws; Fan not properly balanced; Obstruction in fan blades.	Tighten all screws; Check for obstructions; Ensure fan is installed level.
Remote control not working	Low or dead batteries; Remote not paired with fan; Interference.	Replace batteries; Follow pairing instructions in the manual; Reduce interference from other electronic devices.

WARRANTY AND SUPPORT

SHLUCE offers a **2-year warranty** and a **30-day refund policy** for this product. We also provide free spares support. If you experience any lost, defects, or missing parts (e.g., remote control) for your enclosed ceiling fan with light, please contact us through your Amazon orders for assistance.

CONTACT INFORMATION

For further assistance or inquiries, please refer to your purchase platform or contact SHLUCE customer support directly.
SHLUCE Lighting Direct
Website: [SHLUCE Store on Amazon](#)