

## SICOTAS SCEWA10004BK

# SICOTAS Sideboard Buffet Storage Cabinet, Black Oak (Model SCEWA10004BK) - Instruction Manual

### 1. INTRODUCTION

---

This instruction manual provides detailed guidance for the assembly, operation, and maintenance of your SICOTAS Sideboard Buffet Storage Cabinet. Please read this manual thoroughly before beginning assembly or use to ensure proper function and safety.



Figure 1: SICOTAS Sideboard Buffet Storage Cabinet, Black Oak. This image displays the assembled cabinet with its rattan doors and drawer, showcasing its modern aesthetic.

## 2. SAFETY INFORMATION

- **Anti-Tip Kit:** For safety, it is mandatory to attach the sideboard to the wall using the provided anti-tip kits. Failure to do so may result in injury or damage.
- **Weight Limit:** The cabinet is designed to support a maximum weight of 133 lbs. Do not exceed this limit to prevent structural damage or collapse.
- **Assembly:** Assembly requires careful attention to instructions. Ensure all components are securely fastened before use.
- **Placement:** This product is intended for indoor use only. Avoid placing it in areas with excessive moisture or direct sunlight to prevent material degradation.

## 3. PACKAGE CONTENTS

Verify that all parts are present before beginning assembly. If any parts are missing or damaged, please contact customer service.

- Engineered Wood Panels (various sizes for frame, shelves, drawer)

- Rattan Door Inserts
- Metal Handles (Gold finish)
- Assembly Hardware (screws, dowels, hinges, drawer slides, magnetic catches)
- Anti-Tip Kit
- Instruction Manual
- Assembly Tools (basic tools may be included, but a screwdriver is generally required)

#### 4. SETUP AND ASSEMBLY INSTRUCTIONS

The SICOTAS Sideboard Buffet Storage Cabinet requires assembly. Follow the included step-by-step instructions and use the provided tools. It is recommended to assemble the unit on a soft, clean surface to prevent scratches.



*Figure 2: Various views of the cabinet, illustrating its overall structure and design from multiple perspectives.*

##### Key Assembly Steps:

1. **Unpack and Identify:** Carefully unpack all components and verify against the package contents list.
2. **Assemble Frame:** Connect the side panels, top, and bottom using the designated hardware.
3. **Install Drawer Slides:** Attach drawer slides to the cabinet frame and the drawer box.

4. **Assemble Drawer:** Construct the drawer box and attach the rattan front panel and handle.
5. **Install Back Panels:** Secure the back panels to the assembled frame.
6. **Attach Hinges:** Mount hinges to the cabinet doors and then to the cabinet frame.
7. **Install Handles:** Attach the gold metal handles to the drawer and doors.
8. **Adjust Doors:** Adjust hinges as needed to ensure doors align properly and close smoothly.
9. **Install Anti-Tip Kit:** Securely fasten the anti-tip kit to the cabinet and then to a wall stud.



Figure 3: This diagram illustrates the product dimensions (14"D x 30"W x 34"H) and weight capacities for the top surface (66 lbs) and internal shelf (45 lbs).

## 5. OPERATING INSTRUCTIONS

### Drawer Operation:

The top drawer features smooth-gliding slides for easy opening and closing. Use the integrated gold handle to pull the drawer open and push it closed. Ensure no obstructions are present to prevent damage to the slides.



# Large Storage Capacity

Generous Storage for Every Room



*Figure 4: The top drawer is shown open, revealing ample space for various items.*

## **Door Operation:**

The two lower doors are equipped with magnetic catches to keep them securely closed. Gently pull the gold handles to open the doors. Push them firmly until the magnets engage to close them. The hinges allow for slight adjustment to ensure proper alignment.

## **Adjustable Shelf:**

The interior of the cabinet includes one adjustable shelf. This shelf can be repositioned to three different levels to accommodate various item heights. To adjust, carefully remove the shelf, reposition the shelf pins to the desired height, and then place the shelf back onto the pins.



Figure 5: The cabinet interior with the adjustable shelf, demonstrating its versatility for different storage needs.

## 6. MAINTENANCE AND CARE

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners, which can damage the finish.
- **Rattan Care:** The rattan inserts can be gently dusted or wiped with a slightly damp cloth. Avoid excessive moisture.
- **Hardware:** Periodically check all screws and fasteners to ensure they are tight. Retighten if necessary.
- **Spills:** Clean up spills immediately to prevent staining or damage to the wood finish.

## 7. TROUBLESHOOTING

- **Doors Not Aligning:** If doors do not align perfectly, adjust the screws on the hinges. Hinges typically have multiple adjustment points (in/out, up/down, left/right) to fine-tune door position.
- **Drawer Sticking:** Ensure drawer slides are properly aligned and free of debris. Lubricate with a silicone-based spray if necessary.
- **Wobbling:** Check that all assembly screws are tightened. Ensure the cabinet is placed on a level surface. Use the adjustable foot pads if available, or shims if needed.
- **Loose Hardware:** If any handles or other hardware become loose, gently tighten the screws. Avoid over-tightening, which can strip the wood.

## 8. SPECIFICATIONS

Brand	SICOTAS
Model Number	SCEWA10004BK
Color	Black Oak
Product Dimensions	14"D x 30"W x 34"H
Item Weight	49.98 Pounds
Weight Limit	133 Pounds

<b>Material</b>	Engineered Wood, Rattan
<b>Number of Shelves</b>	1 (adjustable)
<b>Storage Options</b>	2 doors, 1 drawer, 1 adjustable shelf
<b>Assembly Required</b>	Yes

## 9. WARRANTY AND SUPPORT

---

SICOTAS is committed to customer satisfaction. Our dedicated customer service team is available 7 days a week to assist with any issues, questions, or concerns you may have regarding your product. Please refer to your purchase documentation for specific warranty details or contact information.

For assistance, please visit the [SICOTAS Store on Amazon](#) or contact our support team directly.