

Parryware C899G

Parryware Vista Range C899G One-Piece Western Toilet User Manual

Model: C899G

1. INTRODUCTION

Thank you for choosing the Parryware Vista Range C899G One-Piece Western Toilet. This product is designed for durability, efficiency, and aesthetic appeal in your bathroom. This manual provides essential information for the safe installation, proper operation, and effective maintenance of your new toilet. Please read all instructions carefully before installation and use to ensure optimal performance and longevity of the product.

2. SAFETY INFORMATION

- Always turn off the main water supply before beginning any installation or maintenance work.
- Wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Handle ceramic components with care to prevent chipping or breakage.
- Ensure all connections are secure and watertight to prevent leaks.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use harsh abrasive cleaners or chemicals that may damage the ceramic finish or internal components.

3. PACKAGE CONTENTS

Please verify that all components are present and undamaged before proceeding with installation:

- Toilet Bowl (One-Piece Unit)
- Quick Connect Fixtures
- Soft-Close Seat Cover

4. SPECIFICATIONS

Feature	Detail
Model Number	C899G
Brand	Parryware
Colour	White
Material	Ceramic
Item Weight	34 Kilograms
Installation Type	Floor Mounted
Shape	Oval
Seat Material Type	Acrylonitrile Butadiene Styrene
Dimensions (L x W x H)	655 x 355 x 770 mm
Trap Type	S-Trap (220mm)

5. SETUP AND INSTALLATION

This section outlines the general steps for installing your Parryware Vista Range C899G toilet. Professional installation is recommended to ensure correct setup and prevent potential issues.

5.1 Pre-Installation Checklist

- Ensure the floor is level and clean at the installation site.
- Confirm the S-Trap outlet (220mm) aligns with your existing plumbing.
- Gather necessary tools: wrench, screwdriver, sealant, measuring tape, level.

5.2 Installation Steps

1. **Prepare the Area:** Turn off the water supply to the bathroom. Remove any old toilet and clean the flange area thoroughly.
2. **Position the Toilet:** Carefully place the one-piece toilet over the S-Trap outlet, ensuring it aligns correctly.
3. **Secure the Toilet:** Use the provided quick connect fixtures to bolt the toilet securely to the floor. Do not overtighten.
4. **Connect Water Supply:** Connect the water supply line to the fill valve on the toilet. Ensure a tight, leak-free connection.
5. **Apply Sealant:** Apply a bead of silicone sealant around the base of the toilet where it meets the floor. Smooth the sealant for a clean finish.
6. **Install Seat Cover:** Attach the soft-close seat cover according to the instructions provided with the seat.
7. **Test for Leaks:** Turn on the main water supply. Allow the tank to fill and flush the toilet several times, checking for any leaks around the base, water supply connection, and flush mechanism.



Figure 1: Side view of the Parryware Vista Range C899G toilet with the soft-close seat in the open position, showing the internal bowl.



Figure 2: Front view of the Parryware Vista Range C899G one-piece toilet, highlighting its compact and seamless design.

6. OPERATING INSTRUCTIONS

6.1 Flushing

To flush the toilet, press the flush button located on top of the tank. The dual-flush mechanism (if applicable) allows for a partial flush (for liquid waste) or a full flush (for solid waste). Refer to the button markings for specific flush options.

6.2 Soft-Close Seat

The toilet is equipped with a soft-close seat cover. To close the seat, gently push it downwards. The mechanism will allow the seat and lid to close slowly and quietly without slamming, preventing damage and reducing noise.



Figure 3: Side view of the Parryware Vista Range C899G toilet with the soft-close seat in the closed position, showcasing its sleek profile.

7. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and hygienic performance of your toilet.

7.1 Cleaning the Ceramic Surface

- Use a soft cloth or sponge with mild, non-abrasive bathroom cleaner.
- Avoid using harsh chemicals, abrasive pads, or scouring powders, as these can damage the ceramic glaze.
- Rinse thoroughly with clean water after cleaning and wipe dry to prevent water spots.

7.2 Cleaning the Seat Cover

- Clean the seat and lid with a soft cloth and mild soap and water.
- Do not use strong chemical cleaners, as they can degrade the plastic material and soft-close mechanism.

7.3 Internal Components

- Periodically inspect the flush mechanism and fill valve for wear or mineral buildup.
- If issues arise, consult a plumber or refer to specific component manuals for repair or replacement.



Figure 4: Angled view of the Parryware Vista Range C899G one-piece toilet, showing the complete unit with the seat closed.

8. TROUBLESHOOTING

This section addresses common issues you might encounter with your toilet.

Problem	Possible Cause	Solution
---------	----------------	----------

Toilet does not flush or flushes weakly	Low water level in tank, clogged siphon jet, flush mechanism issue	Check water level; clear any blockages in the bowl or trap; inspect flush valve for proper operation.
Toilet continuously runs or refills	Faulty flapper/flush valve seal, misaligned fill valve, high water level	Inspect and replace flapper if worn; adjust fill valve float; lower water level in tank.
Leaks at the base of the toilet	Loose mounting bolts, damaged wax ring/seal, cracked ceramic	Tighten mounting bolts (do not overtighten); replace wax ring/seal; if ceramic is cracked, replacement may be necessary.
Slow tank fill	Partially closed water supply valve, clogged fill valve	Ensure water supply valve is fully open; clean or replace fill valve if clogged.

If these solutions do not resolve the issue, it is recommended to contact a qualified plumber or Parryware customer support.

9. WARRANTY AND SUPPORT

Parryware products are manufactured to high-quality standards and are backed by a manufacturer's warranty against defects in materials and workmanship. For specific warranty terms and conditions, please refer to the warranty card included with your purchase or visit the official Parryware website.

For technical assistance, spare parts, or warranty claims, please contact Parryware customer support:

- **Manufacturer:** Roca Bathroom Products Pvt. Ltd.
- **Address:** The Heritage No. 41, Haddows road, Nungambakkam, Chennai - 600006
- **Website:** www.parryware.in (Please check for the most current contact information)