

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Asyko](#) /

› [Asyko 52" Ceiling Fan with Lights and Remote - Instruction Manual for Model A5013](#)

Asyko A5013

Asyko 52" Indoor/Outdoor Ceiling Fan with Lights and Remote

MODEL: A5013

Instruction Manual

1. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before beginning installation. Failure to follow these instructions could result in electric shock, fire, or personal injury.

- Ensure the power is turned off at the circuit breaker before installation or maintenance.
- All wiring must be in accordance with national and local electrical codes.
- The ceiling fan must be securely mounted to a ceiling joist or a suitable support structure capable of supporting the fan's weight.
- Do not bend the blade holders during installation or cleaning.
- This fan is suitable for both indoor and outdoor (wet-rated) use. Ensure all connections are properly sealed for outdoor installation.
- Use only replacement parts specified by the manufacturer.

2. PRODUCT OVERVIEW

The Asyko 52-inch Ceiling Fan (Model A5013) is designed for both indoor and outdoor environments, featuring a durable, wet-rated construction. It includes integrated lighting, a quiet DC motor, and a convenient remote control for managing its 6 speeds, 3-color lighting, and reversible airflow function.



Figure 2.1: The Asyko A5013 ceiling fan operating under simulated rain, highlighting its wet-rated construction for outdoor use.




Figure 2.2: The Asyko A5013 fan seamlessly integrated into diverse environments, showcasing its versatility for both indoor and outdoor applications.

Key Features:

- **Wet-Rated Design:** Suitable for patios, gazebos, and backyards.

- **Quiet DC Motor:** Operates at less than 35dB for a peaceful environment.
- **6-Speed Settings:** Adjustable airflow from soft to cool wind.
- **3-Color LED Lighting:** Offers warm, natural, and white light options.
- **Reversible Airflow:** Changes direction for summer cooling and winter air circulation.
- **Smart Remote Control:** Includes 1/4/8 hour timer functions and a wall-mount holder.

3. COMPONENTS LIST

Carefully unpack all components and ensure all items are present before beginning assembly. Refer to the diagram below for identification.



Figure 3.1: All components included in the Asyko A5013 ceiling fan package, laid out for inspection.

1. Motor Housing Assembly
2. Fan Blades (5 pieces)
3. Blade Brackets (5 pieces)
4. Light Kit Assembly (with glass lampshade and metal cage)
5. Downrod (5-inch and 10-inch options)
6. Mounting Bracket
7. Remote Control with Wall Holder
8. Hardware Pack (screws, washers, wire nuts, cotter pin)
9. Receiver for Remote Control

4. SETUP AND INSTALLATION

This section provides detailed steps for assembling and installing your Asyko ceiling fan. For visual guidance, please refer to the installation video below.

Your browser does not support the video tag.

Video 4.1: Official installation guide for the Asyko Outdoor Ceiling Fan, demonstrating each step of the assembly and mounting process.

4.1 Blade Assembly

1. Attach each fan blade to a blade bracket using the provided screws and washers. Ensure they are securely fastened.



Figure 4.1.1: Securing a fan blade to its bracket with screws.

4.2 Light Kit and Wiring

1. Connect the light kit wires to the corresponding wires from the motor housing.
2. Carefully attach the light kit assembly to the bottom of the motor housing, ensuring all wires are tucked in and screws are tightened.



Figure 4.2.1: Connecting the light kit and securing it to the fan motor housing.

4.3 Downrod and Mounting

1. Select the appropriate downrod length (5-inch or 10-inch) for your installation.
2. Feed the fan wires through the downrod.
3. Insert the downrod into the motor housing and secure it with the provided pin and screw.
4. Mount the ceiling bracket to a sturdy ceiling joist or outlet box.
5. Connect the fan's electrical wires to your household wiring, ensuring proper grounding.
6. Carefully lift the fan assembly and hang it onto the mounting bracket.
7. Tuck the remote receiver into the mounting bracket and secure the canopy.



Figure 4.3.1: Steps for downrod installation, wiring, and mounting the fan to the ceiling.

5. OPERATING INSTRUCTIONS

Your Asyko ceiling fan is controlled by the included remote. Familiarize yourself with its functions for optimal use.

Your browser does not support the video tag.

Video 5.1: Demonstration of the Asyko Outdoor Ceiling Fan's various functions and scene applications.

5.1 Remote Control Functions




Figure 5.1.1: Layout and functions of the remote control for the Asyko A5013 ceiling fan.

- **Fan ON/OFF:** Powers the fan on or off.
- **Light ON/OFF:** Controls the integrated LED light.
- **Speed Control (1-6):** Adjusts fan speed from gentle (1) to powerful (6).
- **Forward/Reverse (F/R):** Changes the direction of blade rotation for seasonal comfort.
- **Timer (1H, 4H, 8H):** Sets the fan to automatically turn off after 1, 4, or 8 hours.
- **Natural Wind:** Simulates a natural breeze by varying fan speed.
- **Button Mute Function:** Silences remote control beeps.

5.2 Light Color Temperature Adjustment

The integrated LED light offers three color temperature options: Warm Light (3000K), Natural Light

(4000K), and White Light (6000K). Cycle through these options using the light button on the remote.



Figure 5.2.1: The three adjustable color temperatures of the fan's LED light: Warm, Natural, and White.

5.3 Reversible Motor Function

The reversible motor allows you to change the direction of the fan blades, optimizing airflow for different seasons.

- **Summer Mode (Downward Airflow):** Creates a cooling breeze.
- **Winter Mode (Upward Airflow):** Circulates warm air trapped near the ceiling.




Figure 5.3.1: Visual representation of the reversible motor's effect on airflow for summer and winter comfort.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Use a soft, damp cloth to clean the fan blades and motor housing. Do not use abrasive cleaners or solvents.
- **Blade Inspection:** Periodically check that all blade screws are tight. Over time, they may loosen, causing wobbling.
- **Light Kit:** Ensure the light kit is free from dust and debris. Replace bulbs as needed (E26 Medium base).
- **Motor:** The DC motor is designed for long-term, maintenance-free operation. No lubrication is required.

7. TROUBLESHOOTING

If you encounter issues with your fan, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|---------------------|--|---|
| Fan does not start | No power supply Loose wire connections Remote control battery dead | Check circuit breaker Verify all wire connections are secure Replace remote control battery |
| Fan wobbles | Loose blade screws Unbalanced blades Improper mounting | Tighten all blade screws Use the included balance kit to balance blades Ensure mounting bracket is securely fastened to a ceiling joist |
| Light does not work | Loose wire connections Faulty LED module/bulb | Check light kit wiring Contact customer support for replacement parts |
| Remote not working | Dead battery Incorrect pairing Obstruction | Replace battery Refer to remote pairing instructions (if applicable) Ensure clear line of sight to receiver |
| Fan is noisy | Loose screws Motor issues | Check and tighten all screws If noise persists, contact customer support |

8. SPECIFICATIONS

| Feature | Detail |
|--------------------------|---------------------------------------|
| Brand | Asyko |
| Model Number | A5013 |
| Size | 52 inches |
| Color | Black-A5013 |
| Material | Glass, Metal |
| Indoor/Outdoor Usage | Indoor, Outdoor (Wet Rated) |
| Power Source | DC |
| Fan Speeds | 6-Speed |
| Light Source Type | LED |
| Light Color Temperatures | Multiple Colors (3000K, 4000K, 6000K) |
| Wattage | 120 watts |
| Control Method | Remote Control |
| Noise Level | Under 35dB (at highest speed) |
| Item Weight | 18.41 pounds |
| Product Dimensions | 52"L x 52"W x 52"H |

9. WARRANTY AND SUPPORT

Asyko products are manufactured to high-quality standards. For warranty information, technical support, or replacement parts, please contact Asyko customer service. Keep your purchase receipt as proof of purchase.

For further assistance, please visit the [Asyko Store on Amazon](#).