

Manuals.plus /

› Stellar Mounts /

› Stellar Mounts Ultra Slim Tilt TV Wall Mount Instruction Manual for 43R4A5R RokuTV

## Stellar Mounts 43R4A5R

# Stellar Mounts Ultra Slim Tilt TV Wall Mount Instruction Manual

MODEL: 43R4A5R

## Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Stellar Mounts Ultra Slim Tilt TV Wall Mount, designed specifically for the 43R4A5R 43" Class Select Series 4K Smart RokuTV. This premium, heavy-duty wall mount offers a low-profile design, tilt adjustment, and horizontal adjustment for optimal viewing angles and reduced glare.



*Image: The Stellar Mounts Ultra Slim Tilt TV Wall Mount, showcasing its sleek design and robust construction.*

## Product Features

---

- **Steel Construction:** Built with strong, tough, and sturdy steel material for maximum security.
- **Low 1.7" Profile Design:** Allows for close installation of the TV to the wall, providing a flush, modern appearance.
- **12° Tilt Up & Down:** Helps reduce glare and provides perfect viewing from various positions (couch, floor, or bed).
- **Horizontal Adjustment:** Sliding bracket design allows for perfect screen placement even after installation.
- **Easy Installation:** Fully assembled and designed for user-friendly setup.
- **Integrated Bubble Level:** Included for proper TV mounting and leveling.
- **Safety Screws:** Holds TV securely to the wall, limiting shifting and movement.
- **Max VESA 600x400:** Compatible with a wide range of TV sizes from 32" to 102".
- **165 lbs Weight Capacity:** Ensures safe and reliable support for your television.

## Package Contents

---

Please ensure all items are present before beginning installation:

- TV Wall Mount Assembly
- Mounting Hardware (various screws, anchors, washers)
- Bubble Level
- Instruction Manual (this document)



*Image: The main components of the TV wall mount, including the wall plate and TV brackets.*

## Safety Information

---


Always ensure the wall mount is securely fastened to wall studs or concrete walls. Do not install into drywall alone. Verify that the weight of your TV (including accessories) does not exceed the mount's 165 lbs capacity. Use the provided safety screws to prevent accidental dislodgement of the TV from the wall plate. If unsure about installation, consult a qualified professional.

## Setup & Installation

Follow these three easy steps for a secure installation:

### 1. Attach Wall Plate to Wall:

Locate suitable wall studs using a stud finder. Position the wall plate at your desired height and use the included bubble level to ensure it is perfectly horizontal. Secure the wall plate to the wall studs using the provided lag screws and anchors. For concrete walls, use appropriate concrete anchors (not included).




*Image: The wall plate of the TV mount, showing the integrated bubble level for accurate horizontal alignment during installation.*

### 2. Attach TV Brackets to TV:

Align the TV brackets with the VESA mounting holes on the back of your television. Select the appropriate screws and spacers from the provided hardware kit that match your TV's specifications. Securely fasten the brackets to the TV.

### 3. Attach TV to Wall Plate:

Carefully lift the television and hook the attached TV brackets onto the wall plate. Ensure the brackets are properly seated. Engage the safety screws at the bottom of the TV brackets to lock the TV securely in place, preventing accidental lifting or dislodgement.



*Image: A person carefully lifting and attaching a flat-screen TV to the installed wall mount, demonstrating the final step of the installation process.*

### Installation Video

Your browser does not support the video tag.

*Video: Official installation video demonstrating the steps to mount the Stellar Mounts Tilt TV Wall Mount.*

### Operating Instructions

Your Stellar Mounts TV Wall Mount offers flexible viewing options:

- **Tilt Adjustment:** The mount allows for a 0° to 12° tilt angle. To adjust, loosen the tilt adjustment knobs on the TV brackets, set your desired angle, and then re-tighten the knobs to secure the TV in position.
- **Horizontal Adjustment:** The sliding bracket design enables you to shift the TV horizontally along the wall plate for perfect centering or to accommodate different viewing positions within the room.

## Ultra-Slim Design

seamlessly aligns the TV with the wall



*Image: A side profile view illustrating the ultra-slim design of the TV wall mount, showing how closely the TV sits to the wall.*



*Image: A family watching television, demonstrating how the tilt feature of the wall mount can enhance viewing comfort from various seating positions.*

## Maintenance

---

To ensure the longevity and safe operation of your TV wall mount:

- Periodically check all screws and bolts to ensure they remain tight and secure.
- Clean the mount with a soft, dry cloth. Avoid abrasive cleaners or solvents.
- Do not hang objects from the TV or the mount.

## Troubleshooting

---

If you encounter any issues with your TV wall mount, please refer to the following:

- **TV not level:** Ensure the wall plate was installed using the bubble level. Adjust the tilt screws if necessary.
- **TV feels loose:** Re-check all mounting screws on both the wall plate and the TV brackets. Ensure safety screws are engaged.
- **Difficulty adjusting tilt:** Loosen the tilt adjustment knobs slightly before attempting to adjust the angle,

then re-tighten.

## Specifications

<b>Brand:</b>	Stellar Mounts
<b>Model Number:</b>	Tilt Mount for 43R4A5R
<b>Mounting Type:</b>	Wall Mount
<b>Movement Type:</b>	Tilt
<b>Material:</b>	Alloy Steel
<b>Color:</b>	Black
<b>Compatible Devices:</b>	Monitor, Television (specifically 43R4A5R)
<b>Maximum Tilt Angle:</b>	12 Degrees
<b>Low Profile:</b>	1.7 inches from wall
<b>Weight Capacity:</b>	165 lbs
<b>Max VESA:</b>	600x400

## Warranty and Support

For warranty information or technical support, please contact Stellar Mounts customer service. Refer to your product packaging or purchase receipt for specific warranty details.