Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Bellemave cabinet

Bellemave 24-inch Bathroom Vanity with Top Sink (Model: cabinet) Instruction Manual

Introduction

Welcome to your new Bellemave 24-inch Bathroom Vanity with Top Sink. This manual provides essential information for the safe and correct assembly, operation, and maintenance of your product. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

Important Safety Information

- Read and understand all instructions before assembly and use.
- Keep all small parts and packaging materials away from children during assembly to prevent choking hazards.
- Ensure all connections are securely fastened before using the vanity.
- Do not overload the shelves or the vanity top. The overall weight capacity is 300 lbs, and each internal panel can hold up to 50 lbs.
- Use appropriate tools for assembly as specified in the instructions.
- Always lift with assistance when moving heavy components to prevent injury.

Package Contents

Please verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact Bellemave customer support.

- Vanity Cabinet (MDF + Solid Wood Frame)
- Resin Sink Top
- Metal Handles (2)
- Assembly Hardware (screws, hinges, etc.)
- Instruction Manual (this document)

Note: Faucet, drain assembly, and plumbing connections are not included and must be purchased separately.

Product Specifications

Feature	Detail
Brand	Bellemave
Model	cabinet
Color	Grey
Product Dimensions (Overall)	18"D x 24"W x 34"H
Product Weight	59.52 lbs
Material	MDF + Resin (Sink) + Solid Wood (Frame)
Finish	Painted
Sink Type	Undermount/Drop-in Resin
Faucet Mount	Centre 32mm (Faucet not included)
Overflow Hole	Yes
Number of Doors	2
Number of Shelves	2
Overall Weight Capacity	300 lbs
Panel Weight Capacity	50 lbs
Assembly Required	Yes



Figure 1: Product Dimensions. This image displays the overall dimensions of the vanity, including height, width, and depth, along with internal shelf measurements.

Setup and Assembly Instructions

It is recommended to have two people for assembly. Ensure you have a clear, spacious area to work in.

Step 1: Unpack and Identify Components

Carefully remove all parts from the packaging. Lay them out on a clean, soft surface (e.g., a blanket or cardboard) to prevent scratches. Refer to the included hardware pack and instructions to identify each component.

Step 2: Assemble the Cabinet Frame

Connect the side panels to the base and top frame using the provided hardware. Ensure all cam locks and screws are tightened securely. Follow the numerical or alphabetical sequence in the detailed assembly diagram (if provided in the physical manual) for correct orientation.



Figure 2: Vanity interior with shelves. This image shows the vanity cabinet with its doors open, revealing the two internal storage shelves.

Step 3: Attach the Legs

Securely attach the four decorative legs to the bottom of the vanity cabinet. Ensure they are firmly fastened for stability. Hand-tighten first, then use a screwdriver to ensure a snug fit without overtightening.



Figure 3: Vanity leg detail. This close-up image highlights the design and attachment point of one of the vanity's legs.

Step 4: Install the Doors

Attach the hinges to the cabinet doors and then to the cabinet frame. The hinges are designed for soft-close functionality. Adjust the hinges as needed to ensure the doors close smoothly and align properly with each other and the cabinet frame.



Figure 4: Adjustable soft-close hinges. This image shows a detailed view of the adjustable soft-close hinges used on the vanity doors.

Step 5: Attach the Handles

Secure the metal handles to the pre-drilled holes on the cabinet doors using the provided screws. Ensure they are tightened firmly but do not overtighten.



Figure 5: Vintage handle detail. This image provides a close-up of the vintage-style metal handle on one of the vanity doors.

Step 6: Place the Resin Sink Top

Carefully place the resin sink top onto the assembled cabinet. Ensure it is properly aligned with the cabinet edges and the plumbing access holes at the back. The sink is designed to sit securely on the cabinet.



Figure 6: Resin sink top with plumbing access. This image shows the separate resin basin sink, highlighting the pre-drilled faucet holes and overflow.

Step 7: Install Faucet and Drain (Not Included)

Install your chosen faucet and drain assembly according to their respective manufacturer's instructions. Connect the hot and cold water supply lines and the drain trap. Ensure all plumbing connections are watertight to prevent leaks.

Operating Instructions

- Ensure the faucet is properly installed and sealed to prevent leaks before turning on water supply.
- Use the cabinet doors to access the two internal storage shelves for organizing bathroom essentials.
- Avoid placing excessively hot items directly on the resin sink surface to prevent potential damage.
- Do not apply excessive force or impact to the sink or cabinet surfaces.

Maintenance and Care

Cabinet Care (Painted MDF/Wood)

- Wipe surfaces with a soft, damp cloth. For general cleaning, a mild, non-abrasive cleaner can be used.
- Avoid abrasive cleaners, harsh chemicals, or solvents, as they can damage the painted finish.
- Promptly wipe up any spills or standing water to prevent moisture damage and warping.
- Do not expose the cabinet to excessive moisture or direct sunlight for prolonged periods.

Sink Care (Resin)

- Clean the resin sink with mild soap and water.
- For stubborn stains, use a non-abrasive liquid cleaner specifically designed for bathroom surfaces.
- Rinse thoroughly after cleaning to remove all soap residue.
- Avoid using harsh scouring pads, abrasive powders, or strong chemical drain cleaners, as these can scratch or damage the resin surface.

Troubleshooting

Doors Do Not Align Properly

Check the hinge adjustments. Most soft-close hinges allow for minor adjustments (up/down, left/right, in/out) using screws on the hinge body. Refer to the hinge manufacturer's instructions or a general guide on hinge adjustment if needed.

Water Stains on Sink Surface

The resin sink is designed to be water-resistant. Regular cleaning with mild soap and water should prevent most stains. For mineral deposits (hard water stains), a solution of equal parts white vinegar and water can be applied, left for a few minutes, then scrubbed gently and rinsed thoroughly. Always rinse well after using any cleaning agent.

Vanity Feels Unstable or Wobbly

Verify that all assembly screws and connections, especially those for the legs and main cabinet frame, are tightened securely. Ensure the vanity is placed on a level surface. If your floor is uneven, consider using shims under the legs to stabilize the unit.

Warranty Information and Customer Support

This Bellemave product comes with a manufacturer's warranty against defects in materials and workmanship. For specific warranty details, including duration and coverage, please refer to any documentation included with your purchase or contact Bellemave customer service directly.
If you have any questions, require assistance with assembly, need to report a damaged part, or have other concerns, please contact Bellemave customer support through the retailer where you purchased the product or visit the official Bellemave store for contact information.

Visit the official Bellemave store for more information:Bellemave Store on Amazon

© 2023 Bellemave. All rights reserved.

Model: cabinet

Made in Vietnam

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CDL2FVPL

More documents and user manuals: **https://manuals.plus/**