

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Wilprep](#) /

› [Wilprep Commercial Refrigerator User Manual - Model SS-P1200WA-B \(37 cu. ft., 2 Sliding Doors\)](#)

Wilprep SS-P1200WA-B

Wilprep Commercial Refrigerator User Manual

Model: SS-P1200WA-B (37 cu. ft., 2 Sliding Doors)



1. INTRODUCTION

Thank you for choosing the Wilprep Commercial Refrigerator. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new appliance. Please read this manual thoroughly before use and retain it for future reference.

This commercial display refrigerator is designed for storing and showcasing various beverages and packaged foods in commercial environments such as convenience stores, cafes, and restaurants. It features a 37 cu. ft. capacity with two sliding glass doors and LED lighting.

2. SAFETY INSTRUCTIONS

WARNING: To reduce the risk of fire, electric shock, or injury, follow these basic precautions:

- Read all instructions before using the appliance.
- This appliance must be properly installed and located in accordance with the Installation Instructions before it is used.
- Do not allow children to climb, stand, or hang on the shelves of the refrigerator. They could damage the refrigerator and seriously injure themselves.
- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not damage the refrigerant circuit.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the

type recommended by the manufacturer.

Electrical Safety

- This appliance must be plugged into a grounded 110V, 60Hz electrical outlet.
- Do not use an extension cord.
- Do not operate the refrigerator with a damaged power cord or plug.
- Ensure the power cord is not pinched or damaged during installation.
- Always unplug the appliance before cleaning or performing any maintenance.

3. SETUP

3.1 Unpacking

Carefully remove all packaging materials. Inspect the refrigerator for any shipping damage. Report any damage immediately to the carrier and your dealer. Do not discard packaging materials until the unit has been inspected.

3.2 Placement

- Place the refrigerator on a strong, level surface capable of supporting its weight when fully loaded.
- Ensure adequate ventilation around the unit. Maintain a minimum of 4 inches (10 cm) clearance from walls or other objects on all sides to allow for proper airflow and heat dissipation.
- Avoid placing the refrigerator in direct sunlight or near heat sources such as ovens, radiators, or heating vents.
- The ambient temperature should be between 60°F (16°C) and 90°F (32°C) for optimal performance.

3.3 Leveling

The refrigerator is equipped with casters for mobility. Ensure the unit is level to prevent door misalignment and ensure proper operation. Use the adjustable feet on the casters to level the unit if necessary.



88 lb.
Shelf Capacity



Image: Angled view of the Wilprep Commercial Refrigerator, highlighting its dimensions (52.4 inches width, 27.6 inches depth, 79.5 inches height) and 35.1 cubic feet capacity. The image also indicates an 88 lb. shelf capacity.

3.4 Electrical Connection

Plug the refrigerator into a dedicated 110V, 60Hz, grounded electrical outlet. Do not use a multi-outlet adapter or extension cord. Ensure the circuit is protected by a fuse or circuit breaker of appropriate amperage.

3.5 Initial Cleaning

Before first use, clean the interior and exterior of the refrigerator with a mild detergent and warm water. Rinse thoroughly and dry with a soft cloth. This removes any manufacturing residues.

3.6 Shelf Installation

The refrigerator comes with 8 adjustable and removable shelves. Install the shelves by inserting the shelf clips into the desired slots on the interior side walls, then placing the shelves onto the clips. Ensure shelves are level and securely in place before loading products.



Image: Front view of the empty Wilprep Commercial Refrigerator interior, showing the installed shelves and the ETL and ETL Sanitation Listed certifications on the right side.

3.7 Caster Installation

The refrigerator includes 4 casters for mobility. Attach the casters to the bottom of the unit using the provided hardware. Ensure all casters are securely fastened and locked once the unit is in its final position.

4. OPERATING INSTRUCTIONS

4.1 Initial Start-Up

After installation, allow the refrigerator to stand upright for at least 2 hours before plugging it in. Once plugged in, allow the unit to run empty for 2-4 hours to reach the desired temperature before loading products.

4.2 Control Panel and Temperature Settings

The refrigerator features a convenient digital temperature control panel. The adjustable temperature range is 32°F to 50°F (0°C to 10°C). Use the control buttons to set the desired temperature. Refer to the control panel diagram for specific button functions (usually up/down arrows for temperature adjustment, and a set button).




Image: A diagram illustrating user-friendly features including a convenient temperature control panel, flexible storage solutions with adjustable shelves, secure fridge locks, and lockable swivel casters.

4.3 Loading Products

- Arrange products to allow for proper air circulation. Do not block the air vents inside the refrigerator.


- Avoid overloading shelves. The maximum shelf capacity is 88 lbs.
- Ensure bottles and cans are stable to prevent tipping.



Image: The Wilprep Commercial Refrigerator in a commercial setting, showcasing its 35.1 cubic feet large capacity, capable of storing various items like bottled water, soft drinks, beers, energy drinks, fruit cups, and desserts.

4.4 LED Lighting

The refrigerator is equipped with built-in LED lights to illuminate the interior. These lights enhance product visibility. The lighting can typically be controlled via a switch on the control panel or near the top of the unit.



ATTRACTIVE BEVERAGE DISPLAY

Image: A diagram highlighting the customizable lightbox, built-in LED lights for illumination, and fog-free glass doors for clear visibility, all contributing to an attractive beverage display.

5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your refrigerator.

5.1 Cleaning the Interior and Exterior

- **Frequency:** Monthly or as needed.
- **Procedure:** Unplug the unit. Remove all products and shelves. Wash interior surfaces with a solution of mild detergent and warm water. Rinse with clean water and dry thoroughly. Clean exterior surfaces with a soft cloth and mild detergent.
- **Glass Doors:** Use a glass cleaner for the sliding glass doors. Avoid abrasive cleaners that may scratch the surface.

5.2 Defrosting

This refrigerator features an automatic defrost system, eliminating the need for manual defrosting. Water from the defrost cycle is evaporated automatically.

5.3 Gasket Care

- Frequency:** Quarterly or as needed.
- Procedure:** Inspect door gaskets for cracks or tears. Clean gaskets with a mild detergent and warm water. Ensure they are flexible and seal properly to maintain cooling efficiency.

5.4 Condenser Coil Cleaning

- Frequency:** Every 3-6 months, depending on the environment.
- Procedure:** Unplug the unit. Locate the condenser coil (usually at the bottom rear or front behind a grille). Use a brush or vacuum cleaner to remove dust and debris from the coils. Clean coils improve cooling efficiency and reduce energy consumption.

6. TROUBLESHOOTING

Before contacting customer service, please review the following common issues and their solutions.

| Problem | Possible Cause | Solution |
|------------------------------|---|---|
| Refrigerator not cooling | Power supply issue Temperature setting too high Blocked condenser coils Door left open | Check power plug and outlet Adjust temperature to a lower setting Clean condenser coils Ensure doors are closed properly |
| Excessive noise | Unit not level Loose parts Fan obstruction | Level the unit using adjustable casters Check for and tighten any loose components Ensure nothing is obstructing the fan blades |
| LED lights not working | Light switch off Bulb failure Wiring issue | Check the light switch Contact customer service for bulb replacement Contact customer service for wiring inspection |
| Frost buildup on glass doors | High humidity Door gasket not sealing Frequent door opening | Ensure proper ventilation Inspect and clean door gaskets Minimize door opening frequency |

7. SPECIFICATIONS

| Feature | Specification |
|------------------------|---|
| Brand | Wilprep |
| Model Number | SS-P1200WA-B |
| Capacity | 35.1 Cubic Feet (Effective Volume), 37 Cubic Feet (Fresh Food Capacity) |
| Dimensions (D x W x H) | 27.6 x 52.4 x 79.5 inches |

| Feature | Specification |
|---------------------------|--|
| Item Weight | 348.3 Pounds |
| Voltage | 110 Volts |
| Annual Energy Consumption | 1314 Kilowatt Hours Per Year |
| Temperature Range | 32-50°F (0-10°C) |
| Number of Doors | 2 (Sliding Glass Doors) |
| Defrost System | Automatic |
| Shelves | 8, Adjustable Metal |
| Special Features | Adjustable Shelves, LED Lighting, Customizable Lightbox, Lockable Swivel Casters |
| Certification | ETL, ETL Sanitation Listed |
| Included Components | 1 Merchandiser Refrigerator, 8 Shelves, 4 Casters, 1 Instruction Manual |

8. WARRANTY AND SUPPORT

Wilprep products are manufactured to high-quality standards. For warranty information, technical support, or service inquiries, please contact Wilprep customer service. Keep your purchase receipt and model number handy when contacting support.

For further assistance, please visit the official Wilprep website or contact your authorized dealer.

© 2025 Wilprep. All rights reserved.

Related Documents - SS-P1200WA-B

| | |
|---|--|
|  Cabinet Freezer User Manual  <small>Print friendly version Keep for future reference</small> | <p><u>Wilprep Cabinet Freezer User Manual</u></p> <p>User manual for Wilprep cabinet freezers, covering safety information, specifications, installation, operation, adjustment, maintenance, troubleshooting, and disposal.</p> |
|---|--|

| | |
|--|---|
|  <p>Réchaud Manuel de l'utilisateur</p> | <p>Manuel de l'Utilisateur Wilprep Réchaud Commercial Modèles HT, BM</p> <p>Guide complet pour l'utilisation, l'entretien et la sécurité des réchauds Wilprep. Inclut les spécifications techniques et le dépannage pour les modèles HT-1V-A, HT-2V, BM-22B, BM-42B, et plus.</p> |
|  <p>BERG Instruction Manual Commercial Glass-Door Refrigerators and Freezers</p> <p>Glass Door Refrigerator Merchandisers 800-321-0210 800-321-0210 800-321-0210</p> <p>Glass Door Freezer Merchandisers 800-321-0210 800-321-0210 800-321-0210</p> <p>The initial delivery may require a signature for each. Please read and understand the instructions before attempting to open the unit. If you have any questions, please call the toll-free number above.</p> | <p>BERG Commercial Merchandiser Refrigerators and Freezers Instruction Manual</p> <p>Comprehensive instruction manual for BERG commercial glass-door merchandiser refrigerators and freezers, covering installation, operation, maintenance, troubleshooting, and warranty information. Includes model numbers BRFS and BFZS series.</p> |
|  <p>Kegco INSTRUCTION MANUAL 15" WIDE BUILT-IN OUTDOOR COMMERCIAL BEVERAGE CENTER MODEL# HK-15BC-SS</p> <p>BEFORE YOU PLUG IN AND POLISH ALL SURFACES AND SPRAY INSTRUCTIONS SERIAL NUMBER: _____ DATE PURCHASED: _____</p> | <p>Kegco HK-15BC-SS 15-Inch Built-In Outdoor Commercial Beverage Center: Instruction Manual</p> <p>This instruction manual provides detailed information for the Kegco HK-15BC-SS 15-inch wide built-in outdoor commercial beverage center. It covers essential safety guidelines, assembly and installation procedures, operating instructions, cleaning and maintenance tips, troubleshooting common issues, technical specifications, and warranty details.</p> |
|  <p>COLD-ZONE Glass Door Merchandiser Refrigerator and Freezer (Swing and Sliding Door) Service, Installation and Care Manual For Models: COLD-ZONE 1500, 1500L, 1500LW, 1500LW-2, 1500LW-3, 1500LW-4, 1500LW-5, 1500LW-6, 1500LW-7, 1500LW-8, 1500LW-9, 1500LW-10, 1500LW-11, 1500LW-12, 1500LW-13, 1500LW-14, 1500LW-15, 1500LW-16, 1500LW-17, 1500LW-18, 1500LW-19, 1500LW-20, 1500LW-21, 1500LW-22, 1500LW-23, 1500LW-24, 1500LW-25, 1500LW-26, 1500LW-27, 1500LW-28, 1500LW-29, 1500LW-30, 1500LW-31, 1500LW-32, 1500LW-33, 1500LW-34, 1500LW-35, 1500LW-36, 1500LW-37, 1500LW-38, 1500LW-39, 1500LW-40, 1500LW-41, 1500LW-42, 1500LW-43, 1500LW-44, 1500LW-45, 1500LW-46, 1500LW-47, 1500LW-48, 1500LW-49, 1500LW-50, 1500LW-51, 1500LW-52, 1500LW-53, 1500LW-54, 1500LW-55, 1500LW-56, 1500LW-57, 1500LW-58, 1500LW-59, 1500LW-60, 1500LW-61, 1500LW-62, 1500LW-63, 1500LW-64, 1500LW-65, 1500LW-66, 1500LW-67, 1500LW-68, 1500LW-69, 1500LW-70, 1500LW-71, 1500LW-72, 1500LW-73, 1500LW-74, 1500LW-75, 1500LW-76, 1500LW-77, 1500LW-78, 1500LW-79, 1500LW-80, 1500LW-81, 1500LW-82, 1500LW-83, 1500LW-84, 1500LW-85, 1500LW-86, 1500LW-87, 1500LW-88, 1500LW-89, 1500LW-90, 1500LW-91, 1500LW-92, 1500LW-93, 1500LW-94, 1500LW-95, 1500LW-96, 1500LW-97, 1500LW-98, 1500LW-99, 1500LW-100, 1500LW-101, 1500LW-102, 1500LW-103, 1500LW-104, 1500LW-105, 1500LW-106, 1500LW-107, 1500LW-108, 1500LW-109, 1500LW-110, 1500LW-111, 1500LW-112, 1500LW-113, 1500LW-114, 1500LW-115, 1500LW-116, 1500LW-117, 1500LW-118, 1500LW-119, 1500LW-120, 1500LW-121, 1500LW-122, 1500LW-123, 1500LW-124, 1500LW-125, 1500LW-126, 1500LW-127, 1500LW-128, 1500LW-129, 1500LW-130, 1500LW-131, 1500LW-132, 1500LW-133, 1500LW-134, 1500LW-135, 1500LW-136, 1500LW-137, 1500LW-138, 1500LW-139, 1500LW-140, 1500LW-141, 1500LW-142, 1500LW-143, 1500LW-144, 1500LW-145, 1500LW-146, 1500LW-147, 1500LW-148, 1500LW-149, 1500LW-150, 1500LW-151, 1500LW-152, 1500LW-153, 1500LW-154, 1500LW-155, 1500LW-156, 1500LW-157, 1500LW-158, 1500LW-159, 1500LW-160, 1500LW-161, 1500LW-162, 1500LW-163, 1500LW-164, 1500LW-165, 1500LW-166, 1500LW-167, 1500LW-168, 1500LW-169, 1500LW-170, 1500LW-171, 1500LW-172, 1500LW-173, 1500LW-174, 1500LW-175, 1500LW-176, 1500LW-177, 1500LW-178, 1500LW-179, 1500LW-180, 1500LW-181, 1500LW-182, 1500LW-183, 1500LW-184, 1500LW-185, 1500LW-186, 1500LW-187, 1500LW-188, 1500LW-189, 1500LW-190, 1500LW-191, 1500LW-192, 1500LW-193, 1500LW-194, 1500LW-195, 1500LW-196, 1500LW-197, 1500LW-198, 1500LW-199, 1500LW-200, 1500LW-201, 1500LW-202, 1500LW-203, 1500LW-204, 1500LW-205, 1500LW-206, 1500LW-207, 1500LW-208, 1500LW-209, 1500LW-210, 1500LW-211, 1500LW-212, 1500LW-213, 1500LW-214, 1500LW-215, 1500LW-216, 1500LW-217, 1500LW-218, 1500LW-219, 1500LW-220, 1500LW-221, 1500LW-222, 1500LW-223, 1500LW-224, 1500LW-225, 1500LW-226, 1500LW-227, 1500LW-228, 1500LW-229, 1500LW-230, 1500LW-231, 1500LW-232, 1500LW-233, 1500LW-234, 1500LW-235, 1500LW-236, 1500LW-237, 1500LW-238, 1500LW-239, 1500LW-240, 1500LW-241, 1500LW-242, 1500LW-243, 1500LW-244, 1500LW-245, 1500LW-246, 1500LW-247, 1500LW-248, 1500LW-249, 1500LW-250, 1500LW-251, 1500LW-252, 1500LW-253, 1500LW-254, 1500LW-255, 1500LW-256, 1500LW-257, 1500LW-258, 1500LW-259, 1500LW-260, 1500LW-261, 1500LW-262, 1500LW-263, 1500LW-264, 1500LW-265, 1500LW-266, 1500LW-267, 1500LW-268, 1500LW-269, 1500LW-270, 1500LW-271, 1500LW-272, 1500LW-273, 1500LW-274, 1500LW-275, 1500LW-276, 1500LW-277, 1500LW-278, 1500LW-279, 1500LW-280, 1500LW-281, 1500LW-282, 1500LW-283, 1500LW-284, 1500LW-285, 1500LW-286, 1500LW-287, 1500LW-288, 1500LW-289, 1500LW-290, 1500LW-291, 1500LW-292, 1500LW-293, 1500LW-294, 1500LW-295, 1500LW-296, 1500LW-297, 1500LW-298, 1500LW-299, 1500LW-300, 1500LW-301, 1500LW-302, 1500LW-303, 1500LW-304, 1500LW-305, 1500LW-306, 1500LW-307, 1500LW-308, 1500LW-309, 1500LW-310, 1500LW-311, 1500LW-312, 1500LW-313, 1500LW-314, 1500LW-315, 1500LW-316, 1500LW-317, 1500LW-318, 1500LW-319, 1500LW-320, 1500LW-321, 1500LW-322, 1500LW-323, 1500LW-324, 1500LW-325, 1500LW-326, 1500LW-327, 1500LW-328, 1500LW-329, 1500LW-330, 1500LW-331, 1500LW-332, 1500LW-333, 1500LW-334, 1500LW-335, 1500LW-336, 1500LW-337, 1500LW-338, 1500LW-339, 1500LW-340, 1500LW-341, 1500LW-342, 1500LW-343, 1500LW-344, 1500LW-345, 1500LW-346, 1500LW-347, 1500LW-348, 1500LW-349, 1500LW-350, 1500LW-351, 1500LW-352, 1500LW-353, 1500LW-354, 1500LW-355, 1500LW-356, 1500LW-357, 1500LW-358, 1500LW-359, 1500LW-360, 1500LW-361, 1500LW-362, 1500LW-363, 1500LW-364, 1500LW-365, 1500LW-366, 1500LW-367, 1500LW-368, 1500LW-369, 1500LW-370, 1500LW-371, 1500LW-372, 1500LW-373, 1500LW-374, 1500LW-375, 1500LW-376, 1500LW-377, 1500LW-378, 1500LW-379, 1500LW-380, 1500LW-381, 1500LW-382, 1500LW-383, 1500LW-384, 1500LW-385, 1500LW-386, 1500LW-387, 1500LW-388, 1500LW-389, 1500LW-390, 1500LW-391, 1500LW-392, 1500LW-393, 1500LW-394, 1500LW-395, 1500LW-396, 1500LW-397, 1500LW-398, 1500LW-399, 1500LW-400, 1500LW-401, 1500LW-402, 1500LW-403, 1500LW-404, 1500LW-405, 1500LW-406, 1500LW-407, 1500LW-408, 1500LW-409, 1500LW-410, 1500LW-411, 1500LW-412, 1500LW-413, 1500LW-414, 1500LW-415, 1500LW-416, 1500LW-417, 1500LW-418, 1500LW-419, 1500LW-420, 1500LW-421, 1500LW-422, 1500LW-423, 1500LW-424, 1500LW-425, 1500LW-426, 1500LW-427, 1500LW-428, 1500LW-429, 1500LW-430, 1500LW-431, 1500LW-432, 1500LW-433, 1500LW-434, 1500LW-435, 1500LW-436, 1500LW-437, 1500LW-438, 1500LW-439, 1500LW-440, 1500LW-441, 1500LW-442, 1500LW-443, 1500LW-444, 1500LW-445, 1500LW-446, 1500LW-447, 1500LW-448, 1500LW-449, 1500LW-450, 1500LW-451, 1500LW-452, 1500LW-453, 1500LW-454, 1500LW-455, 1500LW-456, 1500LW-457, 1500LW-458, 1500LW-459, 1500LW-460, 1500LW-461, 1500LW-462, 1500LW-463, 1500LW-464, 1500LW-465, 1500LW-466, 1500LW-467, 1500LW-468, 1500LW-469, 1500LW-470, 1500LW-471, 1500LW-472, 1500LW-473, 1500LW-474, 1500LW-475, 1500LW-476, 1500LW-477, 1500LW-478, 1500LW-479, 1500LW-480, 1500LW-481, 1500LW-482, 1500LW-483, 1500LW-484, 1500LW-485, 1500LW-486, 1500LW-487, 1500LW-488, 1500LW-489, 1500LW-490, 1500LW-491, 1500LW-492, 1500LW-493, 1500LW-494, 1500LW-495, 1500LW-496, 1500LW-497, 1500LW-498, 1500LW-499, 1500LW-500, 1500LW-501, 1500LW-502, 1500LW-503, 1500LW-504, 1500LW-505, 1500LW-506, 1500LW-507, 1500LW-508, 1500LW-509, 1500LW-510, 1500LW-511, 1500LW-512, 1500LW-513, 1500LW-514, 1500LW-515, 1500LW-516, 1500LW-517, 1500LW-518, 1500LW-519, 1500LW-520, 1500LW-521, 1500LW-522, 1500LW-523, 1500LW-524, 1500LW-525, 1500LW-526, 1500LW-527, 1500LW-528, 1500LW-529, 1500LW-530, 1500LW-531, 1500LW-532, 1500LW-533, 1500LW-534, 1500LW-535, 1500LW-536, 1500LW-537, 1500LW-538, 1500LW-539, 1500LW-540, 1500LW-541, 1500LW-542, 1500LW-543, 1500LW-544, 1500LW-545, 1500LW-546, 1500LW-547, 1500LW-548, 1500LW-549, 1500LW-550, 1500LW-551, 1500LW-552, 1500LW-553, 1500LW-554, 1500LW-555, 1500LW-556, 1500LW-557, 1500LW-558, 1500LW-559, 1500LW-560, 1500LW-561, 1500LW-562, 1500LW-563, 1500LW-564, 1500LW-565, 1500LW-566, 1500LW-567, 1500LW-568, 1500LW-569, 1500LW-570, 1500LW-571, 1500LW-572, 1500LW-573, 1500LW-574, 1500LW-575, 1500LW-576, 1500LW-577, 1500LW-578, 1500LW-579, 1500LW-580, 1500LW-581, 1500LW-582, 1500LW-583, 1500LW-584, 1500LW-585, 1500LW-586, 1500LW-587, 1500LW-588, 1500LW-589, 1500LW-590, 1500LW-591, 1500LW-592, 1500LW-593, 1500LW-594, 1500LW-595, 1500LW-596, 1500LW-597, 1500LW-598, 1500LW-599, 1500LW-600, 1500LW-601, 1500LW-602, 1500LW-603, 1500LW-604, 1500LW-605, 1500LW-606, 1500LW-607, 1500LW-608, 1500LW-609, 1500LW-610, 1500LW-611, 1500LW-612, 1500LW-613, 1500LW-614, 1500LW-615, 1500LW-616, 1500LW-617, 1500LW-618, 1500LW-619, 1500LW-620, 1500LW-621, 1500LW-622, 1500LW-623, 1500LW-624, 1500LW-625, 1500LW-626, 1500LW-627, 1500LW-628, 1500LW-629, 1500LW-630, 1500LW-631, 1500LW-632, 1500LW-633, 1500LW-634, 1500LW-635, 1500LW-636, 1500LW-637, 1500LW-638, 1500LW-639, 1500LW-640, 1500LW-641, 1500LW-642, 1500LW-643, 1500LW-644, 1500LW-645, 1500LW-646, 1500LW-647, 1500LW-648, 1500LW-649, 1500LW-650, 1500LW-651, 1500LW-652, 1500LW-653, 1500LW-654, 1500LW-655, 1500LW-656, 1500LW-657, 1500LW-658, 1500LW-659, 1500LW-660, 1500LW-661, 1500LW-662, 1500LW-663, 1500LW-664, 1500LW-665, 1500LW-666, 1500LW-667, 1500LW-668, 1500LW-669, 1500LW-670, 1500LW-671, 1500LW-672, 1500LW-673, 1500LW-674, 1500LW-675, 1500LW-676, 1500LW-677, 1500LW-678, 1500LW-679, 1500LW-680, 1500LW-681, 1500LW-682, 1500LW-683, 1500LW-684, 1500LW-685, 1500LW-686, 1500LW-687, 1500LW-688, 1500LW-689, 1500LW-690, 1500LW-691, 1500LW-692, 1500LW-693, 1500LW-694, 1500LW-695, 1500LW-696, 1500LW-697, 1500LW-698, 1500LW-699, 1500LW-700, 1500LW-701, 1500LW-702, 1500LW-703, 1500LW-704, 1500LW-705, 1500LW-706, 1500LW-707, 1500LW-708, 1500LW-709, 1500LW-710, 1500LW-711, 1500LW-712, 1500LW-713, 1500LW-714, 1500LW-715, 1500LW-716, 1500LW-717, 1500LW-718, 1500LW-719, 1500LW-720, 1500LW-721, 1500LW-722, 1500LW-723, 1500LW-724, 1500LW-725, 1500LW-726, 1500LW-727, 1500LW-728, 1500LW-729, 1500LW-730, 1500LW-731, 1500LW-732, 1500LW-733, 1500LW-734, 1500LW-735, 1500LW-736, 1500LW-737, 1500LW-738, 1500LW-739, 1500LW-740, 1500LW-741, 1500LW-742, 1500LW-743, 1500LW-744, 1500LW-745, 1500LW-746, 1500LW-747, 1500LW-748, 1500LW-749, 1500LW-750, 1500LW-751, 1500LW-752, 1500LW-753, 1500LW-754, 1500LW-755, 1500LW-756, 1500LW-757, 1500LW-758, 1500LW-759, 1500LW-760, 1500LW-761, 1500LW-762, 1500LW-763, 1500LW-764, 1500LW-765, 1500LW-766, 1500LW-767, 1500LW-768, 1500LW-769, 1500LW-770, 1500LW-771, 1500LW-772, 1500LW-773, 1500LW-774, 1500LW-775, 1500LW-776, 1500LW-777, 1500LW-778, 1500LW-779, 1500LW-780, 1500LW-781, 1500LW-782, 1500LW-783, 1500LW-784, 1500LW-785, 1500LW-786, 1500LW-787, 1500LW-788, 1500LW-789, 1500LW-790, 1500LW-791, 1500LW-792, 1500LW-793, 1500LW-794, 1500LW-795, 1500LW-796, 1500LW-797, 1500LW-798, 1500LW-799, 1500LW-800, 1500LW-801, 1500LW-802, 1500LW-803, 1500LW-804, 1500LW-805, 1500LW-806, 1500LW-807, 1500LW-808, 1500LW-809, 1500LW-810, 1500LW-811, 1500LW-812, 1500LW-813, 1500LW-814, 1500LW-815, 1500LW-816, 1500LW-817, 1500LW-818, 1500LW-819, 1500LW-820, 1500LW-821, 1500LW-822, 1500LW-823, 1500LW-824, 1500LW-825, 1500LW-826, 1500LW-827, 1500LW-828, 1500LW-82</p> | |



V20241126

Cabinet Display Refrigerator User Manual



Read ALL these instructions carefully before use. Keep them for future reference, provide them to anyone who will operate, maintain, or service this appliance, and provide them with this appliance if it is ever given or sold to a third party.

Failure to do so may result in fire, electric shock, serious property damage, and severe personal injury.



[\[pdf\] User Manual Instructions](#)

DownloadBuy Wilprep 3 door Commercial Refrigerator for SaleREF BLcdn shopify s files 1 0688 4353 6702 REF BL v 1732672677 |||

V20241126 Cabinet Display Refrigerator User Manual Read ALL these instructions carefully before use. ... 5 m/98.4 in. 6 50.546.3 cm 19.818.2 in. 40 kg/88.2 lb. 112.522.3 cm 44.298.78 in. ETL ETLs **SS-P1200WA-B** 52.4 35.1 ft/993 L 32.2 ft/912 L Sliding 2 4 Yes Automatic 158 kg/348.3 lb. 13370202 c...

lang:en score:29 filesize: 4.58 M page_count: 34 document date: 2024-11-26



Cabinet Display Refrigerator User Manual

V20230428

[\[pdf\] User Manual Installation Guide](#)

DOWNLOAD 22 8 inch Single Door Commercial Refrigerator Wilprep Kitchen REF BL11 U1 BL12 BL21 BL22 BL31 v 1694063743 cdn shopify s files 1 0688 4353 6702 |||

V20230428 Cabinet Display Refrigerator User Manual Read Carefully Before Use
Keep for Future Referen ... WB 327 W 110120 V 60 Hz 2.8 A 270 W 60 dB T SS-P1200WA-A 380 W 110120 V 60 Hz 3.3 A 385 W 60 dB T **SS-P1200WA-B** 380 W 110120 V 60 Hz 3.3 A 385 W 60 dB T SS-P2000WA 700 W 110120 V 60 Hz 6.8 A 845 W 6...

lang:en score:17 filesize: 463.74 K page_count: 12 document date: 2023-05-15

Read Carefully Before Use
Keep for Future Reference