

Manuals.plus /

› **BoxWave** /

› BoxWave ClearTouch Crystal Screen Protector for INNOCN Ultrawide Monitor 34C1Q (34 in) - Instruction Manual

BoxWave bw-863-37700-0

BoxWave ClearTouch Crystal Screen Protector

FOR INNOCN ULTRAWIDE MONITOR 34C1Q (34 IN)

Model: bw-863-37700-0

Contents	Installation	Usage	Introduction	Package	Specifications	Warranty & Support
			Maintenance	Troubleshooting		
			Support			

1. Introduction

The BoxWave ClearTouch Crystal Screen Protector is designed to provide superior protection for your INNOCN Ultrawide Monitor 34C1Q (34 inch) while maintaining optimal screen clarity and color vibrancy. This instruction manual will guide you through the installation process, usage, maintenance, and provide troubleshooting tips to ensure the best performance from your screen protector.



Image: The ClearTouch Crystal Screen Protector offers 99% transparency for clear screen protection.

2. Package Contents

Please verify that all items are present in your package before beginning installation:

- Two (2) BoxWave ClearTouch Crystal Screen Protectors
- One (1) ClearTouch Applicator Card
- One (1) Microfiber Cleaning Cloth



Image: The package includes two screen protectors, an applicator card, and a microfiber cleaning cloth.

ClearTouch screen protector

included accessories



**Applicator
Card**



**Microfiber
Cleaning Cloth**



**Dust Removing
Sticker**

Image: A detailed view of the applicator card, microfiber cleaning cloth, and a dust-removing sticker (if included).

3. Installation Guide

Follow these steps carefully for a bubble-free installation. Work in a dust-free environment if possible.

1. **Clean Your Screen:** Use the provided microfiber cleaning cloth to thoroughly clean your monitor screen. Ensure there are no dust particles, smudges, or fingerprints. For stubborn marks, a screen cleaner (not included) can be used, followed by drying with the microfiber cloth.
2. **Remove Dust:** Use a dust-removing sticker (if provided) or adhesive tape to gently lift any remaining dust particles from the screen surface. This step is crucial for preventing bubbles.
3. **Align the Protector:** Carefully peel back a small section of the protective layer labeled '1' from one corner of the screen protector. Align the exposed edge of the screen protector with the corresponding edge of your monitor screen. Take your time to ensure precise alignment.
4. **Apply Gradually:** Once aligned, slowly and steadily peel back the rest of layer '1' while simultaneously applying the screen protector to the monitor surface. Use the applicator card to smooth out the protector as you go, pushing any air bubbles towards the edges.
5. **Remove Bubbles:** If bubbles appear, gently lift the nearest edge of the screen protector and reapply, using the applicator card to push the air out. Small bubbles may disappear on their own within 24-48 hours due to the low-tack adhesive.
6. **Remove Top Layer:** Once the screen protector is fully applied and free of major bubbles, carefully

peel off the top protective layer labeled '2'.

7. **Final Polish:** Use the microfiber cloth to gently wipe down the newly installed screen protector, removing any fingerprints or smudges from the installation process.

Note: The special low-tack adhesive may take up to 2 days to fully adhere around the edges, during which any remaining small air gaps should clear out.

4. Usage

Once installed, the BoxWave ClearTouch Crystal Screen Protector provides continuous protection for your INNOCN Ultrawide Monitor 34C1Q. It is designed to be:

- **Scratch Resistant:** Shields your monitor screen from scratches, scuffs, and minor impacts.
- **High Clarity:** Maintains 99% visual transparency, ensuring vibrant colors and uninhibited viewing experience.
- **Touch Compatible:** Does not interfere with touch functionality if your monitor supports it.



Vibrant Colors

For immaculate viewing



99%


Transparency

True to life clarity



Two ClearTouches

Included in each package



Precisely Manufactured

Designed to fit your device perfectly

BoxWave ClearTouch Crystal Screen Protector

Image: Key features include vibrant colors, 99% transparency, and precise manufacturing.




Image: The screen protector ensures high definition clarity, preserving original screen quality.

5. Maintenance

To keep your BoxWave ClearTouch Crystal Screen Protector in optimal condition:

- **Cleaning:** Use a soft, lint-free cloth, such as the provided microfiber cloth, to gently wipe the screen protector. For smudges or fingerprints, lightly dampen the cloth with water or a screen-safe cleaning solution. Avoid harsh chemicals or abrasive materials.
- **Avoid Sharp Objects:** While the protector offers scratch resistance, extreme pressure or sharp objects can still damage it.
- **Reusability:** The ClearTouch Crystal is designed with a glueless adhesive that allows for reinstallation if needed. If you need to remove and reapply, ensure the adhesive side remains clean and free of dust.

6. Troubleshooting

Here are solutions to common issues you might encounter:

- **Bubbles After Installation:**

- **Small Bubbles:** Many small bubbles, especially around the edges, are common immediately after installation due to the low-tack adhesive. These typically disappear within 24-48 hours as the adhesive fully cures.
- **Large Bubbles/Dust Particles:** If large bubbles persist or you see trapped dust, gently lift the nearest edge of the screen protector with a clean fingernail or the applicator card. Use a dust-removing sticker or a piece of tape to lift the dust particle from either the screen or the protector's adhesive side. Then, slowly reapply the protector, using the applicator card to smooth it down.

- **Misalignment:** If the screen protector is significantly misaligned, carefully peel it off completely. Clean both the monitor screen and the adhesive side of the protector (if it's still clean) and attempt reinstallation following the steps in Section 3.

- **Edges Not Sticking:** Ensure the screen edges are perfectly clean and free of dust or oils. Apply firm, consistent pressure with the applicator card along the edges. Allow up to 48 hours for the adhesive to fully bond.

7. Specifications

Brand	BoxWave
Model Number	bw-863-37700-0
Material	Polyethylene Terephthalate (PET)
Screen Size Compatibility	INNOCN Ultrawide Monitor 34C1Q (34 Inches)
Screen Surface Description	Glossy
Number of Items	2 Screen Protectors
Item Weight	14 Ounces

8. Warranty & Support

BoxWave products are designed for quality and durability. For specific warranty information or technical support, please refer to the official BoxWave website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

BoxWave Customer Service: Please visit www.boxwave.com/support for contact options and further assistance.