

[Manuals.plus](#) /

> [HOMLYLINK](#) /

> HOMLYLINK 23x19 Inch Pedestal Sink (Model 23"x19.5" White Rectangular) - Instruction Manual

HOMLYLINK 23"x19.5" White Rectangular

HOMLYLINK 23x19 Inch Pedestal Sink Instruction Manual

Model: 23"x19.5" White Rectangular

1. PRODUCT OVERVIEW

The HOMLYLINK 23x19 inch pedestal sink is a rectangular, pure white porcelain fixture designed for bathroom use. It features a 3-faucet hole configuration, an overflow hole, and a backsplash. Constructed from vitreous china, this sink offers durability, ease of cleaning, and a classic aesthetic suitable for various bathroom styles.



3 HOLE WHITE PEDESTAL SINK FOR BATHROOM



STAIN RESISTANT



EASY CLEANING



SMOOTH DRAINAGE



GLOSSY WHITE



FADELESS



HIGH DURABILITY

Image 1.1: The HOMLYLINK pedestal sink, highlighting its design and features such as stain resistance, easy cleaning, smooth drainage, glossy white finish, fadeless color, and high durability.

Key Features:

- **Durable Vitreous China:** Resistant to chipping, scratches, and stains.
- **Easy to Clean:** Smooth, non-porous surface allows for simple maintenance.
- **Space-Saving Design:** Compact footprint ideal for smaller bathrooms.
- **Overflow Protection:** Integrated overflow hole prevents water from spilling.
- **Standard Faucet Holes:** Designed for 3-hole, 4-inch centerset faucets.

2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. This sink is made of solid core vitreous china and is heavy. Exercise caution when lifting and moving the sink to prevent injury. It is recommended that two people handle the sink during transport and installation.

The basin features rounded and polished angles for user safety, minimizing the risk of injury during daily use.



Intimate Security

For the safety of the family, the angles of the basin are rounded and polished to avoid and injury to the family.



Excellent Drainage

The large diameter of the drain improves drainage speed and reduces the risk of clogged down spouts.

Image 2.1: Detail showing the rounded edges of the basin for enhanced safety and the efficient drainage design.

3. INSTALLATION GUIDE

3.1 Pre-Installation Checklist

- **Inspect Product:** Before beginning installation, carefully inspect the sink and pedestal for any damage. Do not install if damaged.
- **Verify Contents:** Ensure all components are present.
- **Measure Space:** Confirm that the installation area has adequate space for the sink dimensions. Refer to the dimensions diagram below.
- **Gather Tools:** Ensure you have all necessary tools and materials.

3.2 Tools and Materials Required (Not Included)

- Adjustable wrench
- Screwdriver (Phillips and flathead)
- Level

- Drill with appropriate bits
- Sealant (silicone caulk)
- Measuring tape
- Safety glasses and gloves
- Faucet and drain assembly (standard 1 3/4" drain hole)
- Water supply lines

3.3 Installation Steps

1. **Prepare the Area:** Turn off the main water supply. Clear the installation area.
2. **Measure and Mark:** Use the dimensions diagram to mark the desired location for the pedestal and basin on the wall and floor. Ensure the area is level.





Image 3.1: Detailed dimensions of the sink basin and pedestal from various views.

3. **Install Faucet and Drain (Pre-assembly):** Before permanently positioning the sink, install the faucet and drain assembly into the basin. This is easier to do before the basin is mounted. The sink is designed for 3-hole, 4-inch centerset faucets and a standard 1 3/4" pop-up drain with an overflow hole.



OVERFLOW DESIGN

The overflow hole can prevent overflow due to high water surface.



ADAPTED 4 INCH CENTERSET FAUCETS

Image 3.2: Details of the overflow hole and the 4-inch centerset faucet hole configuration.



STANDARD 1 $\frac{3}{4}$ " DRAIN HOLE

The drainage hole can tightly fit standard pop-up drain with overflow hole.

Image 3.3: Illustration of the standard 1 3/4 inch drain hole, compatible with pop-up drains with overflow.

4. **Position Pedestal:** Carefully place the pedestal in the marked location.
5. **Mount Basin:** With assistance, lift the basin and align it with the pedestal and the wall mounting points. Secure the basin to the wall using appropriate fasteners (not included, consult a professional if unsure).
6. **Connect Water Supply:** Attach the hot and cold water supply lines to the faucet. Ensure all connections are tight to prevent leaks.
7. **Connect Drain:** Connect the drain assembly to the P-trap and wall drain pipe.
8. **Seal and Test:** Apply a bead of silicone sealant around the back edge of the basin where it meets the wall. Turn on the water supply and check for any leaks at all connections.

4. OPERATION

The HOMLYLINK pedestal sink operates like any standard bathroom sink. Turn the faucet handles to control water flow and temperature. The large basin capacity and overflow hole are designed to minimize splashing and prevent accidental spills.



LARGE-CAPACITY SINK

This pedestal sink is designed to be splash-proof and offers large water storage capacity.

Image 4.1: The large capacity of the sink basin, designed to be splash-proof and offer ample water storage.

The sink also provides an extra storage area on the sides of the faucet for small toiletries.



EXTRA STORAGE AREA

Image 4.2: The sink deck offers additional space for small items.

5. MAINTENANCE AND CARE

To maintain the appearance and longevity of your HOMLYLINK pedestal sink, follow these care instructions:

- **Regular Cleaning:** Wipe the sink surface with a damp cloth and mild soap or non-abrasive cleaner.
- **Drying:** After cleaning, wipe the surface dry with a soft cloth to prevent water spots and mineral buildup.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, scouring pads, or strong chemical solutions, as these can damage the glaze.
- **Stain Resistance:** The vitreous china material is inherently stain-resistant, making routine cleaning effective for most common bathroom stains.
- **Heat Resistance:** The sink is manufactured through high-temperature firing, providing excellent heat resistance.

HIGH-TEMPERATURE FIRING

- Low Water Absorption
- Easy to Clean
- Stain Resistance
- Glossy White
- Fadeless



Image 5.1: The high-temperature firing process ensures low water absorption, easy cleaning, stain resistance, a glossy white finish, and fadeless color.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Water Leakage	Loose connections at faucet or drain, damaged seals.	Tighten all connections. Inspect and replace worn seals or O-rings. Ensure proper application of plumber's putty or silicone sealant.
Slow Drainage	Partial clog in drain or P-trap.	Remove and clean the drain stopper. Clear any debris from the P-trap. Use a drain snake if necessary.
Water Spots/Mineral Buildup	Hard water, improper drying after use.	Wipe the sink dry after each use. For existing buildup, use a mild descaling solution or a vinegar-water mixture, then rinse thoroughly.

Problem	Possible Cause	Solution
Sink Wobbles	Improper installation, loose wall fasteners, uneven floor.	Ensure the pedestal is firmly seated and the basin is securely fastened to the wall. Use shims if the floor is uneven.

7. SPECIFICATIONS

Attribute	Detail
Brand	HOMLYLINK
Model Number	23"x19.5" White Rectangular
Color	Pure white
Material	Ceramic (Vitreous China)
Shape	Rectangular
Installation Type	Freestanding
Product Dimensions	19 x 23 x 35 inches (Depth x Width x Height)
Item Weight	65 Pounds
Hole Count	3 (for 4-inch centerset faucet)
Overflow Hole	Yes
Drain Type Compatibility	Standard 1 3/4" pop-up drain with overflow
Finish Type	Bright White Glaze

8. WARRANTY AND CUSTOMER SUPPORT

HOMLYLINK offers a **5-year warranty** for this pedestal sink, covering manufacturing defects and material flaws under normal use and service.

If you encounter any problems with your HOMLYLINK pedestal sink, please contact our customer support team immediately. We are committed to providing prompt assistance and the best possible solution.

For support, please refer to the contact information provided with your purchase or visit the official HOMLYLINK website.