

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Newentor](#) /

› [Newentor S04-SET-WHITE Shower Head and Hose Instruction Manual](#)

### Newentor S04-SET

# Newentor Shower Head and Hose Instruction Manual

Model: S04-SET-WHITE

## INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Newentor Shower Head and Hose. Please read this manual thoroughly before use to ensure proper function and longevity of the product.



Image: The Newentor shower head and hose, showcasing its design and the integrated filter system.

The Newentor Shower Head features a large panel for comprehensive water coverage, a triple water filtration system with mineral beads, and multiple spray settings for a customized shower experience. The included shower hose is designed for durability and flexibility.

## PACKAGE CONTENTS

- Newentor Shower Head (Model S04-SET-WHITE)
- Shower Hose
- Filter Beads (pre-installed or separate, based on model)
- Sealing Washers

- Teflon Tape (for installation)

## SETUP AND INSTALLATION

Installation of the Newentor Shower Head and Hose is designed to be straightforward and can be performed without specialized tools. Ensure your water supply is turned off before beginning installation.

1. **Prepare the Connection:** Ensure the existing shower arm or mixer outlet is clean and free of debris.
2. **Apply Teflon Tape:** Wrap Teflon tape (provided) clockwise around the threads of your shower arm or mixer outlet 3-5 times. This helps create a watertight seal.
3. **Attach the Shower Hose:** Connect one end of the shower hose to the shower arm or mixer outlet. Hand-tighten first, then use a wrench to tighten an additional quarter to half turn. Do not overtighten. Ensure a sealing washer is inside the hose connector.
4. **Attach the Shower Head:** Connect the Newentor Shower Head to the other end of the shower hose. Hand-tighten first, then use a wrench to tighten an additional quarter to half turn. Ensure a sealing washer is inside the shower head connector.
5. **Check for Leaks:** Turn on the water supply slowly and check all connections for leaks. If leaks occur, tighten the connections slightly or reapply Teflon tape.

## METICULOUSLY CRAFTED DESIGN ENSURES TIGHT SEAL



Image: An exploded diagram illustrating the internal components and sealing design of the shower head, emphasizing a tight seal.

The hose features 360° swivel connectors to prevent kinking and ensure flexibility during use.

## OPERATING INSTRUCTIONS

Your Newentor Shower Head offers multiple spray settings for a personalized showering experience.

### Adjusting Spray Modes

The shower head features a unique button on the side, allowing for easy one-handed adjustment of the spray settings. Simply press or slide the button to cycle through the available modes.



Image: Visual representation of the six distinct spray modes, including water-saving options, adjustable with a single button.

The shower head offers up to 6 spray settings, including water-saving modes, suitable for various needs such as hair washing, gentle showering, massage, or bathing children and pets.

### Water Filtration System

The integrated triple filtration system utilizes high-quality mineral beads to purify water by removing impurities, heavy metals, and chlorine. This process aims to improve skin and hair health.

# 99% TRIPLE DECHLORINATION

The 4th gen premium mineral balls with optimized upgrades.




Image: A cutaway view of the shower head handle, showing the three layers of mineral balls responsible for water filtration and dechlorination.

## NATURAL LAYERS, PURE WATER.

Skin Care

Hair Care

Image: A conceptual diagram showing how water passes through natural layers of filtration for skin and hair care benefits.

## Maintenance

Regular maintenance ensures optimal performance and extends the life of your Newentor Shower Head and Hose.

- **Cleaning Nozzles:** The shower head features high elastic liquid silicone nozzles designed to prevent blockages. If mineral deposits accumulate, gently rub the nozzles with your fingers or a soft brush to dislodge them.
- **Cleaning the Shower Head:** Use a soft cloth and mild soap or a non-abrasive bathroom cleaner to clean the exterior of the shower head. Avoid harsh chemicals or abrasive scrubbers, which can damage the finish.
- **Filter Bead Replacement:** The mineral filter beads have a limited lifespan. While the manual does not specify a replacement interval, it is recommended to replace them every 3-6 months, or when you notice a decrease in filtration effectiveness or water quality. Replacement beads can be purchased separately.
- **Hose Care:** Periodically check the shower hose for any signs of wear, kinks, or damage. Clean the hose with a soft cloth and mild soap.



Image: A detailed close-up of the shower head's high elastic liquid silicone nozzles, designed for easy cleaning and blockage prevention.

## TROUBLESHOOTING

If you encounter issues with your Newentor Shower Head, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Low Water Pressure	<ul style="list-style-type: none"><li>Clogged nozzles</li><li>Mineral buildup in the shower head or hose</li><li>Low household water pressure</li></ul>	<ul style="list-style-type: none"><li>Gently rub silicone nozzles to clear blockages.</li><li>Disassemble and clean the shower head and hose, soaking in vinegar if necessary to remove mineral buildup.</li><li>Consult a plumber if household water pressure is consistently low.</li></ul>
Water Leaks from Connections	<ul style="list-style-type: none"><li>Loose connections</li><li>Missing or damaged sealing washers</li><li>Insufficient Teflon tape</li></ul>	<ul style="list-style-type: none"><li>Ensure all connections are tightened properly (do not overtighten).</li><li>Check that sealing washers are correctly seated in both hose ends. Replace if damaged.</li><li>Reapply Teflon tape to threaded connections.</li></ul>
Hose Kinks or Twists	<ul style="list-style-type: none"><li>Improper handling</li><li>Hose material limitations</li></ul>	<ul style="list-style-type: none"><li>The Newentor hose features 360° swivel connectors to prevent kinking. Ensure these are free to rotate.</li><li>Avoid excessive pulling or twisting of the hose.</li></ul>

## SPECIFICATIONS

Feature	Detail
Brand	Newentor
Model Number	S04-SET-WHITE
Color	White
Product Dimensions	20 x 8 x 12.7 cm (Shower Head); Hose length: 200 cm (2 meters)
Weight	700 g
Material	Chrome, Plastic, Silicone
Finish Type	Chromed
Shape	Round
Installation Method	Directly attached (Standard G1/2 connection)
Number of Spray Settings	6
Special Features	One-hand spray setting change, Triple water filter, High-pressure design, 360° swivel hose connectors

## WARRANTY AND SUPPORT

Newentor offers a lifetime warranty on all shower hoses included with their shower heads. This warranty

covers manufacturing defects and ensures the hose performs discreetly and durably. For further assistance, technical support, or warranty claims, please contact Newentor customer service through their official website or the retailer where the product was purchased. Please have your model number (S04-SET-WHITE) and purchase information ready.

© 2023 Newentor. All rights reserved.

## Related Documents - S04-SET

 <p><b>Newentor.</b> User Manual <a href="#">Download</a></p>	<p><b>Newentor Handheld Shower Head User Manual and Installation Guide</b> User manual and installation guide for the Newentor handheld high-pressure shower head, covering package contents, FAQs, and tool-free installation steps.</p>
 <p><b>Weather Station</b> (Save the Instructions for Future Reference)  <a href="#">Download</a></p>	<p><b>Newentor Weather Station User Manual</b> Comprehensive user manual for the Newentor Weather Station, covering features, operation, settings, and specifications.</p>
 <p><b>Weather Station</b> (Save the Instructions for Future Reference)  <a href="#">Download</a></p>	<p><b>Newentor Weather Station User Manual and Specifications</b> Comprehensive guide for the Newentor Weather Station, covering features, initial setup, operation, settings for time, alarm, weather forecast, temperature, humidity, and product specifications. Includes troubleshooting and safety information.</p>
 <p><b>Weather Station</b> (Save the Instructions for Future Reference)  <a href="#">Download</a></p>	<p><b>Newentor Weather Station User Manual</b> User manual for the Newentor Weather Station, covering features, operation, settings, and specifications.</p>

<p>Weather Station</p>  <p>service@newentor.com Save the Instructions For Future Reference</p>	<p><b>Newentor Weather Station EM3333 User Manual</b></p> <p>This document provides a comprehensive user manual for the Newentor Weather Station EM3333, covering its features, operation, settings, and safety precautions. Learn how to set up and use the main station and remote sensor, understand weather forecasts, alarms, and more.</p>
<p><small>Newentor Weather Station EM3333 User Manual</small></p> <p><b>Important Notes:</b> Please read this manual before using the Newentor Weather Station EM3333. It contains important information about the device's features, operation, and safety. If you have any questions or concerns, please contact our support team at service@newentor.com.</p> <p><b>1. Backlight:</b> The Newentor Weather Station EM3333 features a built-in backlight that automatically turns on when the device is held in your hand. To turn off the backlight, simply release the device. The backlight can also be turned on manually by pressing the left button on the device.</p> <p><b>2. Time and Date:</b> The device automatically updates the time and date from the internet. If the device fails to update the time and date, please check the internet connection or contact our support team.</p> <p><b>3. Sensors:</b> The device includes a remote sensor that can be placed in different locations to monitor temperature and humidity. The sensor can be connected to the device via a USB cable.</p> <p><b>4. Alarms:</b> The device features several alarm types, including weather alerts and custom alarms. You can set up to 10 different alarms.</p> <p><b>5. Data Accuracy:</b> The device uses high-precision sensors to ensure accurate data. If you notice any discrepancies in the data, please contact our support team.</p> <p><b>6. Safety:</b> Please handle the device with care and avoid exposing it to extreme temperatures or moisture. Do not attempt to disassemble the device.</p> <p><b>7. Support:</b> If you have any questions or concerns, please contact our support team at service@newentor.com.</p> <p><b>8. Warranty:</b> The Newentor Weather Station EM3333 comes with a 1-year warranty. If you experience any issues with the device, please contact our support team for assistance.</p>	<p><b>Newentor Weather Station Troubleshooting Guide</b></p> <p>A comprehensive guide addressing common issues and questions regarding the Newentor Weather Station, covering backlight functionality, time and date settings, sensor connectivity, data accuracy, and more.</p>