

- Manuals.plus /
- > [Jialexin](#) /
 - > Jialexin F6003 Ceramic Heater User Manual

Jialexin F6003

Jialexin F6003 Ceramic Heater User Manual

Model: F6003 | Brand: Jialexin

1. INTRODUCTION

Thank you for purchasing the Jialexin F6003 Ceramic Heater. This compact and efficient heater is designed to provide quick and comfortable warmth for various spaces. It features dual heating and cooling functions, rapid heating, quiet operation, and essential safety features. Please read this manual thoroughly before use to ensure safe and optimal performance.



Figure 1.1: The Jialexin F6003 Ceramic Heater providing warmth.

2. IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow these basic precautions:

- Read all instructions before using this heater.
- Do not use this heater in bathrooms, laundry areas, or similar indoor locations where it may come into contact with water.
- Do not operate any heater with a damaged cord or plug, or after the heater malfunctions or has been dropped or damaged in any manner.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- To disconnect heater, turn controls to OFF, then remove plug from outlet.
- Do not insert or allow foreign objects to enter any ventilation or exhaust opening as this may cause an electric shock

or fire, or damage the heater.

- To prevent a possible fire, do not block air intakes or exhaust in any manner. Do not use on soft surfaces, like a bed, where openings may become blocked.
- A heater has hot and arcing or sparking parts inside. Do not use it in areas where gasoline, paint, or flammable liquids are used or stored.
- Use this heater only as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons.
- Always plug heaters directly into a wall outlet/receptacle. Never use with an extension cord or relocatable power tap (outlet/power strip).
- This heater includes a tip-over safety switch and overheat protection. If the heater tips over or overheats, it will automatically shut off.
- Keep children and pets away from the heater.

過熱保護に転倒時電源OFF機能

温度が70°C超えの場合、もしくは転倒時は、
自動で電源を切る安全装置を搭載。



Figure 2.1: Visual representation of the heater's tip-over and overheat protection features.

3. PRODUCT OVERVIEW

The Jialexin F6003 Ceramic Heater is designed for personal comfort, offering both heating and natural fan modes. Its compact size makes it ideal for various settings.

Key Features:

- **Dual-Use (Hot & Cold):** Provides warm air for winter and natural fan for circulation in other seasons.
- **2-Second Rapid Heating:** Equipped with a high-quality ceramic heating element for instant warmth.
- **3-Stage Air Volume Adjustment:** Choose between Natural Fan, Low Heat (500W), and High Heat (1000W) modes.
- **Quiet Operation:** Operates at approximately 25 decibels, suitable for offices, bedrooms, and children's rooms without disturbing sleep or work.
- **Compact Design:** Space-saving and portable, perfect for desktops, under desks, or small rooms.
- **Safety Protection:** Features automatic tip-over power-off and overheat protection (shuts off if temperature exceeds 70°C).

Components:

The heater consists of a main body with a heating element, a fan, a control dial, and a power cord. It also includes a removable filter for easy maintenance.

3秒以内の急速加熱

暖かい空気を素早く拡散し、すぐに暖かさを感じられます。




Figure 3.1: Internal view illustrating the rapid heating mechanism.

静音運転

運転音は最大でも約35dbの低イズ設計、
睡眠や読書を妨げることはありません。



Figure 3.2: The heater's quiet operation, suitable for bedrooms.



Figure 3.3: The compact heater is versatile for use in various rooms.

4. SETUP

1. **Unpack:** Carefully remove the heater from its packaging. Retain packaging for future storage or transport.
2. **Placement:** Place the heater on a firm, level surface. Ensure it is at least 3 feet (0.9 meters) away from any walls, furniture, curtains, or other flammable materials. Do not place it directly under a power outlet.
3. **Power Connection:** Plug the power cord directly into a 100V-120V AC wall outlet. Do not use extension cords or power strips.
4. **Adjust Angle:** The heater's angle can be manually adjusted up to 85 degrees (upward 30°, downward 10°) to direct airflow as needed.

小さめサイズがちょうどいい

コンパクト設計なのでどこでも置ける。冷えやすい足元に置いてぽかぽかラックタイムを。




Figure 4.1: Proper placement of the heater on the floor for warming feet.

5. OPERATING INSTRUCTIONS

The Jialexin F6003 Ceramic Heater is operated using a simple rotary dial.

1. **Power On/Off:** Rotate the dial clockwise from the "OFF" position to select a mode. To turn off, rotate the dial counter-clockwise back to "OFF".

2. Mode Selection:

- "FAN" (5W): Provides natural, unheated airflow for circulation.
- "I" (500W): Low heat mode for gentle warmth.
- "II" (1000W): High heat mode for rapid and strong heating.

3. **Angle Adjustment:** Manually tilt the heater body to adjust the vertical airflow direction. The angle can be adjusted up to 30 degrees upwards and 10 degrees downwards.

Your browser does not support the video tag.

Video 5.1: Demonstration of the Jialexin Ceramic Heater's 3-stage mode selection and angle adjustment. This video shows the heater's compact size and quiet operation, highlighting its suitability for various personal heating needs.

6. MAINTENANCE

Regular cleaning ensures optimal performance and longevity of your heater.

1. **Before Cleaning:** Always unplug the heater from the power outlet and allow it to cool completely before cleaning.
2. **Exterior Cleaning:** Wipe the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
3. **Filter Cleaning:** The heater features a removable air filter on the back. Gently remove the filter, clean it with a soft brush or vacuum cleaner to remove dust, and then reinsert it. Ensure the filter is completely dry before reinstallation.
4. **Storage:** When not in use, store the heater in a cool, dry place, preferably in its original packaging.




Figure 6.1: Instructions for easy removal and cleaning of the air filter to maintain hygiene.

7. TROUBLESHOOTING

If your heater is not operating correctly, please check the following before contacting support:

Problem	Possible Cause	Solution
Heater does not turn on.	Not plugged in, power outlet malfunction, tip-over switch activated, overheat protection activated.	Ensure plug is firmly in outlet. Check if outlet is working. Place heater on a flat surface. Allow heater to cool down if it was running for a long time.

Problem	Possible Cause	Solution
No heat in heating modes.	Incorrect mode selected, fan mode is active.	Rotate the dial to "I" (Low Heat) or "II" (High Heat) mode.
Reduced airflow or heating efficiency.	Blocked air intake/exhaust, dirty air filter.	Ensure nothing is blocking the vents. Clean the air filter as described in the Maintenance section.
Unusual noise.	Dust buildup on fan, loose internal component.	Clean the air filter and check for any visible obstructions. If noise persists, discontinue use and contact customer support.

8. SPECIFICATIONS

Feature	Detail
Brand	Jialexin
Model Number	F6003
Color	Gray
Power Output	Up to 1000W
Heating Element	Ceramic (PTC)
Dimensions (L x W x H)	19.6 x 17.9 x 12.3 cm (approx. 7.7 x 7.0 x 4.8 inches)
Item Weight	0.87 kg (approx. 1.9 lbs)
Safety Features	Overheat Protection (70°C), Tip-over Auto Shut-off
Modes	Natural Fan (5W), Low Heat (500W), High Heat (1000W)
Usage Environment	Indoor

9. WARRANTY AND SUPPORT

This Jialexin F6003 Ceramic Heater comes with an**18-month warranty period** from the date of purchase. If you encounter any issues or have questions regarding your product, please contact Jialexin customer support through your retailer or the official brand website. Please have your purchase receipt and product model number (F6003) ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CDX3N99D>

More documents and user manuals: **<https://manuals.plus/>**