

## VRURC T1116

# VRURC T1116 Portable Charger 10000mAh User Manual

## 1. INTRODUCTION

---

Thank you for choosing the VRURC T1116 Portable Charger. This 10000mAh power bank is designed to provide convenient and efficient charging for a wide range of mobile devices. Featuring built-in charging cables and multiple output ports, it ensures you have power whenever and wherever you need it. Please read this manual carefully to understand the product's features, operation, and safety guidelines.

## 2. PACKAGE CONTENTS

---

Verify that all items are present in your package:

- VRURC T1116 Portable Charger (10000mAh) x 1
- Travel Pouch x 1
- User Manual x 1

## 3. PRODUCT OVERVIEW

---

The VRURC T1116 Portable Charger is engineered for versatility and portability, offering a comprehensive charging solution.



Image: Front and back view of the VRURC T1116 Portable Charger, highlighting its compact design and integrated cables.

### 3.1. Key Features

- **Built-in Cables:** Includes cables compatible with iPhone (Lightning), USB-C, and Micro USB devices. A built-in USB-A cable is also provided for recharging the power bank itself.
- **Multiple Output Ports:** Features 5 output options (3 built-in cables, 1 USB-A port, 1 USB-C port) to charge up to 5 devices simultaneously.
- **Compact and Portable Design:** Slim and lightweight, making it easy to carry in a pocket or bag. Equipped with a portable lanyard for added convenience.
- **Intelligent LED Display:** Shows the remaining power percentage for precise monitoring.
- **Safety Protections:** Integrated smart chip protects against over-charge, over-voltage, over-current, and short circuits.

# Built-in 4 Cables for All Devices




for iPhone



Type-C



Micro



Recharge itself



Image: Detailed view of the four built-in cables for various device types and self-recharging.



260g / 9.17oz



5.7 x 2.57 x 0.72 inch

## Compact and Portable

No matter where you are, it can provide  
the power you need

Image: The power bank's compact dimensions (5.7 x 2.57 x 0.72 inches) and light weight (9.17 oz) are highlighted.




Image: The USB-C port functions as both an input and an output for enhanced compatibility.

#### 4. CHARGING THE POWER BANK

---

Before first use, fully charge your VRURC T1116 Portable Charger. There are two methods to recharge the power bank:

1. **Using the Built-in USB-A Cable:** Connect the integrated USB-A cable to a USB wall adapter (not included) or a computer's USB port.
2. **Using the USB-C Input Port:** Connect a USB-C cable (not included) to the power bank's USB-C port and then to a USB-C wall adapter or compatible power source.

The LED display will show the charging progress. A full charge typically takes approximately 6 hours.

## Two Ways for Recharge



Image: Visual representation of recharging the power bank using either the Type-C input port or the built-in USB-A cable.

### 5. CHARGING YOUR DEVICES

---

The VRURC T1116 Portable Charger offers multiple ways to charge your electronic devices:

1. **Using Built-in Cables:** Select the appropriate built-in cable (Lightning, USB-C, or Micro USB) and connect it directly to your device.
2. **Using USB-A Output Port:** Connect your device's charging cable to the power bank's USB-A output port.
3. **Using USB-C Output Port:** Connect your device's USB-C charging cable to the power bank's USB-C port.

The power bank supports simultaneous charging of up to 5 devices, with each output providing a maximum of 5V/2.4A.



Image: The power bank actively charging five devices at once, demonstrating its multi-device capability.



Image: Convenient direct charging of a smartphone using the power bank's built-in cable.

## 6. LED DISPLAY INDICATOR

---

The integrated LED display provides real-time information about the power bank's battery status. The percentage shown on the display indicates the remaining charge, allowing you to manage your power usage effectively.

## 7. SAFETY PRECAUTIONS

---

To ensure safe operation and prolong the lifespan of your power bank, please observe the following:

- Do not expose the power bank to extreme temperatures (hot or cold), direct sunlight, or fire.

- Avoid dropping, disassembling, or attempting to repair the device yourself.
- Keep the power bank away from water, moisture, and corrosive materials.
- Use only compatible charging cables and adapters.
- Keep out of reach of children.
- If the power bank swells, emits an odor, or becomes excessively hot, discontinue use immediately.

## 8. PRODUCT SPECIFICATIONS

---

Feature	Detail
Model Number	T1116
Battery Capacity	10000 Milliamp Hours (mAh)
Product Dimensions	5.7 x 2.7 x 0.73 inches
Item Weight	9.2 ounces
Input Ports	USB-C, Built-in USB-A Cable
Output Ports	USB-A, USB-C, Built-in Lightning Cable, Built-in USB-C Cable, Built-in Micro USB Cable
Max Output per Port	5V/2.4A
Special Features	Built-in 4 Cables, USB-C In & Out Port, Lanyard Design, LED Display, Slim & Pocket Size
Batteries	2 Lithium Polymer batteries (included)

## 9. TROUBLESHOOTING

---

If you encounter issues with your VRURC T1116 Portable Charger, please refer to the following common solutions:

- **Device not charging:** Ensure the power bank is sufficiently charged. Check that the charging cable is securely connected to both the power bank and your device. Try a different cable or output port.
- **Power bank not recharging:** Verify that the charging cable (built-in USB-A or external USB-C) is properly connected to a working power source. Ensure the power source is active.
- **Slow charging:** Ensure you are using appropriate cables and a power adapter that provides sufficient output. Charging multiple devices simultaneously may reduce individual charging speeds.
- **LED display not working:** Press the power button to activate the display. If it remains off, the power bank may be fully discharged or require service.

## 10. MAINTENANCE AND CARE

---

To maintain optimal performance and longevity of your power bank:

- Clean the exterior with a soft, dry cloth. Avoid using harsh chemicals or abrasive materials.
- Store the power bank in a cool, dry place when not in use.

- Avoid prolonged exposure to extreme temperatures.
- Recharge the power bank at least once every three months if it's not used regularly to prevent battery degradation.

## 11. WARRANTY AND SUPPORT

---

The VRURC T1116 Portable Charger comes with a standard manufacturer's warranty. For detailed warranty information, please refer to the documentation included with your purchase or visit the official VRURC website. If you require technical support, have questions, or need assistance with your product, please contact VRURC customer service through the contact information provided on their official website or your purchase platform.