onerbl AC/DC Adapter

onerbl AC/DC Adapter User Manual

Model: AC/DC Adapter
Brand: onerbl

1. Introduction

This manual provides essential instructions for the safe and effective use of your onerbl AC/DC Adapter. This adapter is designed to provide power to compatible devices, specifically the Seagate 9SEAN2-500 and 9SEAN2500 2TB Expansion External Hard Drives. Please read this manual thoroughly before use and retain it for future reference.

2. Important Safety Instructions

- **Indoor Use Only:** This adapter is intended for indoor use in dry locations. Do not expose to rain, moisture, or extreme temperatures.
- **Proper Voltage:** Ensure the wall outlet voltage matches the adapter's input specifications (AC 100-240V).
- **Avoid Overloading:** Do not overload wall outlets or extension cords, as this can result in a risk of fire or electric shock.
- **Handle with Care:** Do not drop, puncture, or disassemble the adapter. Avoid bending or crimping the power cord excessively.
- **Disconnect When Not in Use:** Unplug the adapter from the power outlet when not in use for extended periods.
- **Keep Away from Children:** Store the adapter out of reach of children.

3. Product Overview

The onerbl AC/DC Adapter is a reliable power supply unit designed for specific external hard drives. It features a standard US plug and a DC output connector.



Image 3.1: Front view of the onerbl AC/DC Adapter, showing the US plug, adapter body, and coiled output cable.



Image 3.2: Front and side views of the onerbl AC/DC Adapter, illustrating its compact design.

4. Setup Instructions

Follow these steps to properly set up your AC/DC adapter:

1. **Verify Compatibility:** Ensure your device (e.g., Seagate 9SEAN2-500/9SEAN2500 2TB Expansion External Hard Drive) requires the specified voltage and connector type provided by this adapter.
2. **Connect to Device:** Insert the DC output connector of the adapter firmly into the power input port of your external hard drive.
3. **Connect to Power Outlet:** Plug the AC input plug of the adapter into a standard wall power outlet (AC 100-240V).
4. **Power On:** Once connected, your device should receive power. Refer to your device's manual for specific power-on procedures.




Image 4.1: Dimensions of the onerbl AC/DC Adapter, showing its length, width, and height, along with the cable length of 76 inches.

5. Operating Instructions

The onerbl AC/DC Adapter operates on a plug-and-play principle. Once correctly connected to a compatible device and a power outlet, it will supply the necessary power. No additional configuration is required for the adapter itself.



Image 5.1: The onerbl AC/DC Adapter plugged into a power strip, demonstrating its compact form factor that minimizes obstruction of adjacent outlets.

6. Care and Maintenance

- **Cleaning:** Disconnect the adapter from the power source and device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires or cracked casing. If damage is found, discontinue use immediately.

7. Troubleshooting

If you encounter issues with your adapter, refer to the following table:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Device not powering on	Adapter not properly connected; Power outlet not working; Device issue	Ensure adapter is fully plugged into both the device and the wall outlet. Test the power outlet with another device. Check your device's power indicator.
Adapter feels hot	Normal operation; Overload; Poor ventilation	A slight warmth is normal. Ensure the adapter is not covered and has adequate ventilation. If it's excessively hot, disconnect immediately and contact support.
Intermittent power supply	Loose connection; Damaged cable/adapter	Check all connections. Inspect the cable and adapter for visible damage. If damaged, discontinue use.

8. Technical Specifications

- **Input:** AC 100-240V, 50/60Hz (Worldwide AC Input)
- **Output:** Specific voltage and amperage compatible with Seagate 9SEAN2-500/9SEAN2500 2TB Expansion External Hard Drives. (Refer to your device's power requirements for exact match)
- **Protection Features:** Over Voltage Protection, Over Heat Protection, Short-Circuit Protection
- **Condition:** Brand New, High Quality Replacement
- **Cable Length:** Approximately 76 inches (1.93 meters)

9. Warranty and Customer Support

This onerbl AC/DC Adapter comes with a standard warranty against manufacturing defects. For warranty claims, technical assistance, or any questions regarding the product, please contact your retailer or the manufacturer directly. Please have your purchase information and product model details ready when contacting support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question