

Anker A1654

Anker MagGo Power Bank (Model A1654) User Manual

Qi2 Certified 15W Wireless Portable Charger with Smart Display

1. INTRODUCTION

This manual provides instructions for the safe and efficient use of your Anker MagGo Power Bank (Model A1654). This portable charger features Qi2 certified 15W wireless charging, a 10,000mAh battery capacity, an integrated smart display, and a convenient foldable stand. It is designed to provide reliable power for your compatible devices.

2. PACKAGE CONTENTS

- Anker MagGo Power Bank (10,000mAh)
- 2 ft (0.6 m) USB-C to USB-C Cable
- Welcome Guide

3. PRODUCT OVERVIEW

Familiarize yourself with the components of your Anker MagGo Power Bank.



Image: Anker MagGo Power Bank with its foldable stand deployed, showcasing the smart display indicating a full charge.

- **Wireless Charging Pad:** Located on the front surface, indicated by the Qi2 logo.
- **Smart Display:** Digital screen on the side showing battery status and charging information.
- **USB-C Port:** For charging the power bank and wired device charging.
- **Foldable Stand:** Integrated stand for hands-free viewing.

4. SETUP

4.1 Charging the Power Bank

Before initial use, fully charge your Anker MagGo Power Bank. Use the included USB-C to USB-C cable and a 20W or higher Power Delivery (PD) adapter (not included) for optimal recharging performance.




Image: The Anker MagGo Power Bank connected to a USB-C cable for recharging, illustrating its two-way fast charging capability.

1. Connect one end of the USB-C to USB-C cable to the power bank's USB-C port.
2. Connect the other end to a compatible USB-C wall charger.
3. The smart display will show the charging status and estimated time to full charge.

5. OPERATING INSTRUCTIONS

5.1 Wireless Charging (MagSafe Compatible)

The power bank supports 15W Qi2 certified wireless charging for compatible devices, primarily iPhone 12/13/14/15 series.

ANKER

— The World's —
NO.1
Mobile Charging Brand*

Doubly Fast in a Snap

2X Faster*



Wireless PowerIQ | 15W Wireless Charging

*15W wireless fast charging is exclusive to iPhone models. Data based on internal testing, charging an iPhone 14 Pro from 0 to 25% compared with a 7.5W wireless charger.


Image: An iPhone 15 series device is magnetically attached to the Anker MagGo Power Bank, displaying a charging icon and 75% charge level.

1. Align your MagSafe-compatible iPhone with the wireless charging pad on the power bank. The magnets will securely attach the phone.
2. Ensure the phone is centered for optimal charging efficiency.
3. The smart display on the power bank will activate and show the charging status.

5.2 Wired Charging (USB-C)

Use the USB-C port for wired charging of devices that do not support wireless charging or for faster charging speeds up to 27W Max output.

27W Max USB-C Fast Charging*



*Actual output power may vary based on the device being charged.

Image: The Anker MagGo Power Bank is connected to an iPhone via a USB-C to USB-C cable, demonstrating wired charging.

1. Connect one end of a USB-C cable (the included cable or another compatible cable) to the power bank's USB-C port.
2. Connect the other end to your device's charging port.
3. The smart display will indicate wired charging activity.

5.3 Using the Foldable Stand

The integrated foldable stand allows for hands-free viewing while your device is charging.

Charging Stops at 80%?

Your iPhone may stop charging at 80% to protect the battery. This can happen if it gets too warm during charging as part of iOS 17's thermal control strategy. Charging will resume once the device cools down. Moving your iPhone to a cooler area may help.



Image: A user on an airplane uses their iPhone, which is attached to the Anker MagGo Power Bank with its stand, placed on a tray table for hands-free viewing.

1. Gently pull out the foldable stand from the back of the power bank.
2. Position your phone (attached wirelessly or wired) on the stand in either portrait or landscape orientation.
3. Push the stand back into its slot when not in use.

5.4 Smart Display Information

The smart display provides real-time information about the power bank's status.

AI-Powered Algorithm

Anker's AI algorithm, powered by a 32-bit processor, offers 4X the efficiency of standard 8-bit samplers. This advanced technology intelligently adapts in real-time to deliver the most effective power output, ensuring optimal charging and efficiency.




Image: A detailed view of the smart display on the Anker MagGo Power Bank, illustrating various indicators such as battery level, remaining battery in hours/minutes, and full recharge time.

- **Battery Level:** Shows the current percentage of the power bank's battery.
- **Remaining Battery in Hours/Minutes:** Indicates the estimated time the power bank can continue charging a device.
- **Full Recharge Time:** Displays the estimated time required to fully recharge the power bank itself.
- **Charging Device Icon:** Appears when a device is being charged.
- **Recharging Power Bank Icon:** Appears when the power bank is being recharged.

6. COMPATIBILITY NOTES

This power bank is optimized for the iPhone 12/13/14/15 series with 15W magnetic fast charging capabilities. While it can charge Android devices such as Samsung and Google phones, they will not

support the magnetic feature or achieve the 15W wireless charging speed, and will charge at a lower efficiency.



Image: An illustration demonstrating that the Anker MagGo Power Bank is compatible with iPhones using MagSafe cases, but not with standard non-magnetic phone cases.

For optimal magnetic attachment and charging, use an iPhone without a case or with a MagSafe-compatible case. Non-magnetic cases may prevent proper attachment and charging.

7. MAINTENANCE

- Keep the power bank away from liquids and extreme temperatures.
- Clean the surface with a dry, soft cloth. Do not use corrosive cleaners.
- Store in a cool, dry place when not in use.
- Avoid dropping or subjecting the power bank to strong impacts.

8. TROUBLESHOOTING

8.1 Device Not Charging Wirelessly

- Ensure your device is MagSafe compatible (iPhone 12/13/14/15 series).
- Check if your phone case is MagSafe compatible. Non-magnetic cases may interfere.
- Verify the power bank has sufficient charge.
- Ensure the phone is properly aligned on the wireless charging pad.

8.2 Slow Charging Speed

- For wireless charging, ensure your device supports 15W Qi2 charging. Android devices will charge at a lower efficiency.
- For wired charging, ensure the cable and wall adapter used are capable of fast charging.
- Close unnecessary background applications on your device.

8.3 Power Bank Not Recharging

- Check if the USB-C cable is securely connected to both the power bank and the wall charger.
- Ensure the wall charger is functioning correctly and provides sufficient power (20W PD recommended).

- Try a different USB-C cable or wall charger.

8.4 Charging Stops at 80%



Image: An iPhone screen displaying a 'Charging On Hold' notification, indicating that charging has paused because the device's temperature is too high.

Your iPhone may stop charging at 80% to protect the battery. This can happen if it gets too warm during charging as part of iOS 17's thermal control strategy. Charging will resume once the device cools down. Moving your iPhone to a cooler area may help.







9. SPECIFICATIONS

Model Number	A1654
Battery Capacity	10,000 Milliamp Hours
Wireless Output	Up to 15W (Qi2 Certified)
USB-C Output	Up to 27W Max
USB-C Input	Up to 20W Max
Product Dimensions	3.94 x 2.76 x 0.79 inches
Item Weight	8.8 ounces
Color	Green

10. WARRANTY AND CUSTOMER SUPPORT

Anker provides a **24-month warranty** for this product, covering manufacturing defects from the date of purchase. This warranty is in addition to rights provided by consumer law. For technical support, warranty claims, or other inquiries, please refer to the contact information provided in your welcome guide or visit the official Anker support website.

Related Documents - A1654

	<p>Anker MagGo Wireless Charger Stand - Fast Magnetic Charging for iPhone & AirPods</p> <p>User guide for the Anker MagGo Wireless Charger Stand (Model A25X1). Learn how to connect and use for fast magnetic charging of iPhone and AirPods. Includes FAQ, compatible devices, and specifications.</p>
	<p>Anker MagGo Power Bank (10K) Quick Start Guide</p> <p>Concise and SEO-optimized HTML guide for the Anker MagGo Power Bank (10K), model A1654. Includes key features, compatibility, important safety instructions, FCC and EU compliance information, and technical specifications.</p>
	<p>Anker MagGo (10000mAh)</p> <p>Anker MagGo (10000mAh, A1654) Anker</p>
	<p>Anker Zolo Magnetic Wireless Charger - User Guide and Specifications</p> <p>Learn how to use the Anker Zolo Magnetic Wireless Charger, a Qi2 certified 15W MagSafe-compatible charging pad for iPhone, AirPods, and other TWS earbuds. Includes safety information, FAQs, and technical specifications.</p>
	<p>Anker MagGo Foldable 3-in-1 Wireless Charging Station User Guide (A2557) - Charge iPhone, AirPods, Apple Watch</p> <p>Official user guide for the Anker MagGo Foldable 3-in-1 Wireless Charging Station (A2557). Learn how to charge your iPhone, AirPods, and Apple Watch simultaneously, safety information, case compatibility, and specifications.</p>
	<p>Anker PowerWave MagGo 2-in-1 Stand: 5000mAh MagSafe თავსებადი უკაბელო დამტენი და სადგამი</p> <p>Anker PowerWave MagGo 2-in-1 Stand (B25A7321) - დეტალური ტექნიკური მახასიათებლები, უსაფრთხოების ინსტრუქციები და შესაბამისობის დეკლარაცია. 5000mAh ბატარეა, MagSafe და Qi უკაბელო დამუხტვა.</p>



[pdf] Quick Start Guide Instructions Frequently Asked Questions Guide

QUICK START GUIDE Anker This wireless charger is not compatible with non Magsafe phone cases such as Otterbox Defender Do use an adapter output of 5V 1A 5W CZ SK HU 51005004234 V2 Battery A1654 23L QSG 62x90mm 20231225 anker cz 2024 03 Live Charged For tutorial videos FAQs manuals and more information please visit |||


For tutorial videos, FAQs, manuals, and more information, please visit: <https://support.anker.com> Or scan the QR code below: Live Charged. anker_o cial anker_jp AnkerDeutschland AnkerJapan Anker AnkerO cial Anker_JP USER GUIDE Product Number: **A1654** 51005004234 V02 Anker MagGo Power Ban... lang:en score:35 filesize: 1.92 M page_count: 15 document date: 2023-12-25



[Anker MagGo Power Bank \(10K, 15W\) User Guide and Safety Information](#)

Comprehensive user guide for the Anker MagGo Power Bank (10K, 15W), including setup, safety instructions, and compliance information. Learn how to use and care for your power bank.

lang:en score:35 filesize: 935.74 K page_count: 12 document date: 2023-09-13



[pdf] Specifications Guide

Anker MagGo Power Bank 10K USER GUIDEAnker GUIDE Salesforcesalesforce knowledge s3 us west 2 amazonaws 000015082 en US |||

Anker MagGo Power Bank 10K USER GUIDE **A1654**

CPrheseSctkheinbgutttohneoBncaetttoertuynrLtehevescreeen on or off. 1234....CRRRheeeacmrmrhgaaaiinnnrggiinningggBBaatttteerryy PDeurraetinothnag/eFull Recharge Time Charging Your Devices Wirelessly *To manually toggle wireless charging on or off, pre...

lang:fr score:33 filesize: 503.33 K page_count: 3 document date: 2024-01-12



[pdf] User Manual Quick Start Guide Instructions Frequently Asked Questions Guide

CZ SK HU manual 1802kBBezdrátová powerbanka Anker MagGo 10000mAh 27W černá F mobil czcz sk hu manualmedia f cz document 151168 1802kB CZ czAnker Bezdrátová bílá manualcz 151172 ||| ||| For tutorial videos, FAQs, manuals, and more information, please visit: <https://support.anker.com> Or scan the QR code below: Live Charged. anker_o cial anker_jp AnkerDeutschland AnkerJapan Anker AnkerO cial Anker_JP USER GUIDE Product Numbe

For tutorial videos, FAQs, manuals, and more information, please visit: <https://support.anker.com> Or scan the QR code below: Live Charged. anker_o cial anker_jp AnkerDeutschland AnkerJapan Anker AnkerO cial Anker_JP USER GUIDE Product Number: **A1654** 51005004234 V02 Anker MagGo Power Ban... lang:en score:31 filesize: 1.76 M page_count: 15 document date: 2023-12-25

EU & UK Declaration of Conformity (EN)

Version:V1.0

Name of the Manufacturer	Anker Innovations Limited
Address of the Manufacturer	Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt Road, Hong Kong
Name of the Product	Anker MagGo Power Bank (10K)
Trademark	Anker
Model No.	A1654

We declare under our responsibility that the above referenced product complies with the following recognized directives and standards, applicable in part or in whole:

Standards

IEC 62321-1:2013 / IEC 62321-3-1:2013/IEC 62321-6:2019 / IEC 62321-4:2013+A1:2017 / IEC 62321-7-2:2017 / IEC 62321-6:2015 / IEC 62321-7-1:2015 / IEC 62321-6:2017
EN IEC 62368-1:2020 +A11:2020
EN 55032: 2015+A11:2020+A11:2020
EN 61000-3-3: 2013/A1:2019+A2:2021
EN IEC 61000-3-2: 2019+A1:2021
EN 55035: 2017+A11:2020
EN 301 489-1 V2.3.3
EN 301 489-3 V2.3.2
EN 303 417 V1.1.1
EN IEC 62311:2020

Directives

2014/53/EU, 2014/26/EU, 2011/65/EU & (EU) 2015/863, (EC) No 1907/2006 concerning the REACH (EU) 2020/1542

I represent and warrant that: (i) I am a designated person of the manufacturer, (ii) I am responsible for the regulatory compliance of the product (including with the requirements mentioned in Anker Innovations Limited and this Declaration of Conformity) and (iii) the information I have provided in support of the safety and effectiveness of the product to be true and accurate and do not contain any material omissions.

Title:	Testing and Compliance	Function:	Product Certification Compliance
Name:	Director	Date:	2025-09-22
City:	HongKong	Signature:	<i>Louis Qi</i>

[pdf] Declaration of Conformity

Declaration of ConformityA1654 DOC2025 09 23Anker MagGo Powerbank 10K Anker DEA1654cdn

shopify s files 1 0491 8227 7795 A1654 v 1758605578 |||

EU UK Declaration of Conformity EN Version:V1.0 Name of the Manufacturer
Address of the Manufacturer Name of the Product Trademark Model No. Anker
Innovations Limited Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt Road,
Hong Kong Anker MagGo Power Bank 10K Anker **A1654** We declar...
lang:en **score:30** filesize: 302.75 K page_count: 25 document date: 2025-09-22

Anker Innovations Limited

Covered Equipment Certification Attestation Letter

11/13/2023

Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Road
Columbia, MD 21046
USA

ATTN: Reviewing Engineer
FCC ID: 2AOKB-A1654

Anker Innovations Limited (the applicant) certifies that, as of the date of the filing of the application, the applicant is not identified on the Covered List as an entity producing "covered" equipment.

Signoff

Louis Qi

The signed name: Louis Qi
Title: General Manager
Company Name: Anker Innovations Limited
Date: 11/13/2023

[pdf]

PROJECT NO Debbie Bedard Covered equipment list attestaion Anker Innovations Limited A1654
MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

Anker Innovations Limited Covered Equipment Certification Attestation Letter
11/13/2023 Federal Communications Commission Authorization and Evaluation
Division 7435 Oakland Mills Road Columbia, MD 21046 USA ATTN.: Reviewing
Engineer FCC ID: 2AOKB-**A1654** Anker Innovations Limited the applicant cer...
lang:tl **score:29** filesize: 79.33 K page_count: 1 document date: 2023-11-13

For Manual Users (PDF) - manuals, download

https://support.anker.com

or scan the QR code below

ANKER Live Charged.

Anker MagGo Power Bank (10K)

SAFETY SHEET

USER GUIDE

Anker MagGo Power Bank (10K) Safety and User Guide

Comprehensive safety instructions and user guide for the Anker MagGo Power Bank (10K), model A1654. Learn about product compatibility, operating conditions, safety precautions, and compliance information.
lang:en **score:29** filesize: 793.76 K page_count: 14 document date: 2024-12-16



DATE: 11/13/2023
Equipment Authorization Division
Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD 21046
FCC ID: 2AOKB-A1654
Product Name: Anker MagGo Power Bank (10K)
Request for Confidentiality
Pursuant to Sections 0.457 and 0.459 of the commission rules, we hereby request that the following documents be held confidential:
• Schematics
• Block Diagram
• Operation description
These materials contain trade secrets and proprietary information and are not customarily released to the public. The public disclosure of this information might be harmful to the company and provide unjustified benefits to our competitors.

«Signature»
Name: Louis Qi
Title: General Manager
Company: Anker Innovations Limited

[pdf] Confidentiality Request Letter

Authority to Act as Agent a TCB RUBY DULMAGE Confidentiality request letter Anker Innovations Limited
A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654
DATE : 11/13/2023 Equipment Autorisation Division Federal Communications
Commission 7435 Oakland Mills Road Columbia, MD 21046 FCC ID: 2AOKB-**A1654**
Product Name: Anker MagGo Power Bank 10K Request for Confidentiality Pursuant
to Sections 0.457 and 0.459 of the commissions rules, we hereby request t...
lang:en score:28 filesize: 60.2 K page_count: 1 document date: 2023-11-13

Anker Innovations Limited
U.S. Agent Designation for Service of Process -
Certification Attestation Letter
11/13/2023
Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Road
Columbia, MD 21046
USA
ATTN: Reviewing Engineer
FCC ID: 2AOKB-A1654
FRN of applicant: 1907177105
Per section 2.911 (b)(7) of the FCC rules, Anker Innovations Limited (the "applicant") certifies that the equipment for which authorization is sought is designated to the following U.S. agent¹ for service of process:
Company Name: Pentastar Trading LLC
FCC Registration Number (FRN): 19034242005
Physical U.S. Company Address: 5359 Ontario Mills Pkwy, STE 100, Ontario, CA 91764, United States
Contact Person: Louis Qi
Agent Email Address: louis.qi@anker-in.com
The above contact person accepts the obligation for service of process.
The applicant accepts to maintain an agent for no less than one year after the grantee has terminated all marketing and promotion or the conclusion of any Commission-related proceeding involving the equipment.

Applicant Signed: Signed: Printed name: Louis Qi Title: General Manager Company Name: Anker Innovations Limited Date: 11/13/2023		Agent Signed (if different from Applicant): Signed: Printed name: Louis Qi Title: Compliance Manager Company Name: Pentastar Trading LLC Date: 11/13/2023	
--	---	---	---

¹ The applicant must designate a contact located in the United States for purposes of acting as the applicant's agent for service of process, regardless of whether the applicant is a domestic or foreign entity. An applicant located in the United States may designate itself as the agent for service of process.

[pdf]

PROJECT NO Debbie Bedard US agent attestation Anker Innovations Limited A1654 MagGo Power
Bank 10K 2AOKB 2AOKBA1654 a1654
11/13/2023 Anker Innovations Limited U.S. Agent Designation for Service of Process
Certification Attestation Letter Federal Communications Commission Authorization
and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046 USA ATTN.:
Reviewing Engineer FCC ID: 2AOKB-**A1654** FRN of applicant:...
lang:en score:27 filesize: 77.04 K page_count: 1 document date: 2023-11-13

DATE: 11/13/2023
Equipment Authorization Division
Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD 21046
FCC ID: 2AOKB-A1654
Product Name: Anker MagGo Power Bank (10K)
Request for Short-Term Confidentiality
Pursuant to Sections 0.457 and 0.459 of the commission rules, and in accordance with the FCC Public notice dated June 15, 2004 (04-04-1705), we hereby request short-term confidentiality for the following items prior to marketing the device:
• Test Setup Photos
• External Photos
• Internal Photos
• User Manual
The applicant requests the exhibits selected above as short-term confidential be withheld from public view for a period of 180 days from the date of the Grant of Equipment Authorization and prior to marketing. This is to avoid premature release of sensitive information prior to marketing or release of the product to the public.

«Signature»
Name: Louis Qi
Title: General Manager
Company: Anker Innovations Limited

[pdf] Confidentiality Request Letter

Authority to Act as Agent a TCB RUBY DULMAGE Confidentiality request letter Anker Innovations Limited
A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654
DATE : 11/13/2023 Equipment Autorisation Division Federal Communications
Commission 7435 Oakland Mills Road Columbia, MD 21046 FCC ID: 2AOKB-**A1654**
Product Name: Anker MagGo Power Bank 10K Request for Short-Term
Confidentiality Pursuant to Sections 0.457 and 0.459 of the commission rules, and in
ac...
lang:en score:27 filesize: 60.92 K page_count: 1 document date: 2023-11-13

Anchor Innovations Limited

Covered Equipment Certification Attestation Letter

11/13/2023

Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Road
Columbia, MD 21046
USA

ATTN: Reviewing Engineer
FCC ID: 2AOKB-A1654

Anchor Innovations Limited ("the applicant") certifies that the equipment for which authorization is sought has not received equipment certification from receiving an equipment authorization pursuant to section 2.203 of the FCC rules.

Note: If the equipment for which the applicant seeks authorization is produced by any of the entities identified on the current [Covered List](#), the applicant should include an explanation on why the equipment is not "covered" equipment.

Signed: 

Printed name: Louis Qi
Title: General Manager
Company Name: Anchor Innovations Limited
Date: 11/13/2023

[pdf]

PROJECT NO Debbie Bedard Covered equipment list attestaion Anker Innovations Limited A1654
MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654
Anker Innovations Limited Covered Equipment Certification Attestation Letter
11/13/2023 Federal Communications Commission Authorization and Evaluation
Division 7435 Oakland Mills Road Columbia, MD 21046 USA ATTN.: Reviewing
Engineer FCC ID: 2AOKB-**A1654** Anker Innovations Limited the applicant cer...
lang:en score:27 filesize: 81.51 K page_count: 1 document date: 2023-11-13


EU Declaration of Conformity (EN)

Name of the Manufacturer	Anchor Innovations Limited
Address of the Manufacturer	Unit 30, 8th Floor, Tower 2, Admiralty Centre, 18 Hoiwout Road, Hong Kong
Name of importer	Anchor Innovations (Deutschland GmbH)
Importer's Address	GeorgMeiße Strasse 3, 80807 Munich, Germany/ GMPB, 40 Clarendon Road, Watford, Hertfordshire, WD17 1HP, United Kingdom
Name of the Product	Anchor MagGo Power Bank (10K)
Trade Mark	ANKER
Model No.	A1654

We declare under our responsibility that the above referenced product complies with the following recognized directives and standards, applicable to parts in scope:

Standards


EN 62369-1:2014+A1:2017 / EN 10088:2017 / EN IEC 62311:2020
ETSI EN 301 488-1 V22.2:2016-11 / ETSI EN 301 488-2 V22.2:2020-01
ETSI EN 302 477 V1.1:2017-08 / ETSI EN 302 300 V2 V1:2017-02
EN IEC 55014-1:2021 / EN IEC 55014-2:2017 / EN IEC 62319-1:2019 / IEC 62319-2:2019 / IEC 62319-3:2019 / IEC 62319-4:2019 / IEC 62319-5:2019 / IEC 62319-6:2019 / IEC 62319-7:2019 / IEC 62319-8:2019 / IEC 62319-9:2019 / IEC 62319-10:2019 / IEC 62319-11:2019 / IEC 62319-12:2019 / IEC 62319-13:2019 / IEC 62319-14:2019 / IEC 62319-15:2019 / IEC 62319-16:2019 / IEC 62319-17:2019 / IEC 62319-18:2019 / IEC 62319-19:2019 / IEC 62319-20:2019 / IEC 62319-21:2019 / IEC 62319-22:2019 / IEC 62319-23:2019 / IEC 62319-24:2019 / IEC 62319-25:2019 / IEC 62319-26:2019 / IEC 62319-27:2019 / IEC 62319-28:2019 / IEC 62319-29:2019 / IEC 62319-30:2019 / IEC 62319-31:2019 / IEC 62319-32:2019 / IEC 62319-33:2019 / IEC 62319-34:2019 / IEC 62319-35:2019 / IEC 62319-36:2019 / IEC 62319-37:2019 / IEC 62319-38:2019 / IEC 62319-39:2019 / IEC 62319-40:2019 / IEC 62319-41:2019 / IEC 62319-42:2019 / IEC 62319-43:2019 / IEC 62319-44:2019 / IEC 62319-45:2019 / IEC 62319-46:2019 / IEC 62319-47:2019 / IEC 62319-48:2019 / IEC 62319-49:2019 / IEC 62319-50:2019 / IEC 62319-51:2019 / IEC 62319-52:2019 / IEC 62319-53:2019 / IEC 62319-54:2019 / IEC 62319-55:2019 / IEC 62319-56:2019 / IEC 62319-57:2019 / IEC 62319-58:2019 / IEC 62319-59:2019 / IEC 62319-60:2019 / IEC 62319-61:2019 / IEC 62319-62:2019 / IEC 62319-63:2019 / IEC 62319-64:2019 / IEC 62319-65:2019 / IEC 62319-66:2019 / IEC 62319-67:2019 / IEC 62319-68:2019 / IEC 62319-69:2019 / IEC 62319-70:2019 / IEC 62319-71:2019 / IEC 62319-72:2019 / IEC 62319-73:2019 / IEC 62319-74:2019 / IEC 62319-75:2019 / IEC 62319-76:2019 / IEC 62319-77:2019 / IEC 62319-78:2019 / IEC 62319-79:2019 / IEC 62319-80:2019 / IEC 62319-81:2019 / IEC 62319-82:2019 / IEC 62319-83:2019 / IEC 62319-84:2019 / IEC 62319-85:2019 / IEC 62319-86:2019 / IEC 62319-87:2019 / IEC 62319-88:2019 / IEC 62319-89:2019 / IEC 62319-90:2019 / IEC 62319-91:2019 / IEC 62319-92:2019 / IEC 62319-93:2019 / IEC 62319-94:2019 / IEC 62319-95:2019 / IEC 62319-96:2019 / IEC 62319-97:2019 / IEC 62319-98:2019 / IEC 62319-99:2019 / IEC 62319-100:2019 / IEC 62319-101:2019 / IEC 62319-102:2019 / IEC 62319-103:2019 / IEC 62319-104:2019 / IEC 62319-105:2019 / IEC 62319-106:2019 / IEC 62319-107:2019 / IEC 62319-108:2019 / IEC 62319-109:2019 / IEC 62319-110:2019 / IEC 62319-111:2019 / IEC 62319-112:2019 / IEC 62319-113:2019 / IEC 62319-114:2019 / IEC 62319-115:2019 / IEC 62319-116:2019 / IEC 62319-117:2019 / IEC 62319-118:2019 / IEC 62319-119:2019 / IEC 62319-120:2019 / IEC 62319-121:2019 / IEC 62319-122:2019 / IEC 62319-123:2019 / IEC 62319-124:2019 / IEC 62319-125:2019 / IEC 62319-126:2019 / IEC 62319-127:2019 / IEC 62319-128:2019 / IEC 62319-129:2019 / IEC 62319-130:2019 / IEC 62319-131:2019 / IEC 62319-132:2019 / IEC 62319-133:2019 / IEC 62319-134:2019 / IEC 62319-135:2019 / IEC 62319-136:2019 / IEC 62319-137:2019 / IEC 62319-138:2019 / IEC 62319-139:2019 / IEC 62319-140:2019 / IEC 62319-141:2019 / IEC 62319-142:2019 / IEC 62319-143:2019 / IEC 62319-144:2019 / IEC 62319-145:2019 / IEC 62319-146:2019 / IEC 62319-147:2019 / IEC 62319-148:2019 / IEC 62319-149:2019 / IEC 62319-150:2019 / IEC 62319-151:2019 / IEC 62319-152:2019 / IEC 62319-153:2019 / IEC 62319-154:2019 / IEC 62319-155:2019 / IEC 62319-156:2019 / IEC 62319-157:2019 / IEC 62319-158:2019 / IEC 62319-159:2019 / IEC 62319-160:2019 / IEC 62319-161:2019 / IEC 62319-162:2019 / IEC 62319-163:2019 / IEC 62319-164:2019 / IEC 62319-165:2019 / IEC 62319-166:2019 / IEC 62319-167:2019 / IEC 62319-168:2019 / IEC 62319-169:2019 / IEC 62319-170:2019 / IEC 62319-171:2019 / IEC 62319-172:2019 / IEC 62319-173:2019 / IEC 62319-174:2019 / IEC 62319-175:2019 / IEC 62319-176:2019 / IEC 62319-177:2019 / IEC 62319-178:2019 / IEC 62319-179:2019 / IEC 62319-180:2019 / IEC 62319-181:2019 / IEC 62319-182:2019 / IEC 62319-183:2019 / IEC 62319-184:2019 / IEC 62319-185:2019 / IEC 62319-186:2019 / IEC 62319-187:2019 / IEC 62319-188:2019 / IEC 62319-189:2019 / IEC 62319-190:2019 / IEC 62319-191:2019 / IEC 62319-192:2019 / IEC 62319-193:2019 / IEC 62319-194:2019 / IEC 62319-195:2019 / IEC 62319-196:2019 / IEC 62319-197:2019 / IEC 62319-198:2019 / IEC 62319-199:2019 / IEC 62319-200:2019 / IEC 62319-201:2019 / IEC 62319-202:2019 / IEC 62319-203:2019 / IEC 62319-204:2019 / IEC 62319-205:2019 / IEC 62319-206:2019 / IEC 62319-207:2019 / IEC 62319-208:2019 / IEC 62319-209:2019 / IEC 62319-210:2019 / IEC 62319-211:2019 / IEC 62319-212:2019 / IEC 62319-213:2019 / IEC 62319-214:2019 / IEC 62319-215:2019 / IEC 62319-216:2019 / IEC 62319-217:2019 / IEC 62319-218:2019 / IEC 62319-219:2019 / IEC 62319-220:2019 / IEC 62319-221:2019 / IEC 62319-222:2019 / IEC 62319-223:2019 / IEC 62319-224:2019 / IEC 62319-225:2019 / IEC 62319-226:2019 / IEC 62319-227:2019 / IEC 62319-228:2019 / IEC 62319-229:2019 / IEC 62319-230:2019 / IEC 62319-231:2019 / IEC 62319-232:2019 / IEC 62319-233:2019 / IEC 62319-234:2019 / IEC 62319-235:2019 / IEC 62319-236:2019 / IEC 62319-237:2019 / IEC 62319-238:2019 / IEC 62319-239:2019 / IEC 62319-240:2019 / IEC 62319-241:2019 / IEC 62319-242:2019 / IEC 62319-243:2019 / IEC 62319-244:2019 / IEC 62319-245:2019 / IEC 62319-246:2019 / IEC 62319-247:2019 / IEC 62319-248:2019 / IEC 62319-249:2019 / IEC 62319-250:2019 / IEC 62319-251:2019 / IEC 62319-252:2019 / IEC 62319-253:2019 / IEC 62319-254:2019 / IEC 62319-255:2019 / IEC 62319-256:2019 / IEC 62319-257:2019 / IEC 62319-258:2019 / IEC 62319-259:2019 / IEC 62319-260:2019 / IEC 62319-261:2019 / IEC 62319-262:2019 / IEC 62319-263:2019 / IEC 62319-264:2019 / IEC 62319-265:2019 / IEC 62319-266:2019 / IEC 62319-267:2019 / IEC 62319-268:2019 / IEC 62319-269:2019 / IEC 62319-270:2019 / IEC 62319-271:2019 / IEC 62319-272:2019 / IEC 62319-273:2019 / IEC 62319-274:2019 / IEC 62319-275:2019 / IEC 62319-276:2019 / IEC 62319-277:2019 / IEC 62319-278:2019 / IEC 62319-279:2019 / IEC 62319-280:2019 / IEC 62319-281:2019 / IEC 62319-282:2019 / IEC 62319-283:2019 / IEC 62319-284:2019 / IEC 62319-285:2019 / IEC 62319-286:2019 / IEC 62319-287:2019 / IEC 62319-288:2019 / IEC 62319-289:2019 / IEC 62319-290:2019 / IEC 62319-291:2019 / IEC 62319-292:2019 / IEC 62319-293:2019 / IEC 62319-294:2019 / IEC 62319-295:2019 / IEC 62319-296:2019 / IEC 62319-297:2019 / IEC 62319-298:2019 / IEC 62319-299:2019 / IEC 62319-300:2019 / IEC 62319-301:2019 / IEC 62319-302:2019 / IEC 62319-303:2019 / IEC 62319-304:2019 / IEC 62319-305:2019 / IEC 62319-306:2019 / IEC 62319-307:2019 / IEC 62319-308:2019 / IEC 62319-309:2019 / IEC 62319-310:2019 / IEC 62319-311:2019 / IEC 62319-312:2019 / IEC 62319-313:2019 / IEC 62319-314:2019 / IEC 62319-315:2019 / IEC 62319-316:2019 / IEC 62319-317:2019 / IEC 62319-318:2019 / IEC 62319-319:2019 / IEC 62319-320:2019 / IEC 62319-321:2019 / IEC 62319-322:2019 / IEC 62319-323:2019 / IEC 62319-324:2019 / IEC 62319-325:2019 / IEC 62319-326:2019 / IEC 62319-327:2019 / IEC 62319-328:2019 / IEC 62319-329:2019 / IEC 62319-330:2019 / IEC 62319-331:2019 / IEC 62319-332:2019 / IEC 62319-333:2019 / IEC 62319-334:2019 / IEC 62319-335:2019 / IEC 62319-336:2019 / IEC 62319-337:2019 / IEC 62319-338:2019 / IEC 62319-339:2019 / IEC 62319-340:2019 / IEC 62319-341:2019 / IEC 62319-342:2019 / IEC 62319-343:2019 / IEC 62319-344:2019 / IEC 62319-345:2019 / IEC 62319-346:2019 / IEC 62319-347:2019 / IEC 62319-348:2019 / IEC 62319-349:2019 / IEC 62319-350:2019 / IEC 62319-351:2019 / IEC 62319-352:2019 / IEC 62319-353:2019 / IEC 62319-354:2019 / IEC 62319-355:2019 / IEC 62319-356:2019 / IEC 62319-357:2019 / IEC 62319-358:2019 / IEC 62319-359:2019 / IEC 62319-360:2019 / IEC 62319-361:2019 / IEC 62319-362:2019 / IEC 62319-363:2019 / IEC 62319-364:2019 / IEC 62319-365:2019 / IEC 62319-366:2019 / IEC 62319-367:2019 / IEC 62319-368:2019 / IEC 62319-369:2019 / IEC 62319-370:2019 / IEC 62319-371:2019 / IEC 62319-372:2019 / IEC 62319-373:2019 / IEC 62319-374:2019 / IEC 62319-375:2019 / IEC 62319-376:2019 / IEC 62319-377:2019 / IEC 62319-378:2019 / IEC 62319-379:2019 / IEC 62319-380:2019 / IEC 62319-381:2019 / IEC 62319-382:2019 / IEC 62319-383:2019 / IEC 62319-384:2019 / IEC 62319-385:2019 / IEC 62319-386:2019 / IEC 62319-387:2019 / IEC 62319-388:2019 / IEC 62319-389:2019 / IEC 62319-390:2019 / IEC 62319-391:2019 / IEC 62319-392:2019 / IEC 62319-393:2019 / IEC 62319-394:2019 / IEC 62319-395:2019 / IEC 62319-396:2019 / IEC 62319-397:2019 / IEC 62319-398:2019 / IEC 62319-399:2019 / IEC 62319-400:2019 / IEC 62319-401:2019 / IEC 62319-402:2019 / IEC 62319-403:2019 / IEC 62319-404:2019 / IEC 62319-405:2019 / IEC 62319-406:2019 / IEC 62319-407:2019 / IEC 62319-408:2019 / IEC 62319-409:2019 / IEC 62319-410:2019 / IEC 62319-411:2019 / IEC 62319-412:2019 / IEC 62319-413:2019 / IEC 62319-414:2019 / IEC 62319-415:2019 / IEC 62319-416:2019 / IEC 62319-417:2019 / IEC 62319-418:2019 / IEC 62319-419:2019 / IEC 62319-420:2019 / IEC 62319-421:2019 / IEC 62319-422:2019 / IEC 62319-423:2019 / IEC 62319-424:2019 / IEC 62319-425:2019 / IEC 62319-426:2019 / IEC 62319-427:2019 / IEC 62319-428:2019 / IEC 62319-429:2019 / IEC 62319-430:2019 / IEC 62319-431:2019 / IEC 62319-432:2019 / IEC 62319-433:2019 / IEC 62319-434:2019 / IEC 62319-435:2019 / IEC 62319-436:2019 / IEC 62319-437:2019 / IEC 62319-438:2019 / IEC 62319-439:2019 / IEC 62319-440:2019 / IEC 62319-441:2019 / IEC 62319-442:2019 / IEC 62319-443:2019 / IEC 62319-444:2019 / IEC 62319-445:2019 / IEC 62319-446:2019 / IEC 62319-447:2019 / IEC 62319-448:2019 / IEC 62319-449:2019 / IEC 62319-450:2019 / IEC 62319-451:2019 / IEC 62319-452:2019 / IEC 62319-453:2019 / IEC 62319-454:2019 / IEC 62319-455:2019 / IEC 62319-456:2019 / IEC 62319-457:2019 / IEC 62319-458:2019 / IEC 62319-459:2019 / IEC 62319-460:2019 / IEC 62319-461:2019 / IEC 62319-462:2019 / IEC 62319-463:2019 / IEC 62319-464:2019 / IEC 62319-465:2019 / IEC 62319-466:2019 / IEC 62319-467:2019 / IEC 62319-468:2019 / IEC 62319-469:2019 / IEC 62319-470:2019 / IEC 62319-471:2019 / IEC 62319-472:2019 / IEC 62319-473:2019 / IEC 62319-474:2019 / IEC 62319-475:2019 / IEC 62319-476:2019 / IEC 62319-477:2019 / IEC 62319-478:2019 / IEC 62319-479:2019 / IEC 62319-480:2019 / IEC 62319-481:2019 / IEC 62319-482:2019 / IEC 62319-483:2019 / IEC 62319-484:2019 / IEC 62319-485:2019 / IEC 62319-486:2019 / IEC 62319-487:2019 / IEC 62319-488:2019 / IEC 62319-489:2019 / IEC 62319-490:2019 / IEC 62319-491:2019 / IEC 62319-492:2019 / IEC 62319-493:2019 / IEC 62319-494:2019 / IEC 62319-495:2019 / IEC 62319-496:2019 / IEC 62319-497:2019 / IEC 62319-498:2019 / IEC 62319-499:2019 / IEC 62319-500:2019 / IEC 62319-501:2019 / IEC 62319-502:2019 / IEC 62319-503:2019 / IEC 62319-504:2019 / IEC 62319-505:2019 / IEC 62319-506:2019 / IEC 62319-507:2019 / IEC 62319-508:2019 / IEC 62319-509:2019 / IEC 62319-510:2019 / IEC 62319-511:2019 / IEC 62319-512:2019 / IEC 62319-513:2019 / IEC 62319-514:2019 / IEC 62319-515:2019 / IEC 62319-516:2019 / IEC 62319-517:2019 / IEC 62319-518:2019 / IEC 62319-519:2019 / IEC 62319-520:2019 / IEC 62319-521:2019 / IEC 62319-522:2019 / IEC 62319-523:2019 / IEC 62319-524:2019 / IEC 62319-525:2019 / IEC 62319-526:2019 / IEC 62319-527:2019 / IEC 62319-528:2019 / IEC 62319-529:2019 / IEC 62319-530:2019 / IEC 62319-531:2019 / IEC 62319-532:2019 / IEC 62319-533:2019 / IEC 62319-534:2019 / IEC 62319-535:2019 / IEC 62319-536:2019 / IEC 62319-537:2019 / IEC 62319-538:2019 / IEC 62319-539:2019 / IEC 62319-540:2019 / IEC 62319-541:2019 / IEC 62319-542:2019 / IEC 62319-543:2019 / IEC 62319-544:2019 / IEC 62319-545:2019 / IEC 62319-546:2019 / IEC 62319-547:2019 / IEC 62319-548:2019 / IEC 62319-549:2019 / IEC 62319-550:2019 / IEC 62319-551:2019 / IEC 62319-552:2019 / IEC 62319-553:2019 / IEC 62319-554:2019 / IEC 62319-555:2019 / IEC 62319-556:2019 / IEC 62319-557:2019 / IEC 62319-558:2019 / IEC 62319-559:2019 / IEC 62319-560:2019 / IEC 62319-561:2019 / IEC 62319-562:2019 / IEC 62319-563:2019 / IEC 62319-564:2019 / IEC 62319-565:2019 / IEC 62319-566:2019 / IEC 62319-567:2019 / IEC 62319-568:2019 / IEC 62319-569:2019 / IEC 62319-570:2019 / IEC 62319-571:2019 / IEC 62319-572:2019 / IEC 62319-573:2019 / IEC 62319-574:2019 / IEC 62319-575:2019 / IEC 62319-576:2019 / IEC 62319-577:2019 / IEC 62319-578:2019 / IEC 62319-579:2019 / IEC 62319-580:2019 / IEC 62319-581:2019 / IEC 62319-582:2019 / IEC 62319-583:2019 / IEC 62319-584:2019 / IEC 62319-585:2019 / IEC 62319-586:2019 / IEC 62319-587:2019 / IEC 62319-588:2019 / IEC 62319-589:2019 / IEC 62319-590:2019 / IEC 62319-591:2019 / IEC 62319-592:2019 / IEC 62319-593:2019 / IEC 62319-594:2019 / IEC 62319-595:2019 / IEC 62319-596:2019 / IEC 62319-597:2019 / IEC 62319-598:2019 / IEC 62319-599:2019 / IEC 62319-600:2019 / IEC 62319-601:2019 / IEC 62319-602:2019 / IEC 62319-603:2019 / IEC 62319-604:2019 / IEC 62319-605:2019 / IEC 62319-606:2019 / IEC 62319-607:2019 / IEC 62319-608:2019 / IEC 62319-609:2019 / IEC 62319-610:2019 / IEC 62319-611:2019 / IEC 62319-612:2019 / IEC 62319-613:2019 / IEC 62319-614:2019 / IEC 62319-615:2019 / IEC 62319-616:2019 / IEC 62319-617:2019 / IEC 62319-618:2019 / IEC 62319-619:2019 / IEC 62319-620:2019 / IEC 62319-621:2019 / IEC 62319-622:2019 / IEC 62319-623:2019 / IEC 62319-624:2019 / IEC 62319-625:2019 / IEC 62319-626:2019 / IEC 62319-627:2019 / IEC 62319-628:2019 / IEC 62319-629:2019 / IEC 62319-630:2019 / IEC 62319-631:2019 / IEC 62319-632:2019 / IEC 62319-633:2019 / IEC 62319-634:2019 / IEC 62319-635:2019 / IEC 62319-636:2019 / IEC 623



[pdf]

GEBRUIKERSHANDLEIDING Anker MagGo Power Bank 10K GEBRUIKERSHANDLEIDING 10K A1654
Het accuniveau controleren Druk één keer op de knop om het scherm in of uit te schakelen Anker 10
000mAh 15W NL Salesforcesalesforce knowledge s3 us west 2 amazonaws 000015232 en US |||
GEBRUIKERSHANDLEIDING Anker MagGo Power Bank 10K **A1654** HD reukt
acnckuenerivoepadue kcnoonptormolheert escnherm in of uit te schakelen.
1234....OORTpiepjdlslaatdtedoereetnnnvdollaecdigupoeprgceenlatdaegne/ontladen
Het draadloos opladen van uw apparaten *Om draadloos opladen handmatig in of
uit...

lang:nl score:24 filesize: 502.18 K page_count: 3 document date: 2024-01-17



[pdf] Specifications Diagram

SPECIFICATION sjq Antenna specification Anker Innovations Limited A1654 MagGo Power Bank 10K
2AOKB 2AOKBA1654 a1654
Fine Page 1 of 11 CUSTOMER: CUST P/N: FINE P/N: DESC: DATE: Version:
SPECIFICATION FOR APPROVAL A007 WDZL-8.2uH-A**1654**-1 FYA007007
FYA00712023072101 2023/08/28 A.1 PREPARED BY CHECKED BY APPROVED
BY CUSTOMER APPROVE Dongguan FANYA Electronics Co., L...
lang:en score:23 filesize: 2.78 M page_count: 11 document date: 2023-08-29



[Anker MagGo Power Bank \(10K\) Quick Start Guide](#)

This guide provides quick start instructions for the Anker MagGo Power Bank (10K), including important safety information, compatibility details, and compliance statements in multiple languages.


lang:en score:23 filesize: 966.89 K page_count: 11 document date: 2023-11-06



[Anker MagGo Power Bank \(10K\) Quick Start Guide](#)

Concise and SEO-optimized HTML guide for the Anker MagGo Power Bank (10K), model A1654. Includes key features, compatibility, important safety instructions, FCC and EU compliance information, and technical specifications.

lang:en score:20 filesize: 1.76 M page_count: 15 document date: 2023-11-21




[pdf] Agent Authorization

Administrator Agent Authorization Letter Template Anker Innovations Limited A1654A MagGo Power Bank 10K 2AOKB 2AOKBA1654A a1654a

Date12/16/2024 Anker Innovations Limited Product Model Number: **A1654** FCC ID2AOKB-**A1654A** To whom it may concern, Re: Product Certification Representative Authorization Letter We authorize QAI Laboratories Ltd. 3980 North Fraser Way, Burnaby B.C. Canada V5J 5K5 to act on our behalf on all matters...

lang:en score:20 filesize: 79.39 K page_count: 1 document date: 2024-12-16




[pdf] Agent Authorization

Administrator Agent Authorization Letter Template Anker Innovations Limited A1654A MagGo Power Bank 10K 2AOKB 2AOKBA1654A a1654a

Date7/18/2025 Anker Innovations Limited Product Model Number: **A1654** FCC ID2AOKB-**A1654A** To whom it may concern, Re: Product Certification Representative Authorization Letter We authorize QAI Laboratories Ltd. 3980 North Fraser Way, Burnaby B.C. Canada V5J 5K5 to act on our behalf on all matters ...


lang:en score:20 filesize: 83.51 K page_count: 1 document date: 2025-07-18



[pdf] Product Photos Teardown

Figure 1 Internal Photos Anker Innovations Limited A1654A 2AOKB 2AOKBA1654A a1654a
1. EUT PHOTO Page 1 of 7 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239
Coil Antenna Page 2 of 7 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239
Page 3 of 7 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239 Page 4 of 7
Internal Photos M/N: **A1654** Report. No. ESTE-R2411239 ...


lang:en score:16 filesize: 1.53 M page_count: 7 document date: 2024-12-16



[\[pdf\]](#) Test Report Product Photos Teardown

Figure 1 Internal Photos Anker Innovations Limited A1654A MagGo Power Bank 10K 2AOKB 2AOKBA1654A a1654a


1. EUT PHOTO Page 1 of 8 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 2 of 8 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 3 of 8 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 4 of 8 Internal Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 5...
lang:en score:16 filesize: 1.67 M page_count: 8 document date: 2025-07-11



[\[pdf\]](#) Product Photos

Figure 1 External Photos Anker Innovations Limited A1654A 2AOKB 2AOKBA1654A a1654a


1. EUT PHOTO Page 1 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239 Page 2 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239 Page 3 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239 Page 4 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239 ...
lang:en score:16 filesize: 610.93 K page_count: 4 document date: 2024-12-16



[\[pdf\]](#) Product Photos

Figure 1 External Photos Anker Innovations Limited A1654A MagGo Power Bank 10K 2AOKB 2AOKBA1654A a1654a

1. EUT PHOTO Page 1 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 2 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 3 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239-1 Page 4 of 4 External Photos M/N: **A1654** Report. No. ESTE-R2411239-1 ...
lang:en score:16 filesize: 618.46 K page_count: 4 document date: 2025-07-11



[pdf] Label

2 FCC to Act as Agent TCB qua stanley letter Anker Innovations Limited A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

DATE : 11/13/2023 Federal Communications Commission Authorization Evaluation Division 7345 Oakland Mills Road Columbia, Maryland 21046 Authority to Act as Agent On our behalf, I appoint EST Technology Co., Ltd. Address:Chilingxiang, Qishantou, Santun, Houjie, Dongguan, Guangdong, China to act as o...

lang:en score:15 filesize: 106.85 K page_count: 1 document date: 2023-11-13



[pdf]

EMC RF Test setup Anker Innovations Limited A1654 2AOKB 2AOKBA1654 a1654 Conducted Test Radiated Test 9kHz-30 MHz Radiated Test 30MHz-1GHz Exposure Test Setup A A B C D E Setup B A B C D E ...

lang:en score:14 filesize: 1.11 M page_count: 9 document date: 2023-11-13



[pdf] Agent Authorization

Amanda Reed Agent letter Anker Innovations Limited A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

DATE : 11/13/2023 Federal Communications Commission Authorization Evaluation Division 7345 Oakland Mills Road Columbia, Maryland 21046 RE: LETTER OF AGENT AUTHORIZATION To Whom It May Concern: We, the undersigned, hereby authorize Compliance Testing, LLC to act on our behalf in all matters relatin...

lang:en score:13 filesize: 46.53 K page_count: 1 document date: 2023-11-13

FCC ID: 2AOKB-A1654

FCC PART 15C TEST REPORT FOR CERTIFICATION
On Behalf of
Anker Innovations Limited
Anker MagGo Power Bank (10K)
Model Number: A1654
FCC ID: 2AOKB-A1654

Applicant:	Anker Innovations Limited
Address:	Room 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, Hong Kong
Prepared By:	EST Technology Co., Ltd. Chingching, Qidong, Suzhou, Huzhou, Dongguan, Guangdong, China Tel: 86-769-83081888-808

Report Number:	ESTE-R2111029
Date of Test:	Sep. 04. -Oct. 31, 2023
Date of Report:	Nov. 06, 2023

EST Technology Co., Ltd. Report No.: ESD-R2111029 Page 1 of 11

[pdf] Test Report

Shenzhen Kingnet Electronics Co Ltd 54M Wireless USB Adaptor E06473 Annie Test Report Anker Innovations Limited A1654 2AOKB 2AOKBA1654 a1654

...

lang:en score:13 filesize: 1.2 M page_count: 31 document date: 2023-11-16

FCC ID: 2AOKB-A1654

RF EXPOSURE REPORT FOR CERTIFICATION
On Behalf of
Anker Innovations Limited
Anker MagGo Power Bank (10K)
Model Number: A1654
FCC ID: 2AOKB-A1654

Applicant:	Anker Innovations Limited
Address:	Room 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, Hong Kong
Prepared By:	EST Technology Co., Ltd. Chingching, Qidong, Suzhou, Huzhou, Dongguan, Guangdong, China Tel: 86-769-83081888-808

Report Number:	ESTE-R2111030
Date of Test:	Sep. 04. -Oct. 31, 2023
Date of Report:	Nov. 06, 2023

EST Technology Co., Ltd. Report No.: ESD-R2111030 Page 1 of 11

[pdf] SAR Rating

Shenzhen Kingnet Electronics Co Ltd 54M Wireless USB Adaptor E06473 Annie RF Exposure Info Anker Innovations Limited A1654 2AOKB 2AOKBA1654 a1654

...

lang:en score:13 filesize: 672.25 K page_count: 10 document date: 2023-11-16

FCC ID: 2AOKB-A1654

FCC PART 15C TEST REPORT FOR CERTIFICATION
On Behalf of
Anker Innovations Limited
Anker MagGo Power Bank (10K)
Model Number: A1654
FCC ID: 2AOKB-A1654

Applicant:	Anker Innovations Limited
Address:	Room 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, Hong Kong
Prepared By:	EST Technology Co., Ltd. Chingching, Qidong, Suzhou, Huzhou, Dongguan, Guangdong, China Tel: 86-769-83081888-808

Report Number:	ESTE-R2111029
Date of Test:	Sep. 04. -Oct. 31, 2023
Date of Report:	Nov. 06, 2023

EST Technology Co., Ltd. Report No.: ESD-R2111029 Page 1 of 11

[pdf] Test Report

Shenzhen Kingnet Electronics Co Ltd 54M Wireless USB Adaptor E06473 Annie Test report Anker Innovations Limited A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

...

lang:en score:12 filesize: 1.23 M page_count: 31 document date: 2023-11-13

FCC ID: 2AOKB-A1654

RF EXPOSURE REPORT FOR CERTIFICATION

On Behalf of

Anker Innovations Limited

Anker MagGo Power Bank (10K)

Model Number: A1654

FCC ID: 2AOKB-A1654

Applicant:	Anker Innovations Limited
Address:	Room 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, Hong Kong
Prepared By:	EST Technology Co., Ltd. Chilingsiang, Qidaoon, Santun, Huijin, Dongguan, Guangdong, China Tel: 86-769-83681888-808

Report Number:	EST-E-R2111010
Date of Test:	Sep. 04, -Oct. 31, 2023
Date of Report:	Nov. 06, 2023

EST Technology Co., Ltd.

Report No.: EST-R010100

Page 1 of 10

[pdf] SAR Rating

Shenzhen Kingnet Electronics Co Ltd 54M Wireless USB Adaptor E06473 Annie RF Exposure Anker Innovations Limited A1654 MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

...

lang:en score:12 filesize: 698.45 K page_count: 10 document date: 2023-11-13




[pdf] Label

A1654 Qi 20231107 V8 Label Anker Innovations Limited MagGo Power Bank 10K 2AOKB 2AOKBA1654 a1654

1mm 1.2mm 1.5mm ...


lang:en score:12 filesize: 941.17 K page_count: 1 document date: 2023-11-11



[Puget Sound Energy 2025 Renewable Portfolio Standard Report](#)

Puget Sound Energy's annual report detailing compliance with Washington's Renewable Portfolio Standard (RPS) for 2025. The report outlines the company's renewable energy targets, acquired resources, and revenue requirements as mandated by RCW 19.285.070 and WAC 480-109-210.

lang:en **score:10** filesize: 7.54 M page_count: 162 document date: 2025-08-14



[Anker MagGo Power Bank \(10K\) A1654: Specifications, Features, and Certifications](#)

Discover the specifications and regulatory details of the Anker MagGo Power Bank (10K) model A1654. This document outlines its 10000mAh total cell capacity, 5200mAh battery capacity, USB-C input/output, 15W wireless charging, and compliance certifications including FCC, IC, CE, and BIS.

lang:en **score:10** filesize: 878.85 K page_count: 1 document date: 2024-12-16