

[Manuals.plus](#) /

› [HOWE](#) /

› HOWE 8x10x7.5 FT Polycarbonate Greenhouse Instruction Manual

HOWE YPG204

HOWE 8x10x7.5 FT Polycarbonate Greenhouse Instruction Manual

Model: YPG204 | Brand: HOWE

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your HOWE 8x10x7.5 FT Polycarbonate Greenhouse. Designed for year-round use, this walk-in greenhouse features durable aluminum construction and 6mm twin-wall polycarbonate panels for optimal plant growth and protection. Please read all instructions carefully before beginning assembly or operation.



Figure 1: The HOWE 8x10x7.5 FT Polycarbonate Greenhouse, showcasing its spacious design and clear panels in a garden environment.

2. KEY FEATURES

- **Spacious Design:** Measuring 8x10x7.5 FT, this walk-in greenhouse provides ample space for various plants and gardening activities. Recommended foundation size: 10.5x8.5 FT.
- **Durable Construction:** Features a rust-resistant aluminum frame (1.5mm thickness) and 6mm twin-wall translucent polycarbonate panels with 99.99% UV protection.
- **Enhanced Ventilation:** Equipped with two double swing doors (with door hooks for holding open) and two four-level adjustable roof vents to ensure optimal airflow and moisture management.
- **Robust Stability:** Includes 4 corner posts and 2 middle posts designed for secure burial in soil or concrete, providing excellent stability. Snow Load Capacity: 18 psf; Wind Rating: 60 mph.
- **Integrated Drainage System:** Four corners feature drainage holes and attached pipes for efficient water

collection, ideal for connecting to rain barrels.





Figure 2: Detailed view of the greenhouse's adjustable roof vents, convenient door lock, and inserted polycarbonate panels, highlighting key functional elements.



**USING SILICONE SEALANT
TO SEAL THE PANELS**



ACCESSIBLE GO THROUGH



SELF-CONTAINED DRAINAGE HOLE



**4 CORNER POSTS + 2 MIDDLE POSTS
DOUBLE PROTECTION**

Figure 3: Illustration of the self-contained drainage system, accessible entry for equipment like wheelbarrows, the use of silicone sealant for panels, and the double-protection corner posts.

3. ASSEMBLY AND SETUP

Assembly of the HOWE Polycarbonate Greenhouse requires careful attention to detail. It is recommended that 2-3 individuals participate in the assembly process, which typically takes around 10 hours. Ensure all parts are accounted for before beginning. Refer to the detailed assembly video below for a visual guide.

3.1. Assembly Video Guide

Your browser does not support the video tag.

Video 1: Comprehensive installation guide for the HOWE Polycarbonate Greenhouse. This video provides a step-by-step visual walkthrough of the entire assembly process, from preparing the base to installing panels and doors.

3.2. Key Assembly Steps (Summary from Video)

1. **Prepare the Base:** Assemble the base frame components (B2, A2, C2, D306, D307) using the provided bolts (S01, M01). Ensure the frame is square and level. Secure the base to the ground using ground stakes (D144, S69) for stability.
2. **Construct Wall Frames:** Assemble the vertical and horizontal wall frame components (L01A, L01B, L08C, L10A, L10B, L10E, L10F, L23C, L23G, L26A, L26B, L10C, L02A, L07C, L26C, L26D, L26G, L26H, D317) using bolts (S01, M01) and screws (Z08).
3. **Install Polycarbonate Wall Panels:** Carefully slide the polycarbonate wall panels (Y1, Y2, Y4, Y6) into the assembled wall frames. Ensure they are properly seated and secured.
4. **Assemble Top/Roof Structure:** Construct the roof frame using components (L01C, L01D, L02C, L02B, L04A, L05B, L06C, L09C, L23E, D17, D26, Y3, Y7, Y8, Y9) and corresponding fasteners (S01, M01, Z08).
5. **Install Roof Panels and Vents:** Place the polycarbonate roof panels and assemble the adjustable roof vents (L11A, L12A, L19, L20, L21, A01, A03, Y10) as per the instructions, securing them with screws (Z02, Z04).
6. **Assemble and Attach Doors:** Assemble the left and right swing doors (D00R-L, D00R-R, L16A, L17, L18A, L18B, L18C, L18D, D45, Y11) and attach hinges (A51) to the main structure using screws (Z17, S27).
7. **Install Accessories:** Attach the gutter system components (J55, J56L/R, J94, J165, J166) and door hooks (J93, L25) and other accessories using the specified screws (Z02, Z08).

4. OPERATION

4.1. Doors

The greenhouse features two double swing doors for easy access. Each door is equipped with a latch for secure closure and a door hook to keep it open for increased ventilation when desired. Ensure doors are properly latched to prevent accidental opening, especially during windy conditions.

4.2. Roof Vents

The two roof vents are adjustable to four different levels, allowing you to control the internal temperature and humidity. Open the vents to release excess heat and moisture, and close them to retain warmth, particularly during colder periods. Regular adjustment based on external weather conditions is recommended for optimal plant health.

4.3. Water Collection System

The built-in gutter system directs rainwater from the roof to drainage pipes located at the four corners. You can connect these pipes to rain barrels or other collection systems to maximize water resource utilization for your plants.

Your browser does not support the video tag.

Video 2: Overview of the HOWE Polycarbonate Greenhouse, demonstrating features such as the double swing doors, adjustable roof vents, and the integrated gutter system for water collection.

5. MAINTENANCE

- **Cleaning Panels:** Regularly clean the polycarbonate panels with mild soap and water to ensure maximum light transmission. Avoid abrasive cleaners or tools that could scratch the panels.
- **Checking Seals:** Periodically inspect all seals and connections for any signs of wear or damage. Apply silicone sealant as needed to maintain weatherproofing and insulation.

- **Drainage System:** Keep the gutter system and drainage pipes clear of debris (leaves, dirt) to ensure efficient water flow and prevent blockages.
- **Frame Inspection:** Annually inspect the aluminum frame for any loose bolts or signs of corrosion. Tighten fasteners as necessary and address any corrosion promptly to maintain structural integrity.
- **Snow Removal:** While designed for snow loads up to 18 psf, heavy snowfall should be gently removed from the roof to prevent excessive stress on the structure.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Water leakage	Loose panels, damaged seals, clogged gutters.	Check and tighten panel screws. Apply silicone sealant to gaps. Clear gutters and drainage pipes.
Doors sticking/not closing properly	Misalignment, debris in tracks, loose hinges.	Adjust door alignment. Clean tracks. Tighten hinge screws.
Poor ventilation/high humidity	Vents closed, insufficient airflow.	Open roof vents and doors as needed. Ensure proper air circulation.
Greenhouse instability	Improper foundation, loose frame connections.	Ensure base is level and securely anchored. Tighten all frame bolts.

7. SPECIFICATIONS

Attribute	Detail
Product Dimensions	113"L x 91"W x 89"H (8x10x7.5 FT)
Item Weight	175 pounds
Frame Material	Aluminum (1.5mm thickness)
Cover Material	Polycarbonate (PC)
Nominal Wall Thickness	6 mm (Twin-wall translucent)
UV Resistant	99.9% Harmful UV rays block
Number of Doors	2 (Double Swing Doors)
Number of Vents	2 (Four-level adjustable roof vents)
Snow Load Capacity	18 psf
Wind Rating	60 mph
Indoor/Outdoor Usage	Outdoor

Attribute	Detail
Manufacturer	HOWE
Item Model Number	YPG204



Figure 4: Dimensional overview of the greenhouse, illustrating its length, width, and height specifications.



Figure 5: The greenhouse demonstrating its snow load capacity, indicating its suitability for winter conditions.

8. WARRANTY AND SUPPORT

Your HOWE Polycarbonate Greenhouse is backed by a 30-day easy return policy. For any product-related inquiries, technical assistance, or support, please contact customer service. Additional user guides and manuals may be available in PDF format for download.

Returns: 30-day easy returns available.

Customer Support: Contact information typically provided with purchase or on the manufacturer's website.

Additional Resources: User Guide (PDF) and User Manual (PDF) are available for detailed information.

