XSDTS 3DR-Q8-Pro (6068-R)

XSDTS Smart Door Lock User Manual

Model: 3DR-Q8-Pro (6068-R)

Brand: XSDTS

INTRODUCTION

This user manual provides comprehensive instructions for the installation, setup, operation, and maintenance of your XSDTS Smart Door Lock, Model 3DR-Q8-Pro (6068-R). This advanced smart lock integrates multiple security features including 3D facial recognition, fingerprint scanning, password entry, smart card access, and traditional mechanical keys, all controllable via the TUYA App. Please read this manual carefully before installation and use to ensure optimal performance and security.

PRODUCT OVERVIEW

Key Features

- **7-in-1 Unlocking Methods:** Supports 3D facial recognition, fingerprint, password, smart card, mechanical key, TUYA App remote unlock, and one-time access codes.
- Integrated Intercom & Doorbell: Features a built-in doorbell and intercom system with real-time video monitoring via the TUYA App.
- Advanced Security: Includes tamper alarm, anti-peeping password function, and automatic locking.
- **High-Speed Recognition:** Fingerprint recognition in less than 0.5 seconds with a 99.9% success rate.
- Wide Compatibility: Suitable for wooden or metal doors with a thickness of 45mm to 110mm.
- **User-Friendly Interface:** Features a Portuguese language operating system, voice prompts, and screen display for easy setup and operation.
- Remote Management: Control and monitor your lock from anywhere using the TUYA App, including remote unlocking and access log viewing.

Package Contents

Please verify that all components are present in your package:

- Front Panel x 1
- Back Panel x 1
- Lock Plug x 1 (optional, depending on model)

- Smart Card x 4
- Mechanical Key x 2
- Screw Kit x 1





Image: Illustration of the smart lock components and various lock body dimensions, including the main panels, lock body, and accessories.

Installation Guide

Professional installation is highly recommended for this smart door lock due to the precision required for fitting the mortise lock and panels. Ensure your door meets the thickness requirement of 45mm to 110mm.

Door Measurement

Before installation, accurately measure your door according to the following steps:

- 1. Measure the thickness of the door frame.
- 2. Measure the length of the guide piece (mortise lock).
- 3. Measure the width of the guide piece (mortise lock).
- 4. Measure the distance from the door edge to the center of the lock body.

5. Measure the distance from the center of the handle to the center of the lower screw hole on the back panel.

Os seguintes dados devem ser fornecidos antes da compra

Se você não entender, consulte o serviço ao cliente primeiro







Meça a espessura da moldura da porta

Meça o comprimento da peça guia

Meça a largura da peça guia



Porta para lidar com o centro



Distância do orifício do parafuso do painel traseiro

Image: Visual guide demonstrating how to measure various parts of the door and existing lock for proper smart lock installation.



Image: Detailed diagram showing the dimensions of the mortise lock body (Model 6068) and its compatibility with the smart lock panels.



Nós temos 24+ tamanho da diferença para escolher

Porta para lidar com o centro Distância do

Distância do orifício do parafuso do painel traseiro

SETUP: INITIAL CONFIGURATION & APP PAIRING

Your XSDTS Smart Door Lock is designed for easy integration with the TUYA Smart App, allowing for remote control and advanced features.

TUYA App Connection

- 1. Download the "Tuya Smart" or "Smart Life" App from your smartphone's app store (iOS or Android).
- 2. Register or log in to your account.
- 3. Ensure your smart lock is powered on and in pairing mode (refer to the lock's screen or voice prompts for specific instructions).
- 4. In the App, tap "Add Device" or the "+" icon, then select "Security & Video Surveillance" > "Smart Lock (Wi-Fi)".
- 5. Follow the on-screen instructions in the App to connect your lock to your home Wi-Fi network. This typically involves confirming the Wi-Fi network and entering the password.
- 6. Once connected, you can manage users, view access logs, and remotely unlock your door.



Image: Screenshot of the TUYA App interface demonstrating features like mobile unlock, temporary password generation, door opening records, and alert messages.



Image: Diagram illustrating the functions of the Tuya WiFi Module, including remote APP unlock, smart scene linkage, doorbell message promotion, and door unlock record viewing.

OPERATING INSTRUCTIONS

Your XSDTS Smart Door Lock offers multiple convenient ways to unlock your door.

Unlocking Methods

- **3D Facial Recognition:** Stand in front of the lock, and it will automatically recognize your face and unlock. Ensure your face is properly registered in the system.
- **Fingerprint:** Place your registered finger on the fingerprint sensor. The lock will unlock in less than 0.5 seconds.
- **Password:** Enter your registered password on the keypad. Use the anti-peeping function by entering random digits before or after your actual password.
- Smart Card: Tap your registered smart card on the designated area of the lock.
- **Mechanical Key:** In case of emergency or power failure, use the provided mechanical keys to unlock the door manually.
- TUYA App Remote Unlock: Open the TUYA App on your smartphone, select your lock, and tap the

unlock button. This is useful for granting access remotely.

• One-Time Access Codes: Generate temporary, single-use codes via the TUYA App for guests or service personnel. These codes automatically expire after use.







Image: Visual representation of the various unlocking methods: 3D facial recognition, fingerprint, password, smart card, mechanical key, and mobile application.



Image: Highlights the speed and accuracy of the fingerprint recognition feature, showing less than 0.5 seconds recognition time and 99.98% success rate.

Intercom and Monitoring

The integrated doorbell and camera allow you to see who is at your door in real-time, either on the lock's screen or via the TUYA App. When someone presses the doorbell, the App will send a notification with an image, allowing you to view live video and decide whether to unlock the door remotely.





Desbloqueio Remoto da APP



Ligação Inteligente da Cena



Promoção da Mensagem da Campainha



Visualização do Registo do Desbloqueio da Porta



Image: Diagram showing the wide-angle "cat's eye" lens for binocular recognition and intelligent light filling, providing a broad view of the area outside the door.

MAINTENANCE

To ensure the longevity and optimal performance of your XSDTS Smart Door Lock, follow these maintenance guidelines:

- **Cleaning:** Wipe the lock's surface with a soft, dry cloth. Avoid using abrasive cleaners, solvents, or harsh chemicals, as they can damage the finish and electronic components.
- **Battery:** The lock features a rechargeable battery. Monitor the battery level via the lock's screen or the TUYA App. Recharge the battery promptly when indicated to prevent loss of function.
- **Sensors:** Keep the fingerprint sensor, camera lens, and facial recognition area clean and free of dust or smudges for accurate operation.
- **Mechanical Parts:** Periodically check the mechanical components for smooth operation. Do not lubricate the lock cylinder unless specifically instructed by the manufacturer.

TROUBLESHOOTING

If you encounter issues with your XSDTS Smart Door Lock, please refer to the following common solutions:

Problem	Possible Cause	Solution
Lock not responding / No power	Low battery or completely drained.	Recharge the lock's battery. Use the mechanical key for emergency access.
Fingerprint/Facial recognition failure	Sensor/camera dirty, unregistered user, or improper placement.	Clean the sensor/camera. Ensure your fingerprint/face is properly registered. Try different angles or re-register if necessary.
Cannot connect to Wi-Fi / TUYA App	Incorrect Wi-Fi password, weak signal, or router issues.	Double-check Wi-Fi password. Ensure the lock is within Wi-Fi range. Restart your router. Follow App pairing instructions carefully. Note: The lock supports 2.4GHz Wi-Fi networks.
Lock does not fit door properly	Incorrect measurements or mortise size.	Verify door thickness and mortise dimensions against specifications. Professional installation is crucial for proper fit.
Voice prompts/screen not in desired language	Language setting needs adjustment.	Access the lock's settings menu (usually via the screen or master password) to change the language to Portuguese or English.

If the problem persists, please contact XSDTS customer support for further assistance.

SPECIFICATIONS

Feature	Detail	
Brand	XSDTS	
Model	3DR-Q8-Pro (6068-R)	
Part Number	3DR-Q8-Preto, 6068-R	
Color	Black	
Style	Modern	
Finish	Polished	
Material	Aluminum	
Shape	Oval	
Special Features	Fingerprint, Rechargeable, Anti-peeping password, Automatic lock, Password unlock, 3D Facial Recognition, Wi-Fi Connectivity, Intercom, Doorbell	
Included Components	Front panel, back panel, lock plug (optional), 4 smart cards, 2 mechanical keys, screw kit	
Weight	5 Kilograms	

Feature	Detail
Product Dimensions (L x W x H)	42 x 7.5 x 6.5 cm
Door Thickness Compatibility	45mm - 110mm
Lock Type	Biometric

WARRANTY AND SUPPORT

For warranty information and technical support, please contact XSDTS customer service. Keep your purchase receipt as proof of purchase.

For inquiries related to your purchase or delivery, please contact the seller: Shan Tou Tong Sheng Trading CO., LTD.

For the most up-to-date support resources, including FAQs and software updates, please visit the official XSDTS website or the product page on Amazon.