

Sunrosa SBC-C-3636C

Sunrosa 36x36x4 Inch Single Threshold Shower Base Instruction Manual

Model: SBC-C-3636C

1. PRODUCT OVERVIEW

This manual provides instructions for the Sunrosa 36x36x4 inch single threshold shower base. This product is designed for residential bathroom installations, featuring a solid surface construction and a slip-resistant textured surface. It includes a center drain with a removable stainless steel chrome cover.

Key Features:

- **Dimensions:** 36 inches L x 36 inches W x 4 inches H, with a 3-inch threshold height.
- **Drain:** Center drain with a removable stainless steel chrome cover.
- **Surface:** Slip-resistant textured surface for enhanced safety.
- **Construction:** High-grade solid surface material (SMC) for durability.
- **Flanges:** Three integrated tile flanges to prevent water leakage.
- **Maintenance:** Scratch-resistant and stain-resistant surface for easy cleaning.




Figure 1: Top-down view of the Sunrosa shower base, highlighting its square shape and center drain.

Single Threshold Shower Base



Figure 2: Key features of the Sunrosa shower base, including flanges and drain components.

2. INSTALLATION INSTRUCTIONS

Proper installation is crucial for the functionality and longevity of your shower base. It is recommended that installation be performed by a qualified professional plumber or contractor.

Pre-Installation Checklist:

- Verify that the shower base dimensions (36" L x 36" W x 4" H) and drain placement (center) align with your bathroom layout and existing plumbing.
- Ensure the subfloor is level, clean, and structurally sound to support the shower base and user weight.
- Confirm all necessary plumbing connections are accessible and correctly positioned for the center drain.
- Inspect the shower base for any manufacturing defects or shipping damage prior to installation.

Installation Steps (General Guidance):

1. **Prepare the Area:** Clear the installation area. Ensure the subfloor is level and clean.
2. **Dry Fit:** Place the shower base in its intended position to confirm fit and drain alignment.
3. **Drain Connection:** Connect the shower base drain to the waste pipe according to local plumbing codes.

Ensure a watertight seal.

4. **Secure the Base:** Apply a suitable adhesive or mortar bed to the subfloor as recommended by the manufacturer or your professional installer to firmly set the base.
5. **Flange Sealing:** The integrated tile flanges should be sealed against the wall studs or waterproofed wall board to prevent water penetration.
6. **Water Test:** After the base is secured and drain connected, perform a water test to check for leaks before proceeding with wall finishes.

Reinforced Shower Base Bottom Design




Figure 3: Reinforced bottom design of the shower base, providing structural support.




Figure 4: Illustration of the shower base's load-bearing capacity.

3. OPERATING THE SHOWER BASE

The Sunrosa shower base is designed for daily use in a shower enclosure. Its primary function is to provide a stable, waterproof, and slip-resistant surface for showering.

Key Operational Features:

- **Slip Resistance:** The textured surface is engineered to reduce the risk of slipping during use.
- **Water Drainage:** The sloped design directs water towards the center drain, ensuring efficient water removal.
- **Threshold Access:** The 3-inch high single threshold provides easy entry and exit while containing water within the shower area.



Figure 5: Close-up of the anti-slip textured surface and single threshold.

4. MAINTENANCE AND CARE

Regular cleaning and proper care will help maintain the appearance and functionality of your Sunrosa shower base.

General Cleaning:

- Clean the shower base regularly with a soft cloth or sponge and a mild, non-abrasive bathroom cleaner.
- Avoid using harsh chemicals, abrasive scrubbers, or acidic cleaners, as these can damage the surface finish.
- Rinse the surface thoroughly with water after cleaning to remove all cleaner residue.

Drain Maintenance:

- Periodically remove the stainless steel chrome drain cover to clear any hair or debris that may accumulate.
- Clean the drain area and the underside of the cover with a brush and mild cleaner.
- Ensure the drain cover is properly re-seated after cleaning.



Figure 6: Removing the drain cover for cleaning.



Stain Resistant



cUPC Certified



CSA Certified

5. TROUBLESHOOTING

This section addresses common concerns that may arise with the shower base.

Common Issues:


- **Drain Placement:** The product is advertised with a center drain. However, some users have noted that the drain may be slightly off-center (e.g., set back by a few inches) relative to the exact geometric center of the pan. It is crucial to verify the precise drain location using the provided dimension diagrams before purchase and installation, especially when replacing an existing shower base.
- **Water Leakage:** If water leakage occurs, inspect the sealing around the integrated tile flanges and the drain connection. Ensure all seals are intact and properly installed. Consult a professional plumber if leaks persist.

- **Slow Drainage:** A slow drain typically indicates a blockage. Remove the drain cover and clear any accumulated hair or debris from the drain opening. If the issue persists, a plumbing snake may be required, or professional assistance sought.
- **Surface Stains:** For stubborn stains, refer to the maintenance section for appropriate cleaning agents. Avoid abrasive materials that can scratch the surface.

6. SPECIFICATIONS

Attribute	Value
Manufacturer	Sunrosa
Model Number	SBC-C-3636C
Item Weight	45.7 pounds
Product Dimensions	36 x 36 x 4 inches
Size	36" L x 36" W x 4" H
Color	White
Style	[36*36]CenterDrain
Finish	White
Material	SMC
Pattern	Square
Shape	Square
Installation Method	Floor-Mounted
Item Package Quantity	1
Number Of Basins	1
Batteries Included?	No
Batteries Required?	No
Date First Available	August 17, 2023

Single Threshold 36X36 Shower Base



A: 36 in.(914.4mm)

B: 36 in.(914.4mm)

C: 4.02 in.(102.2mm)

D: 3.02 in.(76.8mm)

E: 15 in.(381mm)

F: 15 in.(381mm)

G: 3.36 in.(85.5mm)

H: 4.4 in.(112mm)

Figure 7: Detailed dimensions of the Sunrosa 36x36 shower base.

7. WARRANTY AND SUPPORT

For specific warranty information regarding your Sunrosa shower base, please refer to the documentation provided at the time of purchase or contact Sunrosa customer support directly. Warranty terms typically cover manufacturing defects and material integrity under normal use.

Customer Support:

If you encounter any issues or have questions not covered in this manual, please contact Sunrosa customer service. Contact details can usually be found on the product packaging or the official Sunrosa website.

For additional resources, you may visit the [Sunrosa Store on Amazon](#).